

Corrigendum

Cite this article: Venkatasai J, Ramireddy J, Sathyamurthy A, Godson HF, Karuppusami R, Das S, and Ram TS. (2022) Impact of CT based planning and bladder volume changes on the dosimetry of vaginal vault brachytherapy – CORRIGENDUM. *Journal of Radiotherapy in Practice* **21**: 454. doi: [10.1017/S1460396921000534](https://doi.org/10.1017/S1460396921000534)

First published online: 4 October 2021

Key words:

bladder; CT-based planning; gynaecological cancer; vaginal brachytherapy; corrigendum

Author for correspondence:

Jeyaanth Venkatasai,
E-mail: jeyaanth@gmail.com

Impact of CT based planning and bladder volume changes on the dosimetry of vaginal vault brachytherapy – CORRIGENDUM

Jeyaanth Venkatasai, Jebakarunya Ramireddy, Arvind Sathyamurthy,
Henry Finlay Godson, Reka Karuppusami, Saikat Das and Thomas Samuel Ram

DOI: <https://doi.org/10.1017/S1460396920001235>, Published online by Cambridge University Press, 09 February 2021

This article was originally published without the name of one of its authors, Saikat Das. This error has now been corrected in the original article and this corrigendum published.

Reference

Venkatasai J, Ramireddy J, Sathyamurthy A, Godson HF, Karuppusami R, Das S and Ram TS. Impact of CT-based planning and bladder volume changes on the dosimetry of vaginal vault brachytherapy. *J Radiother Pract* 2021; 1–7. doi: [10.1017/S1460396920001235](https://doi.org/10.1017/S1460396920001235).