

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. **Tables** Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL

'At risk mental state' clinics for psychosis – an idea whose time has come – and gone!

Ajnakina O, David AS & Murray RM

529

REVIEW ARTICLES

Treatment outcomes for anorexia nervosa: a systematic review and meta-analysis of randomized controlled trials

Murray SB, Quintana DS, Loeb KL, Griffiths S & Le Grange D

535

Ethnic minority position and migrant status as risk factors for psychotic symptoms in the general population: a meta-analysis

Leaune E, Dealberto M-J, Luck D, Grot S, Zeroug-Vial H, Poulet E & Brunelin J

545

Anxiety and depression in adults with autism spectrum disorder: a systematic review and meta-analysis

Hollocks MJ, Lerh JW, Magiati I, Meiser-Stedman R & Brugha TS

559

ORIGINAL ARTICLES

Altered brain gyrification in deficit and non-deficit schizophrenia

Takayanagi Y, Sasabayashi D, Takahashi T, Komori Y, Furuichi A, Kido M, Nishikawa Y, Nakamura M, Noguchi K & Suzuki M

573

Startle habituation, sensory, and sensorimotor gating in trauma-affected refugees with posttraumatic stress disorder

Meteran H, Vindbjerg E, Uldall SW, Glenthøj B, Carlsson J & Oranje B

581

Mapping the neuroanatomic substrates of cognition in familial attention deficit hyperactivity disorder

Muster R, Choudhury S, Sharp W, Kasperek S, Sudre G & Shaw P

590

Testing a stepped care model for binge-eating disorder: a two-step randomized controlled trial

Tasca GA, Koszycki D, Brugnera A, Chyurlia L, Hammond N, Francis K, Ritchie K, Ivanova I, Proulx G, Wilson B, Beaulac J, Bissada H, Beasley E, Mcquaid N, Grenon R, Fortin-Langelier B, Compare A & Balfour L

598

The association between depressive and sleep symptoms for predicting incident disease onset after 6-year follow-up: findings from the English Longitudinal Study of Ageing

Poole L & Jackowska M

607

Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study

Beijers L, Wardenaar KJ, Bosker FJ, Lamers F, van Grootheest G, de Boer MK, Penninx BWJH & Schoevers RA

617

Childhood trauma- and cannabis-associated microstructural white matter changes in patients with psychotic disorder: a longitudinal family-based diffusion imaging study

Domen P, Michielse S, Peeters S, Viechtbauer W, van Os J & Marcelis M, for Genetic Risk and Outcome of Psychosis (G.R.O.U.P.)

628

Effects of slow-wave activity on mood disturbance in major depressive disorder

Goldschmied JR, Cheng P, Hoffmann R, Boland EM, Deldin PJ & Armitage R

639

Aggressive behaviour in childhood and adolescence: the role of smoking during pregnancy, evidence from four twin cohorts in the EU-ACTION consortium

Malanchini M, Smith-Woolley E, Ayorech Z, Rimfeld K, Krapohl E, Vuoksima E, Korhonen T, Bartels M, van Beijsterveldt TCEM, Rose RJ, Lundström S, Anckarsäter H, Kaprio J, Lichtenstein P, Boomsma DI & Plomin R

646

Rapid antidepressant effects of the psychedelic ayahuasca in treatment-resistant depression: a randomized placebo-controlled trial

Palhano-Fontes F, Barreto D, Onias H, Andrade KC, Novaes MM, Pessoa JA, Mota-Rolim SA, Osório FL, Sanches R, dos Santos RG, Tófoli LF, de Oliveira Silveira G, Yonamine M, Riba J, Santos FR, Silva-Junior AA, Alchieri JC, Galvão-Coelho NL, Lobão-Soares B, Hallak JEC, Arcoverde E, Maia-de-Oliveira JP & Araújo DB

655

Temporal effects of maternal psychological distress on child mental health problems at ages 3, 5, 7 and 11: analysis from the UK Millennium Cohort Study

Hope S, Pearce A, Chittleborough C, Deighton J, Maika A, Micali N, Mittinty M, Law C & Lynch J

664

Accelerated alcohol use across adolescence predicts early adult symptoms of alcohol use disorder via reward-related neural function

Waller R, Murray L, Shaw DS, Forbes EE & Hyde LW

675

Prevalence of pre-stroke depression and its association with post-stroke depression: a systematic review and meta-analysis

Taylor-Rowan M, Momoh O, Ayerbe L, Evans JJ, Stott DJ & Quinn TJ

685

Correspondence

697

Invited Letter Rejoinder

699

Corrigendum

701