

JOURNAL OF GLACIOLOGY

INDEX Vol. 47 No. 156–159, 2001

Ablation:

- Detection of snowmelt regions on the Greenland ice sheet using diurnal backscatter change, 539–547
- The seasonal cycle of sublimation at Halley, Antarctica, 1–8
- Significant marine-ice accumulation in the ablation zone beneath an Antarctic ice shelf, 359–368

Accumulation:

- Correspondence, 160–162
- The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
- Interannual variability of elevation on the Greenland ice sheet: effects of firn densification, and establishment of a multi-century benchmark, 369–377
- A mean net accumulation pattern derived from radioactive layers and radar soundings on Austfonna, Nordaustlandet, Svalbard, 555–566

Aizen, V. B., *see* Kreutz, K. J. and others

Alley, R. B., *see* Ensminger, S. L. and others

Alley, R. B., *see* Spencer, M. K. and others

Alley, R. B., *see* Waddington, E. D. and others

Allison, I., *see* Xiao Cunde and others

Amundsen Sea (Antarctica):

- Surface properties and processes of perennial Antarctic sea ice in summer, 613–625

Amundsenisen (Antarctica):

- A high-altitude snow chemistry record from Amundsenisen, Dronning Maud Land, Antarctica, 489–496

Anderson, J. B., *see* Wellner, J. S. and others

Anderson, P. S., *see* King, J. C. and others

Andes:

- Glacier–climate interaction at low latitudes, 195–204
- Small glaciers disappearing in the tropical Andes: a case-study in Bolivia: Glaciar Chacaltaya (16° S), 187–194

Antarctica:

- Blue-ice areas in Antarctica derived from NOAA AVHRR satellite data, 325–334
- Correspondence, 159–160, 160–162
- Coupled marine-ice-sheet/Earth dynamics using a dynamically consistent ice-sheet model and a self-gravitating viscous Earth model, 258–270
- Crevasse patterns at the onset to Ice Stream B, West Antarctica, 29–36
- Detailed observations of the rippled surface of Antarctic blue-ice areas, 387–396
- Distribution of glacial geomorphic features on the Antarctic continental shelf and correlation with substrate: implications for ice behavior, 397–411
- Dynamical processes involved in the retreat of marine ice sheets, 271–282
- The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
- Ephemeral grounding as a signal of ice-shelf change, 71–77
- Evidence for rapid retreat and mass loss of Thwaites Glacier, West Antarctica, 213–222
- Formation processes of basal ice at Hamna Glacier, Söya Coast, East Antarctica, inferred by detailed co-isotopic analyses, 223–231
- A high-altitude snow chemistry record from Amundsenisen, Dronning Maud Land, Antarctica, 489–496
- Internal ice-sheet radar layer profiles and their relation to reflection mechanisms between Dome C and the Transantarctic Mountains, 205–212
- Investigations of an “ice-plain” in the mouth of Pine Island Glacier, Antarctica, 51–57
- Meteorological conditions over Antarctic blue-ice areas and their influence on the local surface mass balance, 37–50

- Methanesulphonate in the firn of King George Island, Antarctica, 589–594
- Modeling giant-iceberg drift under the influence of sea ice in the Weddell Sea, Antarctica, 452–460
- Post-stagnation behavior in the upstream regions of Ice Stream C, West Antarctica, 283–294
- Preliminary firn-densification model with 38-site dataset, 671–676
- Review. The West Antarctic ice sheet: behavior and environment, 521–522
- The seasonal cycle of sublimation at Halley, Antarctica, 1–8
- Significant marine-ice accumulation in the ablation zone beneath an Antarctic ice shelf, 359–368
- Surface properties and processes of perennial Antarctic sea ice in summer, 613–625
- Transmission of stress between an ice stream and interstream ridge, 433–440

Arck, M. and D. Scherer, (paper: A physically based method for correcting temperature data measured by naturally ventilated sensors over snow) 665–670

Austfonna (Svalbard):

- A mean net accumulation pattern derived from radioactive layers and radar soundings on Austfonna, Nordaustlandet, Svalbard, 555–566

Austre Okstindbreen (Norway):

- Correspondence, 517–518
- Firn-line detection on Austre Okstindbreen, Norway, with airborne multipolarization SAR, 251–257
- The isotopic record at an alpine glacier and its implications for local climatic changes and isotopic homogenization processes, 147–151

Austria:

- Glacier–climate interaction at low latitudes, 195–204

Bakaninbreen (Svalbard):

- Mechanical and hydraulic properties of till beneath Bakaninbreen, Svalbard, 167–175
- Thermally controlled glacier surging, 527–538

Bareiss, J., *see* Haas, C. and others

Basal conditions:

- Basal-crevasse-fill origin of laminated debris bands at Matanuska Glacier, Alaska, U.S.A., 412–422:
- Correspondence, 159–160
- Distributed shear of subglacial till due to Coulomb slip, 481–488:
- Implications of till deformation on glacier dynamics, 123–134:
- Mapping thermal and hydrological conditions beneath a polythermal glacier with radio-echo sounding, 232–242:
- Mechanical and hydraulic properties of till beneath Bakaninbreen, Svalbard, 167–175:
- Subglacial deformation: evidence from microfabric studies of particles and voids in till from the upper Ürümqi river valley, Tien Shan, China, 607–612

Bellingshausen Sea (Antarctica):

- Surface properties and processes of perennial Antarctic sea ice in summer, 613–625

Benn, D., *see* Warren, C. and others

Benn, D. I., S. Wiseman and K. A. Hands, (paper: Growth and drainage of supraglacial lakes on the debris-mantled Ngozumpa Glacier, Khumbu Himal, Nepal) 626–638

Bindschadler, R. A., *see* Price, S. F. and others

Bintanja, R. and C. H. Reijmer, (paper: Detailed observations of the rippled surface of Antarctic blue-ice areas) 387–396

Bintanja, R. and C. H. Reijmer, (paper: Meteorological conditions over Antarctic blue-ice areas and their influence on the local surface mass balance) 37–50

Birkeland, K. W., (paper: Spatial patterns of snow stability throughout a small mountain range) 176–186

- Björnsson, H., H. Rott, S. Gudmundsson, A. Fischer, A. Siegel and M. T. Gudmundsson, (paper: Glacier–volcano interactions deduced by SAR interferometry) 58–70
- Black Rapids Glacier (U.S.A.):
Implications of till deformation on glacier dynamics, 123–134
- Blatter, H., *see* Vieli, A. and others
- Blue ice:
Blue-ice areas in Antarctica derived from NOAA AVHRR satellite data, 325–334
Detailed observations of the rippled surface of Antarctic blue-ice areas, 387–396
Meteorological conditions over Antarctic blue-ice areas and their influence on the local surface mass balance, 37–50
- Bolivia:
Anomalous heat and mass budget of Glaciar Zongo, Bolivia, during the 1997/98 El Niño year, 21–28
Small glaciers disappearing in the tropical Andes: a case-study in Bolivia: Glaciar Chacaltaya (16° S), 187–194
- Bolzan, J. F., *see* Waddington, E. D. and others
- Bondesan, A., *see* Khazendar, A. and others
- Bradley, R. S., *see* Braun, C. and others
- Braun, C., D. R. Hardy and R. S. Bradley, (correspondence: Recent recession of a small plateau ice cap, Ellesmere Island, Canada) 154
- Calving:
Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia, 135–146
Flow dynamics of tidewater glaciers: a numerical modelling approach, 595–606
Short-term flow dynamics of a retreating tidewater glacier: LeConte Glacier, Alaska, U.S.A., 567–578
Tidewater glacier beds: insights from iceberg debris in Kongsfjorden, Svalbard, 295–302
- Canada:
Abrupt glacier motion and reorganization of basal shear stress following the establishment of a connected drainage system, 472–480
Correspondence, 154
Mapping thermal and hydrological conditions beneath a polythermal glacier with radio-echo sounding, 232–242
Thermally controlled glacier surging, 527–538
- Cecil, L. DeW., *see* Kreutz, K. J. and others
- Chacaltaya Glacier (Bolivia):
Small glaciers disappearing in the tropical Andes: a case-study in Bolivia: Glaciar Chacaltaya (16° S), 187–194
- Chemistry:
Correspondence, 155–156, 519–520
Enhancement of glacial solute fluxes in the proglacial zone of a polythermal glacier, 378–386
A high-altitude snow chemistry record from Amundsenisen, Dronning Maud Land, Antarctica, 489–496
Methanesulphonate in the firn of King George Island, Antarctica, 589–594
A new ice-core record from Lomonosovfonna, Svalbard: viewing the 1920–97 data in relation to present climate and environmental conditions, 335–345
Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
- Chile:
Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia, 135–146
- China:
Longitudinal variations in cross-section morphology along a glacial valley: a case-study from the Tien Shan, China, 243–250
Subglacial deformation: evidence from microfabric studies of particles and voids in till from the upper Ürümqi river valley, Tien Shan, China, 607–612
- Clarke, G. K. C., *see* Kavanaugh, J. L.
- Climate:
Correspondence, 160–162
- Estimating South Cascade Glacier (Washington, U.S.A.) mass balance from a distant radiosonde and comparison with Blue Glacier, 579–588
Glacier–climate interaction at low latitudes, 195–204
A new ice-core record from Lomonosovfonna, Svalbard: viewing the 1920–97 data in relation to present climate and environmental conditions, 335–345
On the characterization of glacier response by a single time-scale, 659–664
Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
Quantifying the effects of climate and surface change on glacier mass balance, 649–658
The surges of Variegated Glacier, Alaska, U.S.A., and their connection to climate and mass balance, 351–358
- Colle Gnifetti (Switzerland):
Modelling heat flow in a cold, high-altitude glacier: interpretation of measurements from Colle Gnifetti, Swiss Alps, 314–324
- Collins Ice Cap (Antarctica):
Methanesulphonate in the firn of King George Island, Antarctica, 589–594
- Conway, H., *see* Rasmussen, L. A.
- Cooper, R. J., *see* Wadham, J. L. and others
- Copland, L. and M. Sharp, (paper: Mapping thermal and hydrological conditions beneath a polythermal glacier with radio-echo sounding) 232–242
- Corr, H. F. J., C. S. M. Doake, A. Jenkins and D. G. Vaughan, (paper: Investigations of an “ice-plain” in the mouth of Pine Island Glacier, Antarctica) 51–57
- Correspondence:
10 years of mass-balance measurements along a transect near Kangerlussuaq, central West Greenland, 157–158
A reason for resin, 153
Comments on “Calculating basal thermal zones beneath the Antarctic ice sheet” by Wilch and Hughes, 159–160
Complexity of the climatic regime over the Lambert Glacier basin of the East Antarctic ice sheet: firn-core evidences, 160–162
Evidence of the Kuwaiti oil fires in the Dasuopu glacier ice core, central Himalaya, 519–520
Fracturing and sediment deposition at the glacier surface by jökulhlaups: a common occurrence, 517–518
Recent 180 years oxalate (C₂O₄²⁻) records recovered from the Mount Everest ice core: some environmental implications, 155–156
Recent recession of a small plateau ice cap, Ellesmere Island, Canada, 154
- Crevasses:
Crevasse patterns at the onset to Ice Stream B, West Antarctica, 29–36
- Creyts, T. T., *see* Spencer, M. K. and others
- Cuffey, K. M., (paper: Interannual variability of elevation on the Greenland ice sheet: effects of firn densification, and establishment of a multi-century benchmark) 369–377
- Cui Zhijiu, *see* Li Yingkui and others
- Cui Zhijiu, *see* Yi Chaolu
- Dai Dongsheng, *see* Han Jiankang and others
- Dasuopu glacier (China):
Correspondence. Evidence of the Kuwaiti oil fires in the Dasuopu glacier ice core, central Himalaya, 519–520
- Denby, B., *see* Greuell, W. and others
- Descloitres, M., *see* Ramírez, E. and others
- Dini, M., *see* Khazendar, A. and others
- Doake, C. S. M., *see* Corr, H. F. J. and others
- Dome C (Antarctica):
Internal ice-sheet radar layer profiles and their relation to reflection mechanisms between Dome C and the Transantarctic Mountains, 205–212
- Drilling:
Correspondence, 153
- Duan Keqin, *see* Kang Shichang and others
- Echelmeyer, K. A., *see* Elsberg, D. H. and others

- Echelmeyer, K. A., *see* O'Neel, S. and others
- Echelmeyer, K. A., *see* Truffer, M. and others
- Eiken, T., *see* Pinglot, J. F. and others
- Eisen, O., W. D. Harrison and C. F. Raymond, (paper: The surges of Variegated Glacier, Alaska, U.S.A., and their connection to climate and mass balance) 351–358
- El Niño:
Anomalous heat and mass budget of Glaciar Zongo, Bolivia, during the 1997/98 El Niño year, 21–28
- Elsberg, D. H., W. D. Harrison, K. A. Echelmeyer and R. M. Krimmel, (paper: Quantifying the effects of climate and surface change on glacier mass balance) 649–658
- Energy balance:
Anomalous heat and mass budget of Glaciar Zongo, Bolivia, during the 1997/98 El Niño year, 21–28
- Ensminger, S. L., R. B. Alley, E. B. Evenson, D. E. Lawson and G. J. Larson, (paper: Basal-crevasse-fill origin of laminated debris bands at Matanuska Glacier, Alaska, U.S.A.) 412–422
- Erratum:
Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia, 348
- Evenson, E. B., *see* Ensminger, S. L. and others
- Far East Rongbuk Glacier (China):
Correspondence, 155–156
- Finsterwalderbreen (Svalbard):
Enhancement of glacial solute fluxes in the proglacial zone of a polythermal glacier, 378–386
- Firn:
Cold firn and ice of high-altitude glaciers in the Alps: measurements and distribution modelling, 85–96
Interannual variability of elevation on the Greenland ice sheet: effects of firn densification, and establishment of a multi-century benchmark, 369–377
Methanesulphonate in the firn of King George Island, Antarctica, 589–594
Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
Preliminary firn-densification model with 38-site dataset, 671–676
- Fischer, A., *see* Björnsson, H. and others
- Floating ice:
Frazil-ice entrainment of sediment: large-tank laboratory experiments, 461–471
Modeling giant-iceberg drift under the influence of sea ice in the Weddell Sea, Antarctica, 452–460
Review. Ice in the ocean, 523
Significant marine-ice accumulation in the ablation zone beneath an Antarctic ice shelf, 359–368
Surface properties and processes of perennial Antarctic sea ice in summer, 613–625
- Fowler, A. C., T. Murray and F. S. L. Ng, (paper: Thermally controlled glacier surging) 527–538
- Francou, B., *see* Ramírez, E. and others
- Francou, B., *see* Wagnon, P. and others
- Frauenfelder, R., *see* Suter, S. and others
- Frazil ice:
Frazil-ice entrainment of sediment: large-tank laboratory experiments, 461–471
- Fujita, S., *see* Siegert, M. J.
- Funk, M., *see* Lüthi, M. P.
- Funk, M., *see* Vieli, A. and others
- Gallaire, R., *see* Ramírez, E. and others
- Gauer, P., (paper: Numerical modeling of blowing and drifting snow in Alpine terrain) 97–110
- Gerasimoff, M. D. and C. P. Wake, (correspondence: A reason for resin) 153
- Glacial geology:
Distribution of glacial geomorphic features on the Antarctic continental shelf and correlation with substrate: implications for ice behavior, 397–411
Longitudinal variations in cross-section morphology along a glacial valley: a case-study from the Tien Shan, China, 243–250
Review. Deformation of glacial materials, 163–164
Subglacial deformation: evidence from microfabric studies of particles and voids in till from the upper Ürümqi river valley, Tien Shan, China, 607–612
Tidewater glacier beds: insights from iceberg debris in Kongsfjorden, Svalbard, 295–302
- Glacier flow:
Abrupt glacier motion and reorganization of basal shear stress following the establishment of a connected drainage system, 472–480
Flow dynamics of tidewater glaciers: a numerical modelling approach, 595–606
Ice-divide flow at Hans Tausen Iskappe, North Greenland, from surface movement data, 78–84
Implications of till deformation on glacier dynamics, 123–134
Potential for stratigraphic folding near ice-sheet centers, 639–648
Short-term flow dynamics of a retreating tidewater glacier: LeConte Glacier, Alaska, U.S.A., 567–578
Spatial patterns of glacier motion during a high-velocity event: Haut Glacier d'Arolla, Switzerland, 9–20
Transmission of stress between an ice stream and interstream ridge, 433–440
- Glacier hydrology:
Abrupt glacier motion and reorganization of basal shear stress following the establishment of a connected drainage system, 472–480
Correspondence, 517–518
Enhancement of glacial solute fluxes in the proglacial zone of a polythermal glacier, 378–386
Mapping thermal and hydrological conditions beneath a polythermal glacier with radio-echo sounding, 232–242
- Glacier variations:
Correspondence, 154
Coupled marine-ice-sheet/Earth dynamics using a dynamically consistent ice-sheet model and a self-gravitating viscous Earth model, 258–270
Dynamical processes involved in the retreat of marine ice sheets, 271–282
Evidence for rapid retreat and mass loss of Thwaites Glacier, West Antarctica, 213–222
Short-term flow dynamics of a retreating tidewater glacier: LeConte Glacier, Alaska, U.S.A., 567–578
Small glaciers disappearing in the tropical Andes: a case-study in Bolivia: Glaciar Chacaltaya (16° S), 187–194
Terminus behavior and response time of North Cascade glaciers, Washington, U.S.A., 497–506
- Glaciers:
Anomalous heat and mass budget of Glaciar Zongo, Bolivia, during the 1997/98 El Niño year, 21–28
Basal-crevasse-fill origin of laminated debris bands at Matanuska Glacier, Alaska, U.S.A., 412–422
Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia, 135–146
Characteristics of a crater glacier at Ushkovsky volcano, Kamchatka, Russia, as revealed by the physical properties of ice cores and bore-hole thermometry, 423–432
Cold firn and ice of high-altitude glaciers in the Alps: measurements and distribution modelling, 85–96
Correspondence, 517–518
Crevasse patterns at the onset to Ice Stream B, West Antarctica, 29–36
Enhancement of glacial solute fluxes in the proglacial zone of a polythermal glacier, 378–386
Ephemeral grounding as a signal of ice-shelf change, 71–77
Estimating South Cascade Glacier (Washington, U.S.A.) mass balance from a distant radiosonde and comparison with Blue Glacier, 579–588
Evidence for rapid retreat and mass loss of Thwaites Glacier, West Antarctica, 213–222
Firn-line detection on Austre Okstindbreen, Norway, with airborne multipolarization SAR, 251–257
Flow dynamics of tidewater glaciers: a numerical modelling approach, 595–606
Glacier–climate interaction at low latitudes, 195–204
Glacier–volcano interactions deduced by SAR interferometry, 58–70
Growth and drainage of supraglacial lakes on the debris-mantled Ngozumpa Glacier, Khumbu Himal, Nepal, 626–638

- Investigations of an "ice-plain" in the mouth of Pine Island Glacier, Antarctica, 51–57
- Mapping thermal and hydrological conditions beneath a polythermal glacier with radio-echo sounding, 232–242
- Mechanical and hydraulic properties of till beneath Bakaninbreen, Svalbard, 167–175
- Modelling heat flow in a cold, high-altitude glacier: interpretation of measurements from Colle Gnifetti, Swiss Alps, 314–324
- Multi-model photogrammetric analysis of the 1990s surge of Sortebræ, East Greenland, 677–687
- On the characterization of glacier response by a single time-scale, 659–664
- Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
- Post-stagnation behavior in the upstream regions of Ice Stream C, West Antarctica, 283–294
- Quantifying the effects of climate and surface change on glacier mass balance, 649–658
- Short-term flow dynamics of a retreating tidewater glacier: LeConte Glacier, Alaska, U.S.A., 567–578
- Small glaciers disappearing in the tropical Andes: a case-study in Bolivia: Glaciar Chacaltaya (16° S), 187–194
- Spatial patterns of glacier motion during a high-velocity event: Haut Glacier d'Arolla, Switzerland, 9–20
- Terminus behavior and response time of North Cascade glaciers, Washington, U.S.A., 497–506
- The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
- The surges of Variegated Glacier, Alaska, U.S.A., and their connection to climate and mass balance, 351–358
- The isotopic record at an alpine glacier and its implications for local climatic changes and isotopic homogenization processes, 147–151
- Thermally controlled glacier surging, 527–538
- Transmission of stress between an ice stream and interstream ridge, 433–440
- Glasser, N. F. and M. J. Hambrey, (paper: Tidewater glacier beds: insights from iceberg debris in Kongsfjorden, Svalbard) 295–302
- Greenland:
- Correspondence, 157–158
 - Ice-divide flow at Hans Tausen Iskappe, North Greenland, from surface movement data, 78–84
 - Multi-model photogrammetric analysis of the 1990s surge of Sortebræ, East Greenland, 677–687
 - Preliminary firn-densification model with 38-site dataset, 671–676
- Greenland Ice Sheet:
- Detection of snowmelt regions on the Greenland ice sheet using diurnal backscatter change, 539–547
 - Greenland ice-sheet mass-balance distribution: a variance analysis of existing field data, 441–451
 - Interannual variability of elevation on the Greenland ice sheet: effects of firn densification, and establishment of a multi-century benchmark, 369–377
 - Potential for stratigraphic folding near ice-sheet centers, 639–648
- Grenzgletscher (Switzerland):
- Cold firn and ice of high-altitude glaciers in the Alps: measurements and distribution modelling, 85–96
- Greuell, W., B. Denby, R. S. W. van de Wal and J. Oerlemans, (correspondence: 10 years of mass-balance measurements along a transect near Kangerlussuaq, central West Greenland) 157–158
- Grubengletscher (Switzerland):
- Prevention of outburst floods from periglacial lakes at Grubengletscher, Valais, Swiss Alps, 111–122
- Gudmundsson, M. T., *see* Björnsson, H. and others
- Gudmundsson, S., *see* Björnsson, H. and others
- Gundestrup, N., *see* Hvidberg, C. S. and others
- Gueriussen, T., *see* König, M. and others
- Guérin, R., *see* Ramírez, E. and others
- Haas, C., D. N. Thomas and J. Bareiss, (paper: Surface properties and processes of perennial Antarctic sea ice in summer) 613–625
- Haerberli, W., *see* Suter, S. and others
- Haerberli, W., A. Käab, D. Vonder Mühl and P. Teyssere, (paper: Prevention of outburst floods from periglacial lakes at Grubengletscher, Valais, Swiss Alps) 111–122
- Hagen, J. O., *see* Isaksson, E. and others
- Hagen, J. O., *see* Pinglot, J. F. and others
- Hambrey, M. J., *see* Glasser, N. F.
- Han Jiankang, Xie Zichu, Zhang Xinping, Dai Dongsheng, P. A. Mayewski and M. S. Twickler, (paper: Methanesulphonate in the firn of King George Island, Antarctica) 589–594
- Hands, K. A., *see* Benn, D. I. and others
- Hans Tausen Iskappe (Greenland):
- Ice-divide flow at Hans Tausen Iskappe, North Greenland, from surface movement data, 78–84
- Hansbreen (Svalbard):
- Flow dynamics of tidewater glaciers: a numerical modelling approach, 595–606
- Hardy, D. R., *see* Braun, C. and others
- Harrison, S., *see* Warren, C. and others
- Harrison, W. D., *see* Eisen, O. and others
- Harrison, W. D., *see* Elsberg, D. H. and others
- Harrison, W. D., *see* Truffer, M. and others
- Harrison, W. D., D. H. Elsberg, K. A. Echelmeyer and R. M. Krimmel, (paper: On the characterization of glacier response by a single time-scale) 659–664
- Haut Glacier d'Arolla (Switzerland):
- Spatial patterns of glacier motion during a high-velocity event: Haut Glacier d'Arolla, Switzerland, 9–20
- He Yuanqing, W. H. Theakstone, Shi Yafeng and Yao Tandong, (paper: The isotopic record at an alpine glacier and its implications for local climatic changes and isotopic homogenization processes) 147–151
- Hedlund, C., *see* Pelto, M. S.
- Hellmer, H. H., *see* Lichey, C.
- Himalaya:
- Correspondence, 155–156, 519–520
 - Growth and drainage of supraglacial lakes on the debris-mantled Ngozumpa Glacier, Khumbu Himal, Nepal, 626–638
- Hindmarsh, R. C. A. and E. Le Meur, (paper: Dynamical processes involved in the retreat of marine ice sheets) 271–282
- Hindmarsh, R. C. A., *see* Le Meur, E.
- Hintereisferner (Austria):
- Glacier–climate interaction at low latitudes, 195–204
- Hodgkins, R., *see* Wadhams, J. L. and others
- Hoelzle, M., *see* Suter, S. and others
- Hughes, T. J., (review: Alley, Richard B. and Robert A. Bindshadler, eds. 2001. The West Antarctic ice sheet: behavior and environment) 521–522
- Hulbe, C. L., *see* Price, S. F. and others
- Hvidberg, C. S., K. Keller, N. Gundestrup and P. Jonsson, (paper: Ice-divide flow at Hans Tausen Iskappe, North Greenland, from surface movement data) 78–84
- Ice cores:
- A mean net accumulation pattern derived from radioactive layers and radar soundings on Austfonna, Nordaustlandet, Svalbard, 555–566
 - A new ice-core record from Lomonosovfonna, Svalbard: viewing the 1920–97 data in relation to present climate and environmental conditions, 335–345
 - Characteristics of a crater glacier at Ushkovsky volcano, Kamchatka, Russia, as revealed by the physical properties of ice cores and bore-hole thermometry, 423–432
 - Correspondence, 155–156, 160–162, 519–520
 - Potential for stratigraphic folding near ice-sheet centers, 639–648
 - Review. Alley, Richard B. 2000. The two-mile time machine: ice cores, abrupt climate change, and our future, 524
- Ice properties:
- An analytical approach to deformation of anisotropic ice-crystal aggregates, 507–516

- Ice sheets:
 Coupled marine-ice-sheet/Earth dynamics using a dynamically consistent ice-sheet model and a self-gravitating viscous Earth model, 258–270
 Dynamical processes involved in the retreat of marine ice sheets, 271–282
- Ice shelves:
 Ephemeral grounding as a signal of ice-shelf change, 71–77
 Significant marine-ice accumulation in the ablation zone beneath an Antarctic ice shelf, 359–368
- Ice Stream B (Antarctica), now Whillans Ice Stream:
 Crevasse patterns at the onset to Ice Stream B, West Antarctica, 29–36
 Post-stagnation behavior in the upstream regions of Ice Stream C, West Antarctica, 283–294
 The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
 Transmission of stress between an ice stream and interstream ridge, 433–440
 Post-stagnation behavior in the upstream regions of Ice Stream C, West Antarctica, 283–294
- Ice Stream C (Antarctica):
 The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
- Ice Stream D (Antarctica):
 The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
- Ice Stream E (Antarctica):
 The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
- Ice thickness:
 Investigations of an “ice-plain” in the mouth of Pine Island Glacier, Antarctica, 51–57
- Icebergs:
 Modeling giant-iceberg drift under the influence of sea ice in the Weddell Sea, Antarctica, 452–460
 Tidewater glacier beds: insights from iceberg debris in Kongsfjorden, Svalbard, 295–302
- Iceland:
 Glacier–volcano interactions deduced by SAR interferometry, 58–70
- Iizuka, Y., H. Satake, T. Shiraiwa and R. Naruse, (paper: Formation processes of basal ice at Hamna Glacier, Sôya Coast, East Antarctica, inferred by detailed co-isotopic analyses) 223–231
- Inilchek glacier (Kyrgyzstan):
 Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
- Instruments:
 Correspondence, 153
 A physically based method for correcting temperature data measured by naturally ventilated sensors over snow, 665–670
- Interferometry:
 Evidence for rapid retreat and mass loss of Thwaites Glacier, West Antarctica, 213–222
 Glacier–volcano interactions deduced by SAR interferometry, 58–70
- Irian Jaya (New Guinea):
 Glacier–climate interaction at low latitudes, 195–204
- Isaksson, E., V. Pohjola, T. Jauhainen, J. Moore, J.-F. Pinglot, R. Vaikmäe, R. S.W. van de Wal, J. O. Hagen, J. Ivask, L. Karlöf, T. Martma, H. A. J. Meijer, R. Mulvaney, M. Thomassen and M. R. van den Broeke, (paper: A new ice-core record from Lomonosovfonna, Svalbard: viewing the 1920–97 data in relation to present climate and environmental conditions) 335–345
- Isaksson, E., W. Karlén, P. Mayewski, M. Twickler and S. Whitlow, (paper: A high-altitude snow chemistry record from Amundsenisen, Dronning Maud Land, Antarctica) 489–496
- Isotopes:
 Correspondence, 519–520
- The isotopic record at an alpine glacier and its implications for local climatic changes and isotopic homogenization processes, 147–151
 A mean net accumulation pattern derived from radioactive layers and radar soundings on Austfonna, Nordaustlandet, Svalbard, 555–566
 Methanesulphonate in the firn of King George Island, Antarctica, 589–594
 A new ice-core record from Lomonosovfonna, Svalbard: viewing the 1920–97 data in relation to present climate and environmental conditions, 335–345
 Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
- Ivask, J., *see* Isaksson, E. and others
- Iverson, N. R. and R. M. Iverson, (paper: Distributed shear of subglacial till due to Coulomb slip) 481–488
- Iverson, R. M., *see* Iverson, N. R.
- Jauhainen, T., *see* Isaksson, E. and others
- Jenkins, A., *see* Corr, H. F. J. and others
- Jespersen, M. N., *see* Winther, J.-G. and others
- Jiskoot, H., A. K. Pedersen and T. Murray, (paper: Multi-model photogrammetric analysis of the 1990s surge of Sortebrae, East Greenland) 677–687
- John Evans Glacier (Canada):
 Mapping thermal and hydrological conditions beneath a polythermal glacier with radio-echo sounding, 232–242
- Jökulhlaups:
 Correspondence, 517–518
 Growth and drainage of supraglacial lakes on the debris-mantled Ngozumpa Glacier, Khumbu Himal, Nepal, 626–638
 Prevention of outburst floods from periglacial lakes at Grubengletscher, Valais, Swiss Alps, 111–122
- Jonsson, P., *see* Hvidberg, C. S. and others
- Jordan, E., *see* Ramirez, E. and others
- Joughin, I. R., *see* Price, S. F. and others
- Jungfraufirn (Switzerland):
 Cold firn and ice of high-altitude glaciers in the Alps: measurements and distribution modelling, 85–96
- Kameda, T., *see* Shiraiwa, T. and others
- Kang Shichang, Qin Dahe, P. A. Mayewski and C. P. Wake, (correspondence: Recent 180 years oxalate (C₂O₄²⁻) records recovered from the Mount Everest ice core: some environmental implications) 155–156
- Kang Shichang, Qin Dahe, P. A. Mayewski, Xie Shucheng and Duan Keqin, (correspondence: Evidence of the Kuwaiti oil fires in the Dasuopu glacier ice core, central Himalaya) 519–520
- Karlén, W., *see* Isaksson, E. and others
- Karlöf, L., *see* Isaksson, E. and others
- Kaser, G., (paper: Glacier–climate interaction at low latitudes) 195–204
- Kavanaugh, J. L. and G. K. C. Clarke, (paper: Abrupt glacier motion and reorganization of basal shear stress following the establishment of a connected drainage system) 472–480
- Keller, K., *see* Hvidberg, C. S. and others
- Kenya:
 Glacier–climate interaction at low latitudes, 195–204
- Khazendar, A., J.-L. Tison, B. Stenni, M. Dini and A. Bondesan, (paper: Significant marine-ice accumulation in the ablation zone beneath an Antarctic ice shelf) 359–368
- King, J. C., P. S. Anderson and G. W. Mann, (paper: The seasonal cycle of sublimation at Halley, Antarctica) 1–8
- Knight, P. G., (review: Maltman, A. J., B. Hubbard and M. J. Hambrey, eds. 2000. Deformation of glacial materials), 163–164
- Knudsen, N. T., *see* König, M. and others
- Kongsvegen (Svalbard):
 Tidewater glacier beds: insights from iceberg debris in Kongsfjorden, Svalbard, 295–302

- Kreutz, K. J., V. B. Aizen, L. DeW. Cecil and C. P. Wake, (paper: Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan) 548–554
- Krimmel, R. M., *see* Elsberg, D. H. and others
- Kronebreen (Svalbard):
Tidewater glacier beds: insights from iceberg debris in Kongsfjorden, Svalbard, 295–302
- Kwok, R., *see* Nghiem, S. V. and others
- Kyrgyzstan:
Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
- Kääb, A., *see* Haeberli, W. and others
- König, M., J.-G. Winther, N. T. Knudsen and T. Guneriusen, (paper: Firn-line detection on Austre Okstindbreen, Norway, with airborne multipolarization SAR) 251–257
- Lambert Glacier (Antarctica):
Correspondence, 160–162
- Larson, G. J., *see* Ensminger, S. L. and others
- Laternser, M., *see* Suter, S. and others
- Lawson, D. E., *see* Ensminger, S. L. and others
- Le Meur, E. and R. C. A. Hindmarsh, (paper: Coupled marine-ice-sheet/Earth dynamics using a dynamically consistent ice-sheet model and a self-gravitating viscous Earth model) 258–270
- Le Meur, E., *see* Hindmarsh, R. C. A.
- LeConte Glacier (U.S.A.):
Short-term flow dynamics of a retreating tidewater glacier: LeConte Glacier, Alaska, U.S.A., 567–578
- Leppäranta, M., (review: Wadhams, Peter. 2000. Ice in the ocean) 523
- Letréguilly, A., *see* Six, D. and others
- Li Hongqin, *see* Xiao Cunde and others
- Li Yingkui, Liu Gengnian and Cui Zhijiu, (paper: Longitudinal variations in cross-section morphology along a glacial valley: a case-study from the Tien Shan, China) 243–250
- Lichey, C. and H. H. Hellmer, (paper: Modeling giant-iceberg drift under the influence of sea ice in the Weddell Sea, Antarctica) 452–460
- Liston, G. E., *see* Winther, J.-G. and others
- Liu Gengnian, *see* Li Yingkui and others
- Lomonosovfonna (Svalbard):
A new ice-core record from Lomonosovfonna, Svalbard: viewing the 1920–97 data in relation to present climate and environmental conditions, 335–345
- Lowe, A. L., *see* Wellner, J. S. and others
- Lüthi, M. P. and M. Funk, (paper: Modelling heat flow in a cold, high-altitude glacier: interpretation of measurements from Colle Gnifetti, Swiss Alps) 314–324
- MacAyeal, D. R., *see* Schmeltz, M. and others
- Mair, D., P. Nienow, I. Willis and M. Sharp, (paper: Spatial patterns of glacier motion during a high-velocity event: Haut Glacier d'Arolla, Switzerland) 9–20
- Mann, G. W., *see* King, J. C. and others
- Martma, T., *see* Isaksson, E. and others
- Mass balance:
Anomalous heat and mass budget of Glaciar Zongo, Bolivia, during the 1997/98 El Niño year, 21–28
Correspondence, 157–158
Estimating South Cascade Glacier (Washington, U.S.A.) mass balance from a distant radiosonde and comparison with Blue Glacier, 579–588
Greenland ice-sheet mass-balance distribution: a variance analysis of existing field data, 441–451
Meteorological conditions over Antarctic blue-ice areas and their influence on the local surface mass balance, 37–50
On the characterization of glacier response by a single time-scale, 659–664
Quantifying the effects of climate and surface change on glacier mass balance, 649–658
The surges of Variegated Glacier, Alaska, U.S.A., and their connection to climate and mass balance, 351–358
Terminus behavior and response time of North Cascade glaciers, Washington, U.S.A., 497–506
- Matanuska Glacier (U.S.A.):
Basal-crevasse-fill origin of laminated debris bands at Matanuska Glacier, Alaska, U.S.A., 412–422
- Mayewski, P. A., *see* Isaksson, E. and others
- Mayewski, P. A., *see* Han Jiankang and others
- Mayewski, P. A., *see* Kang Shichang and others
- Meijer, H. A. J., *see* Isaksson, E. and others
- Melvold, K., *see* Pinglot, J. F. and others
- Mendoza, J., *see* Ramirez, E. and others
- Moore, J. C., *see* Isaksson, E. and others
- Moore, J. C., (review: Alley, Richard B. 2000. The two-mile time machine: ice cores, abrupt climate change, and our future) 524
- Motyka, R. J., *see* O'Neel, S. and others
- Mulvaney, R., *see* Isaksson, E. and others
- Murav'yev, Y. D., *see* Shiraiwa, T. and others
- Murray Ice Cap (Canada):
Correspondence, 154
- Murray, T., *see* Fowler, A. C. and others
- Murray, T., *see* Jiskoot, H. and others
- Murray, T., *see* Porter, P. R.
- Naruse, R., *see* Iizuka, Y. and others
- Nef, Glaciar (Chile):
Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia, 135–146
- Nepal:
Growth and drainage of supraglacial lakes on the debris-mantled Ngozumpa Glacier, Khumbu Himal, Nepal, 626–638
- Nereson, N. A. and C. F. Raymond, (paper: The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges) 303–313
- Ng, F. S. L., *see* Fowler, A. C. and others
- Nghiem, S. V., K. Steffen, R. Kwok and W.-Y. Tsai, (paper: Detection of snowmelt regions on the Greenland ice sheet using diurnal backscatter change) 539–547
- Ngozumpa Glacier (Nepal):
Growth and drainage of supraglacial lakes on the debris-mantled Ngozumpa Glacier, Khumbu Himal, Nepal, 626–638
- Nienow, P., *see* Mair, D. and others
- Nishio, F., *see* Shiraiwa, T. and others
- Norway:
Correspondence, 517–518
Firn-line detection on Austre Okstindbreen, Norway, with airborne multipolarization SAR, 251–257
The isotopic record at an alpine glacier and its implications for local climatic changes and isotopic homogenization processes, 147–151
- O'Neel, S., K. A. Echelmeyer and R. J. Motyka, (paper: Short-term flow dynamics of a retreating tidewater glacier: LeConte Glacier, Alaska, U.S.A.) 567–578
- Oerlemans, J., *see* Greuell, W. and others
- Ovsyannikov, A. A., *see* Shiraiwa, T. and others
- Patagonia:
Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia, 135–146

- Pedersen, A. K., *see* Jiskoot, H. and others
- Pelto, M. S. and C. Hedlund, (paper: Terminus behavior and response time of North Cascade glaciers, Washington, U.S.A.) 497–506
- Photogrammetry:
Multi-model photogrammetric analysis of the 1990s surge of Sortebrae, East Greenland, 677–687
- Pine Island Glacier (Antarctica):
Investigations of an “ice-plain” in the mouth of Pine Island Glacier, Antarctica, 51–57
- Pinglot, J. F., *see* Isaksson, E. and others
- Pinglot, J. F., J. O. Hagen, K. Melvold, T. Eiken and C. Vincent, (paper: A mean net accumulation pattern derived from radioactive layers and radar soundings on Austfonna, Nordaustlandet, Svalbard) 555–566
- Pohjola, V., *see* Isaksson, E. and others
- Porter, P. R. and T. Murray, (paper: Mechanical and hydraulic properties of till beneath Bakaninbreen, Svalbard) 167–175
- Pouyaud, B., *see* Ramirez, E. and others
- Price, S. F. and I. M. Whillans, (paper: Crevasse patterns at the onset to Ice Stream B, West Antarctica) 29–36
- Price, S. F., R. A. Bindschadler, C. L. Hulbe and I. R. Joughin, (paper: Post-stagnation behavior in the upstream regions of Ice Stream C, West Antarctica) 283–294
- Qin Dahe, *see* Kang Shichang and others
- Qin Dahe, *see* Xiao Cunde and others
- Radar:
Internal ice-sheet radar layer profiles and their relation to reflection mechanisms between Dome C and the Transantarctic Mountains, 205–212
Investigations of an “ice-plain” in the mouth of Pine Island Glacier, Antarctica, 51–57
Mapping thermal and hydrological conditions beneath a polythermal glacier with radio-echo sounding, 232–242
A mean net accumulation pattern derived from radioactive layers and radar soundings on Austfonna, Nordaustlandet, Svalbard, 555–566
- Ramirez, E., B. Francou, P. Ribstein, M. Desclotres, R. Guérin, J. Mendoza, R. Gallaire, B. Pouyaud and E. Jordan, (paper: Small glaciers disappearing in the tropical Andes: a case-study in Bolivia: Glacier Chacaltaya (16° S)) 187–194
- Rasmussen, L. A. and H. Conway, (paper: Estimating South Cascade Glacier (Washington, U.S.A.) mass balance from a distant radiosonde and comparison with Blue Glacier) 579–588
- Raymond, C. F., *see* Eisen, O. and others
- Raymond, C. F., *see* Nereson, N. A.
- Reijmer, C. H., *see* Bintanja, R.
- Remote sensing:
Blue-ice areas in Antarctica derived from NOAA AVHRR satellite data, 325–334
Detection of snowmelt regions on the Greenland ice sheet using diurnal backscatter change, 539–547
Firn-line detection on Austre Okstindbreen, Norway, with airborne multipolarization SAR, 251–257
Post-stagnation behavior in the upstream regions of Ice Stream C, West Antarctica, 283–294
- RenJiawen, *see* Xiao Cunde and others
- Reviews:
Alley, Richard B. 2000. The two-mile time machine: ice cores, abrupt climate change, and our future, 524
Alley, Richard B. and Robert A. Bindschadler, eds. 2001. The West Antarctic ice sheet: behavior and environment, 521–522
Jones, H. G., J. W. Pomeroy, D. A. Walker and R. W. Hoham, eds., 2001. Snow ecology: an interdisciplinary examination of snow-covered ecosystems, 347
Maltman, A. J., B. Hubbard and M. J. Hambrey, eds. 2000. Deformation of glacial materials, 163–164
Wadhams, Peter. 2000. Ice in the ocean, 523
- Reynaud, L., *see* Six, D. and others
- Ribstein, P., *see* Ramirez, E. and others
- Ribstein, P., *see* Wagnon, P. and others
- Rignot, E., (paper: Evidence for rapid retreat and mass loss of Thwaites Glacier, West Antarctica) 213–222
- Rignot, E., *see* Schmelzt, M. and others
- Rott, H., *see* Björnsson, H. and others
- Russia:
Characteristics of a crater glacier at Ushkovsky volcano, Kamchatka, Russia, as revealed by the physical properties of ice cores and borehole thermometry, 423–432
- Ruwenzori:
Glacier–climate interaction at low latitudes, 195–204
- Salamatin, A. N., *see* Shiraiwa, T. and others
- SAR:
Firn-line detection on Austre Okstindbreen, Norway, with airborne multipolarization SAR, 251–257
Glacier–volcano interactions deduced by SAR interferometry, 58–70
Post-stagnation behavior in the upstream regions of Ice Stream C, West Antarctica, 283–294
- Satake, H., *see* Iizuka, Y. and others
- Scherer, D., *see* Arck, M.
- Schmelzt, M., E. Rignot and D. R. MacAyeal, (paper: Ephemeral grounding as a signal of ice-shelf change) 71–77
- Sharp, M., *see* Copland, L.
- Sharp, M., *see* Mair, D. and others
- Shi Yafeng, *see* He Yuanqing and others
- Shipp, S. S., *see* Wellner, J. S. and others
- Shiraiwa, T., *see* Iizuka, Y. and others
- Shiraiwa, T., Y. D. Murav'yev, T. Kameda, F. Nishio, Y. Toyama, A. Takahashi, A. A. Ovsyannikov, A. N. Salamatin and K. Yamagata, (paper: Characteristics of a crater glacier at Ushkovsky volcano, Kamchatka, Russia, as revealed by the physical properties of ice cores and borehole thermometry) 423–432
- Sicart, J. E., *see* Wagnon, P. and others
- Siegel, A., *see* Björnsson, H. and others
- Siegert, M. J. and S. Fujita, (paper: Internal ice-sheet radar layer profiles and their relation to reflection mechanisms between Dome C and the Transantarctic Mountains) 205–212
- Siegert, M. J., (correspondence: Comments on “Calculating basal thermal zones beneath the Antarctic ice sheet” by Wilch and Hughes) 159–160
- Siple Dome (Antarctica):
The elevation history of ice streams and the spatial accumulation pattern along the Siple Coast of West Antarctica inferred from ground-based radar data from three inter-ice-stream ridges, 303–313
- Six, D., A. Letréguilly and L. Reynaud, (paper: Greenland ice-sheet mass-balance distribution: a variance analysis of existing field data) 441–451
- Smedsrud, L. H., (paper: Frazil-ice entrainment of sediment: large-tank laboratory experiments) 461–471
- Snow:
Detection of snowmelt regions on the Greenland ice sheet using diurnal backscatter change, 539–547
A high-altitude snow chemistry record from Amundsenisen, Dronning Maud Land, Antarctica, 489–496
Numerical modeling of blowing and drifting snow in Alpine terrain, 97–110
A physically based method for correcting temperature data measured by naturally ventilated sensors over snow, 665–670
Review. Jones, H. G., J. W. Pomeroy, D. A. Walker and R. W. Hoham eds., 2001. Snow ecology: an interdisciplinary examination of snow-covered ecosystems, 347
Spatial patterns of snow stability throughout a small mountain range, 176–186
Surface properties and processes of perennial Antarctic sea ice in summer, 613–625

- Sortebræ (Greenland):
Multi-model photogrammetric analysis of the 1990s surge of Sortebræ, East Greenland, 677–687
- South Cascade Glacier (U.S.A.):
On the characterization of glacier response by a single time-scale, 659–664
Estimating South Cascade Glacier (Washington, U.S.A.) mass balance from a distant radiosonde and comparison with Blue Glacier, 579–588
Quantifying the effects of climate and surface change on glacier mass balance, 649–658
- Spencer, M. K., R. B. Alley and T. T. Creyts, (paper: Preliminary firn-densification model with 38-site dataset) 671–676
- Steffen, K., *see* Nghiem, S. V. and others
- Stenni, B., *see* Khazendar, A. and others
- Sturm, M., (review: Jones, H. G., J. W. Pomeroy, D. A. Walker and R. W. Hoham (eds.), 2001. Snow ecology: an interdisciplinary examination of snow-covered ecosystems) 347
- Sublimation:
The seasonal cycle of sublimation at Halley, Antarctica, 1–8
- Sun Weizhen, *see* Xiao Cunde and others
- Surges:
Multi-model photogrammetric analysis of the 1990s surge of Sortebræ, East Greenland, 677–687
The surges of Variegated Glacier, Alaska, U.S.A., and their connection to climate and mass balance, 351–358
Thermally controlled glacier surging, 527–538
- Suter, S., M. Laternser, W. Haerberli, R. Frauenfelder and M. Hoelzle, (paper: Cold firn and ice of high-altitude glaciers in the Alps: measurements and distribution modelling) 85–96
- Svalbard:
Enhancement of glacial solute fluxes in the proglacial zone of a polythermal glacier, 378–386
Flow dynamics of tidewater glaciers: a numerical modelling approach, 595–606
A mean net accumulation pattern derived from radioactive layers and radar soundings on Austfonna, Nordaustlandet, Svalbard, 555–566
Mechanical and hydraulic properties of till beneath Bakaninbreen, Svalbard, 167–175
A new ice-core record from Lomonosovfonna, Svalbard: viewing the 1920–97 data in relation to present climate and environmental conditions, 335–345
Thermally controlled glacier surging, 527–538
Tidewater glacier beds: insights from iceberg debris in Kongsfjorden, Svalbard, 295–302
- Sweden:
A physically based method for correcting temperature data measured by naturally ventilated sensors over snow, 665–670
- Switzerland:
Cold firn and ice of high-altitude glaciers in the Alps: measurements and distribution modelling, 85–96
Modelling heat flow in a cold, high-altitude glacier: interpretation of measurements from Colle Gnifetti, Swiss Alps, 314–324
Numerical modeling of blowing and drifting snow in Alpine terrain, 97–110
Prevention of outburst floods from periglacial lakes at Grubengletscher, Valais, Swiss Alps, 111–122
Spatial patterns of glacier motion during a high-velocity event: Haut Glacier d'Arolla, Switzerland, 9–20
- Takahashi, A., *see* Shiraiwa, T. and others
- Temperature measurement:
A physically based method for correcting temperature data measured by naturally ventilated sensors over snow, 665–670
Characteristics of a crater glacier at Ushkovsky volcano, Kamchatka, Russia, as revealed by the physical properties of ice cores and borehole thermometry, 423–432
Modelling heat flow in a cold, high-altitude glacier: interpretation of measurements from Colle Gnifetti, Swiss Alps, 314–324
- Teyssere, P., *see* Haerberli, W. and others
- Theakstone, W. H., (correspondence: Fracturing and sediment deposition at the glacier surface by jökulhlaups: a common occurrence) 517–518
- Theakstone, W. H., *see* He Yuanqing and others
- Thomas, D. N., *see* Haas, C. and others
- Thomassen, M., *see* Isaksson, E. and others
- Thorsteinsson, T., (paper: An analytical approach to deformation of anisotropic ice-crystal aggregates) 507–516
- Thwaites Glacier (Antarctica):
Ephemeral grounding as a signal of ice-shelf change, 71–77
Evidence for rapid retreat and mass loss of Thwaites Glacier, West Antarctica, 213–222
- Tien Shan:
Longitudinal variations in cross-section morphology along a glacial valley: a case-study from the Tien Shan, China, 243–250
Oxygen isotopic and soluble ionic composition of a shallow firn core, Inilchek glacier, central Tien Shan, 548–554
Subglacial deformation: evidence from microfabric studies of particles and voids in till from the upper Ürümqi river valley, Tien Shan, China, 607–612
- Till:
Distributed shear of subglacial till due to Coulomb slip, 481–488
Implications of till deformation on glacier dynamics, 123–134
Mechanical and hydraulic properties of till beneath Bakaninbreen, Svalbard, 167–175
Subglacial deformation: evidence from microfabric studies of particles and voids in till from the upper Ürümqi river valley, Tien Shan, China, 607–612
- Tison, J.-L., *see* Khazendar, A. and others
- Toyama, Y., *see* Shiraiwa, T. and others
- Tranter, M., *see* Wadham, J. L. and others
- Trapridge Glacier (Canada):
Abrupt glacier motion and reorganization of basal shear stress following the establishment of a connected drainage system, 472–480
Thermally controlled glacier surging, 527–538
- Truffer, M., K. A. Echelmeyer and W. D. Harrison, (paper: Implications of till deformation on glacier dynamics) 123–134
- Tsai, W.-Y., *see* Nghiem, S. V. and others
- Twickler, M., *see* Isaksson, E. and others
- Twickler, M. S., *see* Han Jiankang and others
- U.S.A.:
Basal-crevasse-fill origin of laminated debris bands at Matanuska Glacier, Alaska, U.S.A., 412–422
Estimating South Cascade Glacier (Washington, U.S.A.) mass balance from a distant radiosonde and comparison with Blue Glacier, 579–588
Implications of till deformation on glacier dynamics, 123–134
On the characterization of glacier response by a single time-scale, 659–664
Quantifying the effects of climate and surface change on glacier mass balance, 649–658
Short-term flow dynamics of a retreating tidewater glacier: LeConte Glacier, Alaska, U.S.A., 567–578
Spatial patterns of snow stability throughout a small mountain range, 176–186
Terminus behavior and response time of North Cascade glaciers, Washington, U.S.A., 497–506
The surges of Variegated Glacier, Alaska, U.S.A., and their connection to climate and mass balance, 351–358
- Uruashraju, Glaciar (Peru):
Glacier–climate interaction at low latitudes, 195–204
- Vaikmäe, R., *see* Isaksson, E. and others
- Van de Wal, R. S. W., *see* Greuell, W. and others
- Van de Wal, R. S. W., *see* Isaksson, E. and others
- Van den Broeke, M. R., *see* Isaksson, E. and others
- Van der Veen, C. J., *see* Whillans, I. M.
- Variegated Glacier (U.S.A.):
The surges of Variegated Glacier, Alaska, U.S.A., and their connection to climate and mass balance, 351–358
- Vatnajökull (Iceland):
Glacier–volcano interactions deduced by SAR interferometry, 58–70

- Vaughan, D. G., *see* Corr, H. F. J. and others
- Vieli, A., M. Funk and H. Blatter, (paper: Flow dynamics of tidewater glaciers: a numerical modelling approach) 595–606
- Vincent, C., *see* Pinglot, J. F. and others
- Volcanoes:
Glacier–volcano interactions deduced by SAR interferometry, 58–70
- Vonder Mühll, D., *see* Haerberli, W. and others
- Waddington, E. D., J. F. Bolzan and R. B. Alley, (paper: Potential for stratigraphic folding near ice-sheet centers) 639–648
- Wadham, J. L., R. J. Cooper, M. Tranter and R. Hodgkins, (paper: Enhancement of glacial solute fluxes in the proglacial zone of a polythermal glacier) 378–386
- Wagon, P., P. Ribstein, B. Francou and J. E. Sicart, (paper: Anomalous heat and mass budget of Glaciar Zongo, Bolivia, during the 1997/98 El Niño year) 21–28
- Wake, C. P., *see* Gerasimoff, M. D.
- Wake, C. P., *see* Kang Shichang and others
- Wake, C. P., *see* Kreutz, K. J. and others
- Warren, C., D. Benn, V. Winchester and S. Harrison, (paper: Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia) 135–146
- Warren, C., D. Benn, V. Winchester and S. Harrison, (Erratum: Buoyancy-driven lacustrine calving, Glaciar Nef, Chilean Patagonia) 348
- Weddell Sea (Antarctica):
Modeling giant-iceberg drift under the influence of sea ice in the Weddell Sea, Antarctica, 452–460
Surface properties and processes of perennial Antarctic sea ice in summer, 613–625
- Wellner, J. S., A. L. Lowe, S. S. Shipp and J. B. Anderson, (paper: Distribution of glacial geomorphic features on the Antarctic continental shelf and correlation with substrate: implications for ice behavior) 397–411
- Whillans, I. M. and C. J. van der Veen, (paper: Transmission of stress between an ice stream and interstream ridge) 433–440
- Whillans, I. M., *see* Price, S. F.
- Whillans Ice Stream (Antarctica), *see* Ice Stream B
- Whitlow, S., *see* Isaksson, E. and others
- Willis, I., *see* Mair, D. and others
- Winchester, V., *see* Warren, C. and others
- Winther, J.-G., *see* König, M. and others
- Winther, J.-G., M. N. Jepsersen and G. E. Liston, (paper: Blue-ice areas in Antarctica derived from NOAA AVHRR satellite data) 325–334
- Wiseman, S., *see* Benn, D. I. and others
- Xiao Cunde, Ren Jiawen, Qin Dahe, Li Hongqin, Sun Weizhen and I. Allison, (correspondence: Complexity of the climatic regime over the Lambert Glacier basin of the East Antarctic ice sheet: firn-core evidences) 160–162
- Xie Shucheng *see* Kang Shichang and others
- Xie Zichu, *see* Han Jiankang and others
- Yamagata, K., *see* Shiraiwa, T. and others
- Yao Tandong, *see* He Yuanqing and others
- Yi Chaolu and Cui Zhijiu, (paper: Subglacial deformation: evidence from microfabric studies of particles and voids in till from the upper Ürümqi river valley, Tien Shan, China) 607–612
- Zhang Xinping, *see* Han Jiankang and others
- Zongo, Glaciar (Bolivia):
Anomalous heat and mass budget of Glaciar Zongo, Bolivia, during the 1997/98 El Niño year, 21–28