

INDEX OF SUBJECTS

- Abundances, primordial 336, 467, 499-523, 554
- Accelerators, elementary particle
- CERN Sp \bar{p} S Collider 472
 - Fermilab Tevatron p \bar{p} Collider 453, 473
 - SLAC Stanford Linear Collider 453, 473
 - Superconducting Super Collider 453, 473, 480
- Anisotropy in galaxy spatial or velocity distributions
- See: Large-scale structure and distribution of galaxies, dipole anisotropy in
 - See: Velocity fields of galaxies, dipole anisotropy in
- Anisotropy in internal velocity distributions in bulges and elliptical galaxies 4, 14, 126-127, 140, 163, 199, 339, 341, 553
- Anomaly, South Atlantic 443
- Anthropic principle 468
- Atmospheric motions in stars, effect on velocity dispersion measurements in galaxies 5, 144, 153-155
- Axions 10, 243-244, 264, 267, 369, 373-375, 381, 385-386, 395-396, 401 445-446, 448, 454-457, 459, 465-471, 474, 477, 485-486, 491, 494-495, 543-544, 546, 551
- Baade's window 298
- Background radiation
- infrared 414, 433, 534-535
 - microwave 3, 7-8, 14-16, 97, 99-104, 108, 115, 222, 243-244, 253, 265, 280, 340-341, 370, 379-393, 402, 414, 433, 435, 438-440, 443, 446, 449, 475, 485-486, 497, 511, 522, 534, 539, 542-544, 546
 - microwave, Zel'dovich-Sunyaev effect 15
 - ultraviolet 414
 - X-ray 15, 16, 433, 534, 536
- Bag model of hadrons 334
- Barrel diagram of the formation of large-scale structure 244
- Bars in galaxies 142, 289-291, 295-301, 307
- Baryon-antibaryon asymmetry 446, 449, 468, 492
- Biased tracers of mass, galaxies as 71, 99, 102, 108, 113, 219-220, 227, 232-234, 239, 252-253, 263-264, 269-274, 276, 278, 284-287, 352, 362, 364, 375, 395, 403-404, 408, 440, 474, 562-564; see also: Galaxy formation, biased
- Big Bang 281, 335, 354, 379, 395-396, 400, 403, 410, 445, 449-450, 453, 469, 472, 499-500ff, 516, 518-519, 554
- Binary galaxies, masses and mass-to-light ratios 85, 87, 88, 90, 92, 94, 96-98, 108, 111, 143, 241, 250-252, 323, 331
- Binary stars, effect on velocity dispersion measurements in galaxies 5, 35, 41, 47, 49-50, 144, 153-156, 159, 552-553
- Binary stars, wide 28ff, 31, 327, 331, 525-527
- Black holes 136, 152, 187, 189, 195, 221, 233-234, 381, 396, 398-399, 407, 410, 412, 414, 448, 455, 525, 527, 535, 555; see also: DM: black holes
- Bremsstrahlung: See: Gas, hot, X-ray-emitting
- cD galaxies 93, 166, 188-189, 199, 278, 281
- Carbon stars 144, 153-156, 158-159, 427, 430

Catalogs

- Abell Catalog of rich clusters of galaxies 7, 15, 110, 117, 287, 317, 564-565
- Atlas of Peculiar Galaxies (Arp) 60
- Binary galaxies (Turner) 88
- Binary galaxies, isolated (Karachentsev) 250-252
- Center for Astrophysics (CFA) survey of galaxy velocities 98-105, 252, 254, 257-258, 260-261, 269-272, 282, 284, 375, 409, 442
- CO Galactic Plane Survey (Bell Labs) 31
- Durham and Edinburgh, distribution of galaxies 260
- Dwarf galaxies, HI survey (Fisher, Tully) 251
- Dwarf galaxies in Virgo (Binggeli, Sandage and Tarenghi) 162, 248
- Galaxies to 14.5 mag (De Souza, Vettolani and Chincarini) 261
- Groups of galaxies (Geller, Huchra) 281-284
- Groups of galaxies (Vennik) 251
- Groups of galaxies, compact (Hickson) 560
- Hubble Atlas of Galaxies (Sandage) 418
- IRAS Point Source and Galaxy Catalogs 97-98, 101-105, 107-108, 197, 427-443, 542
- Jagellonian catalog 260
- MIT-Green Bank 5 GHz survey 240
- NLTT Catalog 46, 48
- Palomar-Green Survey of QSOs, white dwarfs and subdwarfs 34
- Palomar Observatory Sky Survey 60
- Proper Motion Catalog, Lowell Observatory (Giclas) 40, 45-46, 48
- Redshift survey (Kirshner, Oemler, Schechter and Shectman) 260
- Second Reference Catalogue of Bright Galaxies (de Vaucouleurs, de Vaucouleurs and Corwin) 138
- Shane-Wirtanen catalog, The Distribution of Galaxies 260, 443, 565
- Shapley-Ames Catalog of Galaxies 101, 104
- Uppsala General Catalogue of Galaxies (Nilson) 433
- VLA-optical gravitational lens survey 234, 239-240
- Yale Parallax catalogue 25
- Zwicky Catalogue of Galaxies and of Clusters of Galaxies (Zwicky *et al.*) 3, 443
- 3C Radio galaxies 202
- 3CR Radio galaxies 209
- Catastrophe theory 370
- Color gradients in stellar systems 422-423, 425
- Compton cooling 356-357, 367, 543
- Compton scattering 433, 511
- Cooling flows in galaxies and clusters of galaxies 165, 170-177, 181, 183, 187-213, 338, 397, 403, 530-533, 543-544; see also: DM, stars, low-mass and brown dwarf, formation in cooling flows; Galaxy formation, in cooling flows; Gas, hot, X-ray-emitting; Globular clusters, formation in cooling flows; Star formation, in cooling flows
- Cooling time for white dwarf stars 34, 526
- Correlation functions 6-9, 88, 93, 98-100, 103-108, 110, 225, 243, 254-256, 258, 260, 261, 264, 269-270, 272, 278-279, 282, 286, 337-341, 351,

- 357-359, 364, 372-375, 380-388, 408-409, 439-440, 442-443, 541-542, 545-546, 562
- Cosmic rays 400, 514, 535
- Cosmological constant Λ 3, 219, 222, 224, 227, 232-234, 243-244, 333-334, 369, 371-375, 381, 384, 386-388, 392, 403, 445, 474, 477-479, 484, 519, 553
- Cusps in galaxy nuclei 221, 233-234, 237-238; see also: Black holes
- Dark Matter
- baryonic vs non-baryonic 1-3, 5, 14-15, 18, 111, 136, 167, 187, 201, 208, 210, 219, 221, 243-244ff, 369-370, 373, 381ff, 395-404, 406-407, 410, 445ff, 473ff, 480-481, 487, 499, 505, 508, 519, 525, 530, 538, 542-546, 551, 553, 556-559
 - black holes 136, 152, 187, 220, 381, 395-396, 398-399, 401, 407, 410-412, 454, 525
 - (in) centers of galaxies, importance of 13, 56-57, 63-64, 67, 76, 122, 131, 299, 364, 540, 561
 - (in) clusters and groups of galaxies 1-2, 5, 17, 53, 86-89, 97-108, 111-114, 116, 165-170, 183-190 *passim*, 221, 243-244, 250-253, 258, 263-287 *passim*, 290, 335ff, 373, 395-410, 469-471, 473, 497-498, 505, 508, 519, 525, 529, 537ff, 556, 562-563
 - cold 9, 99, 103, 106, 153, 157-159, 243-244, 263, 265-278, 280, 284-285, 335-367 *passim*, 370ff, 396, 400, 403, 410, 460-461, 466-467, 470-471, 480-481, 484-486, 490, 495, 525, 528-530, 535, 545, 549, 553, 557, 565
 - compact dark objects 220, 238, 533-534, 542; see also: DM: black holes
 - compression by visible matter 6, 64, 125, 132, 141, 316, 364, 370, 526, 529, 557
 - "conspiracy" between luminous and DM to make featureless flat rotation curves 54ff, 67, 76-77, 120, 125, 131, 136, 327, 331-332, 364, 527, 543-545, 561
 - (on) cosmological scales 7, 97-108 *passim*, 111, 243-244, 252-253, 258, 263-278, 280, 284-287, 340, 369, 380-381, 395, 402-404, 406, 410, 435-443, 447, 465, 473-475, 478-479, 534, 537, 541-542, 556, 560, 563-564; see also: in voids; Ω
 - decomposition of total mass distribution into components 5-6, 18ff, 54, 56-58, 64, 71-77, 82, 119-137, 140-143, 147, 149, 152, 161, 249, 293, 299, 415, 527-528, 540, 558, 560-561
 - (in) disks: See: DM, Oort-Bahcall analysis; DM, solar neighborhood and other galaxy disks; Vertical velocity dispersions in disks, masses from
 - distributions
 - asymmetric or not concentric with visible galaxies 232, 234 237, 313, 561-562; see also: DM distributions, triaxial halos
 - environmental effects on 59-60, 63, 66, 90, 93, 283, 316-317, 556-557, 560
 - formation: See: Galaxy evolution; Galaxy formation
 - properties of 4, 17ff, 23ff, 53-58, 63, 66-67, 70-79, 86ff, 94, 98, 116, 119-143, 145-149, 152, 157, 168, 183, 187, 189-190, 204, 207, 212, 225, 232, 241, 280, 283, 293, 303-317, 324, 327, 332, 335, 340, 364, 416-418, 484, 527, 529-530, 539-542, 551-552, 556-558, 561, 565; see also: DM distributions, asymmetric

- triaxial halos 8, 169, 303-314, 557-558
- (in) dwarf galaxies 2, 5, 74-76, 87, 122-125, 139-162, 243, 247-249, 258, 325, 328, 339-341, 349-352, 355-356, 362, 401, 406, 411, 470-471, 540-541, 552-553
- elementary particles
- annihilation, constraints from 400-401, 460-461, 472, 480, 496, 535
 - detection of elementary particle DM 2, 9-10, 340, 396, 400-401, 407, 471-473, 477, 480, 490, 494-495, 545-546
 - exotic 374-375, 381-388, 396, 400-401, 407, 410, 445-481, 485-498, 499-523 *passim*, 530, 542ff, 551, 555-556; see also: elementary particles, weakly interacting; individual particle names
 - phase-space constraints on composition of DM 5, 139, 147-149, 152, 158, 163, 339, 406, 469-471, 540, 545, 552
 - unstable 244, 374-375, 381, 384-388, 400-401, 474-477, 480, 486, 488, 493, 497-500, 511-519
 - weakly interacting (WIMP) 263-266, 335-336, 360, 369ff, 381ff, 395-396, 400-401, 403, 445-481 *passim*, 486, 490, 496, 542, 546, 551
 - WIMPs, free-streaming 266, 370, 380, 396, 469-470, 545, 556
- See also: DM, cold; hot; warm; baryonic *vs* non-baryonic; number of species
- See also under individual particle names
- (in) elliptical galaxies 4-5, 14, 86, 89-90, 119, 126-127, 132, 174-177, 180-215 *passim*, 316-317, 327-328, 411, 530-533, 539-540, 556, 561
- empty halos (no visible galaxy) 9, 139, 147, 149, 181, 232, 234, 238, 403, 408, 542, 560-562
- existence 2ff, 17ff, 30, 36, 53, 67, 70-81, 86-90, 94, 96-100, 103, 108, 113, 119-129, 132, 137, 139-147, 149, 153, 155, 157-162, 165, 168, 174-177, 183ff, 201-210 *passim*, 214-215, 219ff, 227ff, 232, 241, 247, 249, 251, 289, 295, 297, 299, 316, 319, 323ff, 339, 435-443, 447, 473, 537-542, 546, 548, 563-564
- formation in cooling flows: See: Galaxy formation, in cooling flows
- (in) galaxy halos 2-6, 8-9, 13-15, 17-19, 26, 39-40, 46, 49, 53-96, 119-163 165, 168-170, 174-177, 180-183, 201-215, 219-221, 225, 227-232, 234, 237-238, 241, 243, 247-258, 263-287 *passim*, 289-317, 319ff, 335-367, 395-404, 406, 410-413, 415-425, 448, 470-471, 473, 484, 494-496, 525-536 *passim*, 537-546, 552-553, 556-558, 560-562
- (in) globular clusters 127
- (in) groups of galaxies: See: DM in clusters and groups of galaxies
- hot 116, 243, 263, 266-270, 337-340, 352, 370ff, 396, 400-401, 406, 410, 460-461, 470, 481, 484, 525, 545; see also: Neutrinos
- influence on visible galaxy 8, 67, 134, 141, 289-301, 303-317, 557-558; see also: DM: compression by visible matter
- microwave background anisotropy, constraints from: See: Background radiation, microwave
- modified Newtonian dynamics as explanation of 1-2, 25-26, 64-65, 116, 160, 319-334, 408, 537, 548, 565
- (in) molecular clouds 31
- negative densities of 323
- nucleosynthesis constraints on composition of 3, 13, 396, 401, 403, 401-411, 413, 447, 465, 473, 481, 486, 499-523, 539-540, 543, 553-554

- observational searches for stellar tracers of 32, 220-221, 397, 415-434, 558-560
- Oort-Bahcall analysis, DM in disk of Galaxy 2, 15, 17-37, 58, 76, 86, 121, 243-247, 261, 327, 331, 427-428, 473, 525, 537-538, 551-552, 558
- phase-space constraints on composition of 5, 139, 147-149, 152, 158, 163, 339, 406, 469-471, 540, 545, 552
- problem as a scientific revolution 1-2, 547-549, 565
- ratio of DM to baryons 1, 4-5, 13, 16-17, 21ff, 57-58, 67, 70-76, 81, 90, 93, 119-121, 124-126, 129, 133-138, 139ff, 145-147, 152, 161, 167, 183, 187, 221, 250, 252, 258, 299, 316, 351, 364, 366, 395, 401-404, 410, 415-416, 435ff, 446-447, 465, 467-469, 473-475, 480-481, 486, 499-500, 505, 508, 519, 525, 527-528, 536-544, 561, 563-564; see also: Ω
- semantic problems in definition of 85-86
- (in) solar neighborhood and other galaxy disks 2-3, 15, 17-37, 58, 76, 136, 146, 243-247, 258, 261, 327, 331, 395, 410-411, 413, 427-428, 473, 525-527, 537-540, 542, 551-552, 556-559
- scale height 2, 17, 23ff, 30, 36, 86, 526, 538
- species, number of 1-2, 17ff, 58, 86, 90, 92-93, 111, 131, 136, 187, 201, 219ff, 243-244, 373-375, 395ff, 410, 445ff, 473, 538, 542-545, 551, 556-557
- stability of disks, effect on 8, 92, 125-126, 132-134, 142, 289-301, 557; see also: Ostriker-Peebles T/W criterion for global stability of disks
- stars, low-mass and brown dwarf 17, 25, 29, 32, 35, 136, 183, 187, 189-190, 197, 201-213, 219-221, 264, 395-401, 407, 410, 413, 415-434, 454, 525-528, 530-531, 548, 551-552, 558-560
- formation in cooling flows 183, 189-190, 197, 201-213, 397, 530-531, 543-544
- (in) star clusters, open 31, 35, 327, 526
- stellar remnants 2, 18-20, 23, 28-29, 34, 136, 167, 264, 395-399, 410-414, 525-528, 551
- strings 7, 219, 221-222, 445-447, 455-459, 461-465, 474, 477-481, 484, 486, 488, 494, 555
- (in) voids 4, 7, 243-244, 252-253, 258, 263-264, 268-273, 284-287, 369, 403, 408, 435-443, 560, 562-564; see also: Biased tracers of mass, galaxies as; DM, cosmological scales; Galaxy formation, biased
- warm 243, 266-267, 337-340, 352, 370, 410, 470, 484-485, 556-557
- Deceleration parameter q_0 219, 222, 224, 228, 231, 238
- Decoupling of radiation and matter in the early Universe 370, 373-374, 449, 535, 555
- Density parameter Ω : See: Ω
- de Vaucouleurs surface brightness distribution 132, 134, 190, 237-238, 287, 331, 338, 423, 529, 540
- Distribution functions, masses from (cosmic virial theorem) 88, 98-99, 107-108, 110, 113, 439, 486, 529, 541
- Dust lanes in elliptical galaxies 9, 197
- Dwarf galaxies, tidal disruption of 89, 247-249
- Dwarf spheroidal galaxies, velocity dispersions of systems of 40, 46, 89, 92

- Dynamical friction 8, 94, 152, 305, 313, 340, 398, 407, 412, 557; see also:
Merging of galaxies
- Dynamical modelling of ellipticals and bulges, stellar masses from 14,
119, 126-129, 131, 134, 157, 163, 327-328; see also: Velocity
dispersions in bulges and ellipticals
- Einstein - de Sitter Universe 270, 272, 360, 473-474, 553
- Equivalence Principle, strong 323-324
- Escape velocity from the Galaxy 39-50, 128
- Exponential disks 53, 72, 134-135, 140-141, 146, 291-293, 325, 331, 364,
528
- Faber-Jackson correlation of galaxy velocity dispersions and
luminosities 100-101, 149, 193-194, 339, 341-343, 348, 367
- Familon 374-375
- Filaments, emission-line, in galaxies and clusters of galaxies 171-172,
188-189, 195, 199, 207-209, 213, 216-217, 530-531
- Fountains, galactic 531-533
- Free-streaming of WIMPS 266, 370, 380, 396, 469-470, 545, 556
- Friedmann model of the Universe 238, 265, 371
- Galaxy evolution 29, 32, 90, 92, 133, 139, 149, 153, 157, 167, 189-190,
195, 199, 201-213, 257, 263, 280, 283, 289-291, 295, 298-299,
303ff, 335-367 *passim*, 404, 564; see also: Galaxy formation,
dwarf spheroidal galaxies from dwarf S and Irr galaxies; Gas loss
mechanisms; Infall, baryonic; Mergers of galaxies
- chemical 47, 167, 180, 210, 212, 250, 335-338, 341-342, 345-349, 355,
367, 411, 413, 422, 499-523, 525, 531-532, 554
- Galaxy formation 2, 33, 90, 92-93, 131, 136, 139, 147, 153, 157, 159, 187,
189-190, 195, 199, 201-213, 222, 243, 254-255, 257-258, 263-287,
303-304, 316-317, 335-367, 369-375, 379-393, 395ff, 403-404, 406,
408, 414, 473, 485, 494, 497, 528-530, 539, 541-543, 548-549, 551-
553, 556-557, 561-562
- biased 3-4, 7, 157, 254-256, 263-264, 269-274, 276, 278, 280, 284-287,
335, 338-340, 351, 357-360, 362, 375, 395, 403-404, 408-409, 474,
539, 541-542, 545, 548, 553, 562
- (in) cooling flows 189-190, 195, 199, 201-213, 530, 543-544
- "cooling" or "dissipation" diagram: log (baryon density) vs virial
temperature 342-348, 350-352, 357, 362, 367
- dissipative collapse and fragmentation picture of 81, 335-352, 356-357,
370-371, 556
- dwarf spheroidal galaxies from dwarf S and Irr galaxies 140, 146, 157,
349-352 355-356, 362, 552
- epoch of 9, 188-190, 201-213, 276, 280, 337-341, 344, 352, 356, 358,
360, 497, 528; see also: Galaxy formation in cooling flows;
Infall, baryonic
- explosive 3, 14, 16, 286, 335-337, 357, 365, 375, 535, 539
- hierarchical clustering 3, 252, 267, 269, 287, 335-341, 352, 356-357,
363, 367, 370-373, 396-397, 539
- perturbations, density fluctuations 3, 6-9, 15, 100, 244, 263-278, 280,
285-287, 316-317, 335-340, 349-352, 357-358, 360, 363-367, 369-375,
379-393, 396, 402, 406, 440, 445-446, 465, 469-470, 474, 476, 484-
487, 489, 492-493, 497, 528-529, 539-540, 543, 545, 553-556
- perturbations, Zel'dovich spectrum of 265, 370, 446, 465, 487

- Galaxy, kinematics of bulge 33, 128-129
- Gas
- cold 15
 - heating and loss mechanisms (rampressure stripping, winds, supernova explosions) 3-5, 140, 165, 172, 174-175, 187, 191-198, 204, 212, 214-215, 335-337, 340, 346-352, 355, 362, 365-367, 411, 531-533, 552-553
 - hot, X-ray emitting 3-4, 13, 15, 85, 89, 112, 119, 126, 165-181, 183-215, 313, 328-329, 333, 339, 356, 473, 530-533, 536, 540, 556, 561-563
 - chemical abundances in 167, 180, 185, 210, 212, 313
 - (in) galaxies and clusters of galaxies, mass in 3, 13, 15-16, 112, 165-181, 187-188, 191, 204, 333, 562-563
 - models of distribution of 165-181, 184-195, 198, 202-210, 214-215
 - primordial, in voids 253, 269, 338, 362, 365, 403
- Gauss Theorem 334
- Globular clusters
- ages of 4, 250, 338, 360
 - formation in cooling flows 212
 - velocity dispersions of cluster systems 4, 40, 46, 85, 88-89, 92, 95, 127, 129
- God, fingers of (effect) 272
- Grand Unified Theories (GUTs) 446, 448-449, 455-459, 462-464, 468, 472, 483, 487-488, 492, 494, 502, 514, 541, 543
- Gravitational lenses 9, 89, 219-241, 313, 324, 399, 403, 407-408, 410, 412, 533-534, 542, 560-562
- mini-lensing 220-221, 234-237, 399, 407-408, 410, 412
 - Ricci focussing 231
 - "Rosetta Stone" lens 228, 230, 234
- Gravitational waves 465, 555
- Gravitinos 381, 448, 457, 470, 485, 499-500, 511-512, 519, 543
- HI disks, flaring at large radii (constraints on halo shape) 557-558
- HII regions, cosmological 366
- Hertzsprung-Russell diagram 352
- Hierarchical clustering 3, 252, 267, 269, 287, 335-341, 352, 356-357, 363, 367, 370-373, 396-397, 539
- High-velocity HI clouds in Galaxy 250
- Holmberg radius 54, 124-125, 129, 135, 161, 290
- Hubble constant H_0 3-4, 13, 16, 69, 88, 97-102, 108, 111-112, 115, 117, 137, 139, 148-149, 163, 166, 170, 207-208, 219, 221-222, 225, 231, 241, 251-252, 254, 256, 258, 260, 263, 266-267, 269-273, 277-278, 280-281, 285-286, 320, 326, 334, 351, 366, 380, 395-396, 408, 414, 416, 418, 435-442 *passim*, 446-447, 460-461, 475, 479, 485, 491, 505, 513, 519, 522, 534, 536, 538-539, 543, 545-546, 553, 562
- Hubble diagram 212, 228
- Hubble surface brightness distribution 190, 338, 529
- Hubble types, origin of 6, 276, 280, 335, 341-352, 355-357, 362, 367; see also: Morphology of galaxies and environment, correlation of
- Infall, baryonic 6, 8, 64, 92-93, 132, 278, 287, 298, 303-304, 312, 335-339, 345, 356, 360, 364, 367, 413, 505-507, 523, 528-529, 541; see also: Cooling flows; Mergers of galaxies

- Inflationary cosmology 3-4, 86, 111, 243-244, 253, 265-266, 272, 335, 357, 362, 364, 369-370, 375, 380, 382, 388, 392, 402-403, 410, 446-447, 449, 465, 467, 484-487, 492, 499, 505, 519, 541, 545, 553, 555-556
- Interactions of galaxies 8-9, 93-94, 116, 280, 304, 338, 344, 363; see also: Mergers of galaxies
- Intergalactic HI clouds 116, 149, 344, 533
- Isothermal sphere model 64, 119, 121, 123, 128-129, 135, 139-147, 149, 152, 163, 165, 168-170, 175, 185-186, 189, 204, 220, 221-223, 225, 231, 237, 316, 327
- singular 64, 220-223, 225, 237
- Jacobi integral 294
- Jacobi waterbag model 294-295
- Jeans mass, length, instability 189, 212, 346, 360, 365, 371, 374, 445-446, 469
- Jets, radio continuum 216-217, 236, 534
- King models 35, 127, 143, 145-146, 149, 157, 185, 202, 283
- Kuz'min - Toomre disk model 300
- $L\alpha$ clouds 15, 347, 534, 536
- $L\alpha$ cooling 344, 346
- Large-scale structure and distribution of galaxies 1, 3, 6, 8, 97, 101-106, 108, 110, 115, 117, 147, 233, 243-244, 252-256, 260, 263-287, 333-344, 351-352, 357-359, 362, 369-376, 379-393, 396, 400, 435-443, 484, 529, 539, 541-542, 545-546, 555, 562, 564-565
- dipole anisotropy in 97, 101-106, 108, 115, 435-443
- filaments 251, 269-274, 278, 333-334, 371
- formation and evolution 263-280, 283, 285-287, 333-344, 351-352, 357-359, 362, 369-375, 379-393, 396, 400, 410, 445-446, 449, 469-471, 475-476, 480-481, 484-487, 491, 497-498, 520, 529, 539, 545-546
- formation and evolution, barrel diagram of 244
- pancakes 267-269, 286-287, 335-341, 344, 352, 370-375, 406, 539
- percolation analysis 284, 375
- voids 1, 3-4, 7-8, 103, 243-244, 251, 253, 255-256, 258, 260, 272, 282, 286, 333-334, 340, 358, 362, 374, 403-404, 408, 545, 560, 562
- Laws of physics, breakdown of familiar 1-2, 25-26, 64-65, 116, 160, 319-334, 408, 537, 548, 565
- Liouville's theorem 309
- Luminosity functions of galaxies 9, 111, 139, 147, 241, 339, 341, 435-436, 443, 551
- Schechter function 360, 436
- Malmquist bias 7, 434
- Mass loss from stars 13, 172, 191-195, 198, 204, 212, 505, 508-509, 519, 530-531
- Mass-to-light ratios 3, 5-7, 13-14, 57, 65, 70-77, 81, 83, 85-90, 92-93, 96-99, 111-113, 116, 120-128, 131-138, 140-142, 145-146, 152, 157-162, 165-170, 176-177, 187, 190-193 *passim*, 201, 208, 214-215, 232, 234, 237, 248-253, 272, 284, 299, 324-329, 332, 342-343, 350-351, 355, 362, 367, 373, 395, 403, 408-409, 413, 415-419, 422-425, 434, 499, 505, 527-528, 539-543, 548, 552-553, 558, 561-563
- dependence on linear scale 86-87, 90, 92-93, 97-99, 111, 166, 252-253, 284, 539, 562-563
- Mathieu instability 306

- Maxwellian distribution of velocities 361, 514
- Mergers of galaxies and clusters of galaxies 9, 90, 92-93, 269, 275, 277-278, 280-281, 283, 303, 308-310, 312-313, 316, 335, 338-340, 342, 360, 367, 372, 528-530, 556
- Michie models 113
- MOND (Modified Newtonian Dynamics) 1-2, 25-26, 64-65, 116, 160, 319-334, 408, 537, 548, 565
- Monopoles 381, 401, 445-446, 448-449, 455-457, 459, 461-465, 472, 480
- Morphology of galaxies and environment, correlation between 243, 256-258, 261, 280, 316-317, 338-339, 341, 357, 362-363
- N -body simulations 7, 9, 90, 96-99, 103, 106-108, 110, 113-114, 132, 254-256, 263-287, 289-290, 297-298, 300-301, 303, 309, 313, 344, 356, 358-359, 370, 374, 406-409, 446, 473, 484-485, 526, 528-529, 539, 545
- Neutrinos 5, 9, 116, 139, 147-149, 152, 158, 163, 243-244, 263-270, 337, 339, 361, 369-370, 373-375, 380-388, 396, 400-401, 406, 445, 448-461 *passim*, 468-481 *passim*, 485-486, 489-490, 493, 496, 499-500, 502-504, 511, 513, 519, 523, 525, 539-540, 544-546, 551-552, 562
solar neutrino problem 400, 496, 523
- Nucleosynthesis in stars 398, 410-411, 499-523 *passim*; see also: Galaxy evolution, chemical
- Nucleosynthesis, primordial 3, 13, 111, 250, 280, 396, 403, 445, 447, 449, 465, 467, 481, 486, 499-523, 543-544, 553-554, 556
- Ω 3-4, 13, 15-16, 97-103, 107-108, 111, 115, 139, 148, 219-225, 243-244, 252-253, 263, 265-267, 269-273, 276, 278, 280, 284-285, 317, 340-341, 351-352, 357, 360, 364, 366, 371-372, 380-381, 384-388, 392, 395-396, 399-400, 402-404, 408-409, 414, 433, 435, 438-440, 442-443, 446-448, 461, 465, 467, 469, 473-475, 478-481, 485-487, 494, 497, 499-500, 505, 508, 510, 514-519, 522, 534-539, 541-543, 545, 554-556, 562-564
poll on value of 563
- Orbits of stars and gas in triaxial halos 8-9, 303-310, 312-314; see also: DM, stability of disks, effect on
- Ostriker-Peebles T/W criterion for global stability of disks 289ff, 295, 297-299
- Particle physics, standard model of: $SU(3) \times SU(2) \times U(1)$ 450-455, 458-459, 462, 487, 494
- Particle physics, theories of 445-489
- Pauli exclusion principle 148
- Percolation analysis 284, 375
- Photinos 264, 395, 401, 445, 448, 455, 457, 459, 468, 472, 477, 480, 490, 496, 535, 543
- Photofission of light elements 499-500, 508, 511-514, 519
- Planck mass, length 222, 445, 447, 468, 511
- Plummer model 300
- Poisson equation 17-18ff, 23-24, 26, 36, 244, 279, 284, 321, 327, 333-334, 361
- Polar rings 5, 8, 54, 120-121, 303, 306-308, 312-315, 556, 558
- Population models, stellar 29, 76, 122, 125-127, 133, 138, 558
- Population III stars 3, 15, 345, 360, 407, 410 413-414, 535
- Protogalaxies, searches for 341, 528, 530

- Proton decay 401, 456, 472, 488
- Q , Toomre stability parameter 6, 131, 289-295, 298-301
- q_0 , deceleration parameter 219, 222, 224, 228, 231, 238
- Quantum chromodynamics 450-455ff, 487, 489, 500
- Quantum gravity 336, 449
- Quark nuggets 401, 445, 448, 454-455, 459, 465, 468-469, 480, 485-486, 489, 499-500, 514-519, 522
- Quasars 1, 81, 209, 219-240, 337, 347, 366, 374, 399-400, 403, 406, 414
432-433, 534
Gunn-Peterson effect 15, 366
- Radio Galaxies 88, 188-189, 195, 202, 208-209, 216, 229, 233, 236-238, 240;
see also: Jets, radio continuum
- Recombination, primordial 265, 381, 383-384, 393, 497
- Reflection nebulae, high-latitude galactic ("galactic cirrus") 424, 436, 438, 442
- Relaxation in galaxies and clusters of galaxies 112, 147, 278, 287, 294, 309, 313, 339, 341-342, 352, 528-529
- Ripples and shells in elliptical galaxies 14, 60-61, 127, 303, 308-310, 313, 316-317, 540
- Rotation curve of the Galaxy 19, 23, 25, 33, 36, 39ff, 49, 86, 127-128, 289, 294-297, 301, 553, 557
- Rotation curves of galaxies 5, 13-14, 17, 51-83, 86-88, 92-93, 119-129, 132-137, 139-143, 148-149, 152, 161-162, 219-220, 223, 225, 233, 241, 249, 263, 275-276, 278, 280, 291-301, 308, 315, 321, 324-328, 331-332, 334, 339, 356, 361, 364, 413, 415, 417, 420, 423, 434, 473, 527-530, 540, 543-545, 548, 553, 557-558, 560-561, 565
falling at large r 13, 60, 69, 74, 78-79, 82-83, 92, 223, 225, 415, 473, 558, 565
flat at large r 5, 13, 36, 39, 49, 53-79, 83, 86-87, 92, 119-121, 124, 128-129, 132, 140-142, 148-149, 161, 225, 263, 275, 278, 280, 293, 298, 308, 324, 326, 331, 339, 364, 423, 528-530, 543-544, 557, 560, 565
noncircular motions and 5-6, 13, 15, 33, 57, 76, 67-70, 74-78, 81, 140-141, 143, 152, 162, 540, 558, 561
points derived from quasar absorption lines 81
rising at large r 39, 53ff, 63, 69, 83, 92, 141, 161, 225, 300
- Satellites: See: Telescopes
- Schechter galaxy luminosity function 360, 436
- Secondary ionization in early Universe 244, 384, 386, 388, 543-544
- Self-gravity in dwarf galaxies 139
- Seyfert galaxies 432
- Shadow matter 445, 448, 455, 458, 480, 486, 540, 555
- Shells and ripples in elliptical galaxies 14, 60-61, 127, 303, 308-310, 313, 316-317, 540
- Solar neutrino problem 400, 496, 523
- Spiral structure, theory of 6, 64, 76, 125, 131, 133, 142, 294-295
- Stability of disks, effect of bulge and hot disk on 289-301; see also: DM, stability of disks, effect on; Q , Toomre stability parameter
- Star formation
(in) cooling flows 183, 189-190, 195, 197, 201-213, 338, 397, 543-544
effect of lack of self-gravity on 139, 146-147, 149, 561

- initial mass function 2, 85, 126, 138, 157, 183, 189-190, 195, 197, 201-213, 264, 338, 344-348, 355, 397-398, 407, 411, 422, 427ff, 525-528, 530, 543-544, 549, 551-553, 556, 558-560, 562
- initial mass function, bimodal 29, 397, 413, 422, 427ff, 525, 527-528, 530, 549, 551-552; see also: Cooling flows
- starbursts in galaxies and galaxy nuclei 425, 432-434
- Stars
 - brown dwarf, observational searches for 32, 220-221, 427-434, 525-526
 - distribution of tracer 17-37, 49, 152, 558-560
 - high velocity 39-50, 127-128
- Strings, cosmic 7, 219, 221-222, 337, 445-447, 449, 455-459, 461-465, 474, 477-481, 484, 486, 488, 494, 555
- Strömgren photometry 552
- Strömgren radius 366
- Supernovae 3-5, 165, 179, 181, 193-194, 196-198, 204, 214, 340, 346-350, 355, 362, 367, 398, 400, 405, 531-533, 544; see also: Galaxy evolution, chemical; Galaxy formation, explosive; Gas heating and loss mechanisms
- Surveys: See: Catalogs
- T/W* Criterion for global stability of disks 289ff, 295, 297-299
- Telescopes
 - Arecibo radio telescope 116
 - AXAF satellite 4, 180, 187, 190
 - Canada-France-Hawaii Telescope 144, 149, 197, 216
 - CTIO 4-m telescope 32, 315
 - Einstein satellite 4, 168, 176, 178, 180, 185-186, 202, 209-210, 433, 561
 - HEAD-1 satellite 186
 - Hipparcos satellite 25
 - Infrared Astronomy Satellite (IRAS) 25, 97-98, 101-105, 107-108, 197, 397-398, 414-415, 420-424, 427-443, 542
 - International Ultraviolet Explorer satellite 208
 - Jodrell Bank radio telescope 115
 - KPNO 36-inch telescope 52, 61
 - KPNO 4-m telescope 95
 - Las Campanas 100-inch telescope 60
 - Multiple Mirror Telescope 39, 154, 158
 - National New Technology Telescope 227
 - Palomar 200-inch telescope 52, 58
 - Parkes radio telescope 115
 - RELIC satellite 388, 391
 - ROSAT satellite 180
 - Space Telescope, Hubble 227, 232-233, 375
 - Very Large Array 68, 94, 227, 233-234, 238-240
 - Very Long Baseline Array 227
 - Westerbork Synthesis Radio Telescope 68, 82-83, 124, 141, 149
 - Whipple Observatory 61-cm telescope
- Tidal interactions 280, 283, 304, 338-339, 344, 363; see also: Dwarf galaxies, tidal disruption of
- Tidal limits of galaxies, masses from 87-88, 94, 143, 247-249, 553, 560
- Timing arguments in Local Group, masses from 87-88, 127, 250, 539

- Toomre stability parameter Q 6, 131, 289-295, 298-301
- Tully-Fisher relation 76, 115, 142, 162, 339, 341-343, 367
- Universe, early, processes occurring in 369-394, 400, 402, 410, 445-481, 484-489, 492-493, 497-523, 535, 543-545, 555-556; see also: Big bang; Nucleosynthesis, primordial; Recombination, primordial; Secondary ionization
- V_{max} prize 61
- V_{max}/σ - ϵ diagram 141, 315, 339
- van Allen radiation belts 443
- Velocity-dispersion - age correlation in galactic stars 412, 559
- Velocity dispersions in bulges and elliptical galaxies 14, 126-129, 131, 134, 140, 143-149, 153-160, 163, 176-177, 184, 186, 188-189, 192-194, 199, 202, 247, 249, 283, 327-328, 407, 552-553
- Velocity dispersions in disks of galaxies 17-37, 121-122, 125, 131, 289-301, 398, 412, 415, 418, 552, 558
- Velocity fields
- around clusters of galaxies 97, 100, 103-108, 112, 265-276 *passim*, 287, 339-340, 380; see also: Velocity field in Local Supercluster; Virial theorem, cosmic
 - of galaxies, dipole anisotropy in 98, 100, 103, 106-108
 - in Local Supercluster 97-101, 103, 107-108, 110, 115, 332, 402, 435-436, 439-441, 486, 541; see also: Velocity fields around clusters of galaxies
 - tidal field in Local Supercluster 435-436, 439-441
- Vertical velocity dispersion in disks, masses, mass-to-light ratios
- from 121-122, 125, 131, 415, 418, 552, 558; see also: DM: Oort-Bahcall analysis
- Very Long Baseline Interferometry 227, 238, 399, 412, 537
- Virial theorem, cosmic 88, 98-99, 107-108, 110, 113, 439, 486, 529, 541
- Virial theorem, masses from 1, 5, 17, 31, 35, 40, 86-87, 97-99, 108, 110, 112-114, 116, 129, 143-149, 153ff, 157-158, 169ff, 184, 186, 247, 249-250, 284, 343, 396, 404, 537, 539, 541
- alternatives to 113
- Vlasov equation 17-18, 23-24, 361, 498
- Voids 1, 3-4, 7-8, 103, 243-244, 251, 253, 255-256, 258, 260, 272, 282, 286, 333-334, 340, 358, 362, 374, 403-404, 408, 545, 560, 562
- WKB analysis 306
- Warps in disks 8, 54, 67ff, 81-82, 120, 140, 297, 303-308, 312, 314, 557
- X-rays from discrete sources 171-172, 180-181
- X-ray-emitting gas: See: Gas, hot, x-ray emitting