



SAVE 20%
WITH CODE:
IMP20

9781009107976 | £12.99 \$14.95 | February 2023 | Paperback

“Skillfully written in an accessible style, this book is a ‘must-read’ for anyone interested in understanding more about the fundamentals of sex and desire, as well as for a variety of professionals, including health professionals, counselors, social workers, and others who educate people about sex.”

Naomi Fineberg, Professor of Psychiatry, University of Hertfordshire, and Consultant Psychiatrist, Hertfordshire Partnership University NHS Foundation Trust

[cambridge.org/Impulse](https://www.cambridge.org/Impulse)

 **CAMBRIDGE**
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES The APA referencing system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. In the References section. Where several references are cited together they should be listed in rising date order. The References section should be supplied in alphabetical order listing all authors up to 7 in number, or the first 6 authors plus the last author, date, article title, journal title in full, volume, page numbers and/or DOI. (authors' names in bold, journal titles in full), following the text. Some examples follow:

Journal article with DOI:

Nevin, A. (1990). The changing of teacher education special education. *Teacher Education and Special Education: The Journal of the Teacher Education Division of the Council for Exceptional Children*, 13(3-4), 147-148. doi:XXX

Light, M. A., & Light, I. H. (2008). The geographic expansion of Mexican immigration in the United States and its implications for local law enforcement. *Law Enforcement Executive Forum Journal*, 8, 73–82. doi:XXX

Journal article without DOI (when DOI is not available):

Good, C. D., Johnsrude, I. S., Ashburner, J., Henson, R. N. A., Firston, K. J., & Frackowiak, R. S. J. (2001). A voxel-based morphometric study of ageing in 465 normal adult human brains. *NeuroImage*, 14, 21–36. Retrieved from <http://xxxx>

No retrieval date is needed.

Journal article with DOI, more than seven authors:

Gilbert, D. G., McClernon, F. J., Rabinovich, N. E., Sugai, C., Plath, L. C., Asgaard, G., ... Botros, N. (2004). Effects of quitting smoking on EEG activation and attention last for more than 31 days and are more severe with stress, dependence, DRD2 A1 allele, and depressive traits. *Nicotine and Tobacco Research*, 6, 249–267. doi:XXX

Citations for Websites:

Simmons, B. (2015, January 9). The tale of two Flaccos. Retrieved from <http://grantland.com/the-trian...>

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS Page proofs will be sent to the author designated to receive correspondence, corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL

Low status, humiliation, dopamine and risk of schizophrenia
Sellen JP & Ormel J

609

REVIEW ARTICLES

CBT treatment delivery formats for panic disorder: a systematic review and network meta-analysis of randomised controlled trials
Papola D et al

614

Distinct brain activity alterations of treatment for bipolar disorders with psychotherapy and drug therapy: activation likelihood estimation meta-analysis
Luo J et al

625

Impact of climate events, pollution, and green spaces on mental health: an umbrella review of meta-analyses
Cuijpers P et al

638

Antidepressant medications in dementia: evidence and potential mechanisms of treatment-resistance
Costello H et al

654

INVITED REVIEW

Dropout from psychological treatment for borderline personality disorder: a multilevel survival meta-analysis
Arntz A et al

668

ORIGINAL ARTICLES

Changes in mental health and help-seeking among young Australian adults during the COVID-19 pandemic: a prospective cohort study
Upton E et al

687

Emotional bias training as a treatment for anxiety and depression: evidence from experimental medicine studies in healthy and medicated samples
Suddell S et al

696

Socio-economic functioning in patients with bipolar disorder and their unaffected siblings – results from a nation-wide population-based longitudinal study
Sletved KSO et al

706

Reduced willingness to expend effort for rewards is associated with risk for conversion and negative symptom severity in youth at clinical high-risk for psychosis
Strauss GP et al

714

Reduced mortality in patients with extended duration of methadone maintenance treatment: a five-year retrospective nationwide study
Huang C-L et al

722

Autonomic activity, posttraumatic and nontraumatic nightmares, and PTSD after trauma exposure
Mäder T et al

731

Childhood trauma is associated with reduced frontal gray matter volume: a large transdiagnostic structural MRI study
Begemann MJH et al

741

Association between risk of dementia and very late-onset schizophrenia-like psychosis: a Swedish population-based cohort study
Stafford J et al

750

Growth of prefrontal and limbic brain regions and anxiety disorders in children born very preterm
Gilchrist CP et al

759

Compressed sensorimotor-to-transmodal hierarchical organization in schizophrenia
Dong D et al

771

Auditory event-related potentials, neurocognition, and global functioning in drug naïve first-episode schizophrenia and bipolar disorder
Li X et al

785

Online behavioural activation during the COVID-19 pandemic decreases depression and negative affective bias
Ruzickova T et al

795

A neurostructural biomarker of dissociative amnesia: a hippocampal study in dissociative identity disorder
Dimitrova LI et al

805

Developmental trajectories of autistic social traits in the general population
Pender R et al

814

Repetitive transcranial magnetic stimulation treatment of major depressive disorder and comorbid chronic pain: response rates and neurophysiologic biomarkers
Corlier J et al

823

Continuity of antipsychotic medication use among migrant and Finnish-born populations with a psychotic disorder: a register-based study
Lehti V et al

833

Neurophysiological correlates of disorder-related autobiographical memory in anorexia nervosa
Terhoeven V et al

844

The association between history of prenatal loss and maternal psychological state in a subsequent pregnancy: an ecological momentary assessment (EMA) study
Lazarides C et al

855

Lack of fit with the neighbourhood social environment as a risk factor for psychosis – a national cohort study
Scholfield P et al

866

Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative
Kiekens G et al

875

Life expectancy, mortality risks and cause of death in patients with serious mental illness in South East London: a comparison between 2008–2012 and 2013–2017
Chang C-K et al

887

Elucidating the role of negative parenting in the genetic v. environmental influences on adult psychopathic traits
Dotterer HL et al

897

Singular and combined effects of transcranial infrared laser stimulation and exposure therapy on pathological fear: a randomized clinical trial
Zaizar ED et al

908

World Trade Center responders in their own words: predicting PTSD symptom trajectories with AI-based language analyses of interviews
Son Y et al

918

Relationship between mental health diagnoses and COVID-19 test positivity, hospitalization, and mortality in Southeast Wisconsin
Egede C et al

927

Does cognitive improvement translate into functional changes? Exploring the transfer mechanisms of cognitive remediation therapy for euthymic people with bipolar disorder
Tsapekos D et al

936

Mental health impact of the COVID-19 pandemic in U.S. military veterans: a population-based, prospective cohort study
Hill ML et al

945

Effects of methylphenidate on mismatch negativity and P3a amplitude of initially psychostimulant-naïve, adult ADHD patients
le Sommer J et al

957

Effectiveness, durability, and clinical correlates of the PEERS social skills intervention in young adults with autism spectrum disorder: the first evidence outside North America
Chien Y-L et al

966

Parental suicide attempts and offspring's risk of attempting or dying by suicide: does the timing of a parental suicide attempt matter?
Ortin-Peralta A et al

977

Methamphetamine use and psychotic symptoms: findings from a New Zealand longitudinal birth cohort
Boden JM et al

987

Omega-3 fatty acid intake during pregnancy and risk of infant maltreatment: a nationwide birth cohort – the Japan Environment and Children's Study
Matsumura K et al

995

The non-specific nature of mental health and structural brain outcomes following childhood trauma
Haidl TK et al

1005

Dementia in Scottish military veterans: early evidence from a retrospective cohort study
Bergman BP et al

1015

Brain correlates of impaired goal management in bipolar mania
Madre M et al

1021

Childhood externalizing, internalizing and comorbid problems: distinguishing young adults who think about suicide from those who attempt suicide
Commissio M et al

1030

Mindfulness-based therapy for insomnia for older adults with sleep difficulties: a randomized clinical trial
Perini F et al

1038

Longitudinal association between cardiovascular risk factors and depression in young people: a systematic review and meta-analysis of cohort studies
Chaplin AB et al

1049

Childhood maltreatment disrupts HPA-axis activity under basal and stress conditions in a dose–response relationship in children and adolescents
Marques-Feixa L et al

1060

Changes in the adult consequences of adolescent mental ill-health: findings from the 1958 and 1970 British birth cohorts
Thompson EJ et al

1074

Variations by ethnicity in referral and treatment pathways for IAPT service users in South London
Harwood H et al

1084

Tracking the mental health of home-carers during the first COVID-19 national lockdown: evidence from a nationally representative UK survey
Whitley E et al

1096

Evidence for distinct genetic and environmental influences on fear acquisition and extinction
Purves KL et al

1106

CORRESPONDENCE

Anxiety and depression during the first wave of COVID-19 in Germany – results of repeated cross-sectional surveys
Bräscher A-K et al

1115

Looking inside the 'black box' of vaccine hesitancy: unlocking the effect of psychological attitudes and beliefs on COVID-19 vaccine acceptance and implications for public health communication
Barello S et al

1120

New data on suicide risk assessment in the emergency department reveal the need for new approaches in research and clinical practice
Simpson SA et al

1122

COVID-19 vaccination and cultural tightness
Ng J-H & Tan E-K

1124

Intergenerational transmission of suicidality or shared stressors?
Stallman HM

1126

Long-term impact of antipsychotics: setting the controversy requires more clarity
Artão A

1127

INVITED LETTER REJOINER

Long-term effectiveness of antipsychotics
Harrow M et al

1129

CORRESPONDENCE

Antipsychotic discontinuation and recovery: chicken or egg?
Pierre JM et al

1134

Cambridge Core

For further information about this journal

please go to the journal web site at:

[cambridge.org/psm](https://www.cambridge.org/psm)



CAMBRIDGE
UNIVERSITY PRESS