


INDICES



The technical staff: P. Vauterin and P. De Groot



P. Batsleer and the photographer: D. Laurent

Subject Index

- absorption, *see also* extinction and reddening
—, atmospheric 22
abundance, *see* metallicity
accretion of satellites, *see* mergers
age of the Bulge and connection with metallicity 12, 267
Algol variables, *see* eclipsing binaries
Asymptotic Giant Branch, *see also various subpopulations*, 26, 153-155, 158-162, 415
Baade's Window 3, 9, 11, 12, 88-98, 102-107, 264, 311, 329
—, age 267-268, 289
—, colour-magnitude diagram 156-157, 184, 289,
—, Initial Mass Function 289
—, luminosity function 174-175, 289
—, metallicity 295
bar
—, formation, dynamics and evolution 267, 285, 299, 377-379, 381, 385, 389, 391, 397, 405
—, Galactic Bulge 17, 23-25, 34, 46-47, 97, 109, 179, 193-194, 263, 275-282
—, in ellipticals and bulges 212-213, 238, 273
—, nuclear bars 212
black hole, *see* central mass
boxyness, *see* bulges (morphology)
bulges of other galaxies 387
—, accretion signatures 210-212, 244-245
—, ages 252-254
—, and barred galaxies 214, 219
—, colour-magnitude relation 138-141, 144, 147, 253-254
—, disks in 140-141, 212-221, 231-232, 245, 247, 268, 409, 413, 425
—, dust 211, 213, 215
—, Faber-Jackson correlation 214, 216, 247
—, formation and evolution 134-135, 221-223, 431
—, in the fundamental plane 210, 217, 234-236, 247
—, intrinsic shape, *see* photometry
—, kinematics and rotation 204, 210-221, 244-245, 391, 417, 423, 443
—, luminosities 231-232, 247-248
—, metallicity (–luminosity relation) 138-141, 427, 429, 431
—, nuclear disks in 219
—, photometry, morphology 204, 211, 220, 236-238, 245, 264, 391, 413, 419, 425, 435, 441, 443
carbon stars 9, 50-51, 64-65, 196
cataclysmic variables 109
central mass, effect of 222, 385, 423
cepheids 109, 331, 369
—, period-luminosity-mass relation 331
chemical evolution, *see also various subpopulations*, 333, 395
circumstellar shells 24
COBE 5, 6, 15, 23, 194, 223, 263, 266, 278, 280, 283
colour excess 22
colour gradients, *see also bulges of other galaxies*, 266, 409
colour-magnitude diagram, *see also various subpopulations*, 9, 158-159, 287, 289, 295, 313, 315, 319, 323, 327, 329
cosmic rays 283
dark matter, *see also haloes*, 248-252, 311, 395
de Vaucouleurs
—, Galactic Bulge 26
—, other bulges 214
density distributions (observed) 17, 178

- , and metallicity 179
- , radial 25, 45, 263, 279, 325, 389
- , vertical 15, 177, 191-192
- disk (Galactic) 13-14, 319, 327, 329
- , inner disk 18, 264, 339, 341
- , metallicity (cephheids) 331
- , thin disk 13, 264, 301, 325, 339, 355
- , thick disk 14, 264, 301, 325
- , age 319
- disk galaxies 146-147, 388, 405, 413, 417, 421
- distribution function 74-76, 79-84, 347, 351, 357, 359, 361, 367, 377, 383, 443
- dynamical friction 281
- dynamical models (stellar) 17, 268
- , bar 381, 377-379, 383, 385
- , equilibrium 74-76, 79-84, 198-203, 347, 349, 351, 355, 357, 359, 361, 363-366, 367, 373, 375, 407, 423, 433, 443
- , evolution 377-379, 383, 385, 389-390, 391, 393, 397, 401, 403
- eclipsing binaries 109-112, 268, 311
- ellipticals
- , bars and triaxiality 273, 377-379, 407, 411, 435
- , internal kinematics 244-245, 407, 411, 425, 433, 437, 443
- , metallicity 411, 427, 429, 431
- , molecular gas 439
- , occurrence and detection of disks 232-236, 245, 425
- , orbital structure 371, 407, 433, 443
- , photometry 236-238, 245, 413, 419, 425, 435
- , polar rings 419
- , relation to bulges 135-136, 243-258, 409
- emission (atmospheric) 22
- enrichment, *see* chemical evolution
- evolution of Bulge 151-167, 280-281, 390, 393, 395
- extinction and reddening
- , infrared 21-22, 57
- , K-band 6, 15, 27, 293, 310, 329
- , optical 5, 24, 57, 118, 124, 170, 289, 297, 301, 319, 327, 337, 343
- , ultraviolet and X-rays 57, 337
- formation of Bulge 11, 32, 90, 95, 165-166, 177, 184, 231, 323, 377-379, 387-390, 397
- fundamental plane (*see also* bulges of other galaxies) 399
- Galactic Center 5, 6, 11, 14, 15, 18, 27, 29, 48-49, 170-174, 283, 339, 341
- , bar, *see* bar
- , distance 47, 315, 347
- , luminosity function 176
- Galactic Halo 13, 101-108, 264, 283, 297, 301, 325
- Galactic winds 142, 144
- gamma rays 283
- gas in Bulge and Galactic Centre
- , HI 180, 277-278
- , dynamics 24, 195, 273, 277-282, 285, 381
- , kinematics 17, 23, 195, 275-276, 405
- , molecular 27, 180, 275-276, 285
- gas in bulges
- , counterrotating 210, 244-245
- , infall 221-222, 281, 285, 395
- , rings, shells 285, 397, 405
- , streaming 211
- G-dwarf problem 137
- giant molecular clouds 276, 278
- globular clusters
- , colour magnitude diagrams 157, 323
- , dynamical models 347
- , horizontal branch and age 102, 157
- , luminosity functions in 325
- , metallicities and ages 94-95, 157, 323
- , orbits 369
- , spatial distribution of 323
- , supernovae searches 311
- , synthetic colour-colour diagrams 343
- , synthetic integrated spectra 345
- gravitational microlensing 108-109
- haloes 248-252, 393
- helium enrichment 152-153
- Hertzsprung-Russel diagram (synthetic) 319

- HeI stars 173, 177
 horizontal branch
 —, density 105-108
 —, metallicity 103-105, 319, 154
 —, morphology 101-103, 154-156, 159, 265, 268, 343, 345
 HST 6, 9, 12, 289
 Initial Mass Function 289, 319, 395
 instabilities, *see* stability analysis
 interacting galaxies, *see* mergers
 IRAS 5, 24, 27, 28, 33, 39, 40, 42, 63, 74, 77, 84, 118, 122, 128-129, 174, 179, 183, 193-194, 285, 291, 303-306, 310
 isotropy, *see kinematics of various sub-populations*
 IUE 337
 K-band 6, 27-34, 441
 K-giants 88-90
 —, dynamics 97
 —, kinematics 17, 91, 95-98, 177, 196, 281, 297, 301, 315, 317
 —, metallicity 10, 18, 27, 44, 88-90, 91, 93-95, 137-138, 177, 297, 315, 317, 333, 395
 —, occurrence, detection and distribution, 158, 177, 315, 317, 333
 line profiles 361, 417, 421, 423, 425, 437
 luminosity function, *see various subpopulations*
 main-sequence stars 267, 319
 —, kinematics 17
 mass loss, *see also various subpopulations* 154-156
 mergers 11, 135, 142-144, 267, 355, 387, 389-390, 399, 419
 metallicity, *see metallicity of various populations*
 metallicity gradient
 —, in Bulge 33, 42-46, 88-90, 138, 266, 317
 —, in Disk 126
 —, in Galactic latitude 15, 333
 —, in Halo 101-105
 metallicity indicators
 —, colour-colour diagram 11, 26, 32, 137
 —, K-giants 10, 27, 88-90, 137-138, 333
 —, Miras 42-44, 48
 —, M-Giants 90-93, 104
 —, planetary nebulae 125-127, 137-138
 —, RR Lyraes 103-104
 —, turnoff stars 104, 156
 M-stars 9, 90-93
 —, dynamics 97
 —, kinematics 17, 91, 95-98, 196, 317
 —, luminosity function 174-175
 —, metallicity 27, 91, 317
 —, occurrence and distribution 27, 44-46, 91-93, 174, 291, 317, 158
 Mira variables in Bulge 9, 39-53
 —, kinematics 17, 24, 31, 47, 264
 —, luminosity function 31, 49-50, 183-184
 —, lifetime and ages 50, 105
 —, period-age correlation 31, 43
 —, period-metallicity correlation 31, 43-44, 48
 —, period(-luminosity(-colour) relation) 17, 24, 29, 33, 40-41, 46, 47-49, 176
 —, occurrence, detection and distribution 17, 28, 29, 31, 33, 40-47, 194, 291
 —, occurrence of C-miras 32
 —, relation with long-period AGB stars 65, 291
 Mira variables in globulars
 —, period-luminosity(-colour) relation 31, 40-41
 —, occurrence of 41
 Mira variables in LMC
 —, period-luminosity(-colour) relation 24, 25, 29, 41, 47-49
 —, occurrence of C-miras 32
 Mira variables in solar neighbourhood
 —, period-luminosity(-colour) relation 41, 42
 —, occurrence of C-miras 32
 mixing, *see* relaxation and mixing
 models (chemical and population related) 145-146, 263, 299, 301, 319, 325, 327, 329, 349
 —, evolutionary 325, 429

- , initial mass function 319
- , luminosity function 325, 327
- , metallicity 327, 429
- , proper motions 315, 347
- molecular ring 278
- neural networks 299
- O-variables in Bulge 24, 65
- OH/IR stars in Bulge 10, 57-70
 - , circumstellar shells 58-64
 - , dynamics 73, 79-84, 341
 - , kinematics 17, 24, 73-74, 76-78, 177, 196-198, 264, 339, 341
 - , lifetime, ages 66, 160
 - , luminosity function 64, 184
 - , period-luminosity(-colour) relation 48-49, 64
 - , occurrence and detection 24-25, 63, 174, 341
- OH/IR stars in LMC
 - , period-luminosity(-colour) relation 48-49
- orbits
 - , gas 273, 275-278
 - , open clusters 369
 - , as structural elements 73, 369, 371, 385, 443
- peanut bulges, *see* bulges (morphology)
- photometry on crowded images 162-165, 180-182
- planetary nebulae 10, 117-131
 - , abundances 12, 123, 125-127, 137-138, 337
 - , ages 125
 - , comparison with planetary nebulae in disk 119, 126-128
 - , in other galaxies 415
 - , kinematics 17, 24, 119, 196, 264
 - , occurrence in relation with Miras 50
 - , orbits 369
 - , physical properties 120-123
 - , surveys and detection 118
- planetary nebulae in the disk
 - , abundances 337
- population I and II 3, 87-88, 219
- population synthesis 133-149, 319, 325, 415, 429
- potential (gravitational) 76, 79, 279-280, 349, 351, 353, 355, 367, 385, 433, 435, 443
- proper motions 18, 95, 177, 198, 265, 315, 347
- quadratic programming 355, 417
- radiation (thermal) 22
- reddening, *see* extinction reddening
- relaxation (collisionless) and mixing 373, 397
- resonances 371
 - , vertical 222-223, 273, 281, 389
 - , Lindblad 222, 277-278, 285, 389
- rotation, *see* kinematics of various populations
- rotation curve 17, 279, 303, 339, 341, 353, 355
- RR Lyraes in Bulge 10, 268
 - , abundances 12, 94-95, 103-104, 109
 - , kinematics 196
 - , occurrence and distribution 46, 93-95, 102-103, 107, 194, 265, 291
 - , periods 11, 109
 - , surveys 40, 311
- semi-regular variables
 - , in Bulge 40
 - , in globulars 40-41
- SiO stars (masers)
 - , kinematics 264, 303
 - , occurrence and detection 62, 303
- simulations 273, 375, 383, 385, 389-390, 391, 393, 397
- solar neighbourhood 299, 301, 349
- spheroid (Galactic) 14, 264, 297, 299, 319
- spiral arms 285, 405
- spiral galaxies, *see* disk galaxies
- stability analysis 377-379, 383, 387, 391, 401, 403
- starburst regions, *see* star formation
- star formation 267, 285, 319, 397, 431, 435
 - , Bulge 105, 108, 177, 184, 223, 281, 289, 395
 - , Galactic Centre 27, 90, 173, 177, 184, 281, 285

- , Galactic Plane 27, 90
- , Galactic Halo 90
- , other bulges 219, 429
- super metal rich stars 152-156, 159-160
- supernovae, *see* chemical evolution
- surveys and samples
 - , CO 23, 27, 63
 - , eclipsing variables 311
 - , infrared 15, 21-35, 175, 178, 291
 - , K-band 6, 27-34, 169, 175, 178, 293, 310, 329, 441
 - , K giants 88-89, 297, 301, 317, 333
 - , M giants 90-91, 317
 - , OH maser, *see* OHIR stars
 - , Palomar-Groningen Variable Star 291, 319
 - , Planetary nebulae 118
 - , proper motions 315
 - , SiO maser 62, 303
 - , ultraviolet 415
 - , variables (long period, semi-regular, Mira) 40, 42, 174
 - , visual 289, 327
 - , 2μ , *see* K-band
- synthetic spectrum 287, 295, 313, 343, 345
- triaxiality, *see* bar or ellipticals
- virial theorem 17



'Micro' assistants during discussions : L. Sjouerman and M. Sevenster



If you develop plans to visit Gent in the future ...