

INDEX

compiled by S N Shore

- Abundance analyses, 72; Am stars, 29-30; Ap stars, 28-29; Hg-Mn stars, 4, 30, 37, 72-83, 125; LTE models for Vega, 496-101; NLTE models for Vega, 491-95; normal stars, 2-3, 28, 37
- Abundance anomalies, origins, 85; see also diffusion theory
- Abundances : 27-41; Am stars, 192, 213; Am stars, tables, 216; Ap stars, 19-23; elemental correlations, 362; Hg-Mn stars, 1-17; in Lambda Bootis stars, 357-59, 374-76; in A giants, 36; in normal A stars, 37, 357-59; in χ Lup, 55-58; intrinsic scatter, 67-9; rapidly rotating A stars, 407-12; tables of, 125, 153, 159, 215, 216; see also individual subclasses of CP stars
- Accelerated Lambda Iteration (ALI), 102
- Ambipolar diffusion, 460-62
- Am stars (CP2 stars) : abundances, tables of, 216; analyses of individual, 29-30, 192, 213-17; in clusters, 26; classification spectroscopy, 197-202; colors of, 203-7; compared with AP stars, 60-71; effective temperatures of, 208-12; evolutionary status, 580-83, 586, 634-38; and Lambda Bootis stars, 364-65; origin of abundances in, 478-82; see also CP2 stars
- Ap stars (CP1 stars), 18-26; abundance analyses, 19-23, 28-29; and non-magnetic CP stars, 60-71; and normal A stars, 126-30; analyses of individual, 28-29; evolutionary status, 129-30, 577-91; Fe in, 21-24; flares in, 340-44; long period variables, table of, 548; magnetic fields in, see magnetic fields; photometric variability, 340-44; physical parameters for, 126; rapidly oscillating magnetic stars, 561-76; see also CP1 stars
- Ap stars, abundances, 18-25, 28; Fe peak, 21-22; compared with non-magnetic CP stars, 60-71; rare earth elements, 20-21
- A stars : chromospheres and mass loss in, 517-27; rotational velocities of, 384-93. see also abundances
- Atmospheric parameters : A stars, tables of, 410; Lambda Bootis stars, tables of, 410; normal A and F stars, 182-86; CP star, tables of, 155, 177, 185
- Atmospheric structure, roAp stars, 617-22
- Balmer line profiles, 524-26; CP stars, 173-77, 183, 208; Lambda Bootis stars, 421, 423-27, 436
- Babcock's Star, see HD 215441
- Barium stars, 85
- Be stars, and magnetic stars, 335-36
- Binary stars : among Hg-Mn stars, 332; Am stars, 192; and the various CP subclasses, 137-42, 161, 169; HD 123299, 612-16; and Hg-Mn stars, 10-11; visible doubles and CP star evolution, 582-83
- Bright Star Catalogue, incidence of CP stars in, 629-33
- Ca-line index, and CP stars, 626
- Chemically Peculiar Stars : see CP stars or specific subclass
- Circumstellar disks, 85
- Classification spectroscopy, and Am stars, 197-202
- Clusters : CP stars in, 577-91; incidence of Hg-Mn stars in, 639-43; Li abundances in, 187-91; Li in individual, 189; no CP stars, table of, 584; tables of, 188, 579
- CP stars : Binary star frequency among, 137-42; classification, 623-28; frequency in Bright Star Cat-

- alogue, 629-33; frequency in clusters, 593; frequency in field, 593; frequency of occurrence in clusters, 577-91; frequency with distance from Galactic plane, 600; see also individual subclasses of CP stars
- CP1 stars, see Ap stars
- CP2 stars, see Am stars
- CP3 stars, see Hg-Mn stars
- CP4 stars; see He-weak stars
- Curve of growth analysis for magnetic atmospheres, 66, 85-86
- CU Vir, see HD 124224
- Diffusion theory, 439-49, 450-57, 458-72, 474-89, 502-4; ambipolar diffusion, 460-62; in Am stars, 478-79; effects of changing atomic data on radiative force, 116-19; elemental abundance stratification, 452-53, 467-71; helium abundances, 442-43; and Hg-Mn stars, 502-6; Lambda Bootis stars, 376-78; in late-type stars, 443-44, 455-56, 478-82; and Li abundance, 443-44, 446-48; in magnetic Ap stars, 458-72; and magnetic fields, 396-100; origin of abundance anomalies, 439-49; radiative acceleration, 115-17, 441-43, 453-54, 459-60, 473; rotation and mixing, 474-89; turbulence and mass loss, 445-48, 451-52, 462-63, 482-88
- Doppler imaging : and maximum entropy, 261-62; method for measuring magnetic fields, 247
- Dwarf Cepheids, 437-38
- Elemental abundances : actinides, 73; analyses, 30ff; Ba, 55, 78-79, 410; Bi, Pb, 73-74; C, 410; C, N, O, 33, 154; correlations, 131; Cu, 52, 134, 135; Ge, 54; H, 32; He, 5, 32; Li, 187; Li, Be, B, 32-33; Mn, 134-35; Ni, 52; Os, 75; Pt, Au, Hg, 48-49, 54-55, 74, 122; rare earth elements, 76; Ru, 47, 52; Zr, 50-51
- Field horizontal branch stars: abundances, 36; see also Halo A Stars
- Goddard High Resolution Spectrograph (GHRS), 44-48; comparison with IUE, 46
- Halo A stars, 432-36
- Helium peculiar stars, 394-404, 528-38
- Helium strong stars, 335-36, 394-404, 533-36; evolutionary status, 580-81, 583; oblique rotator model, 395-404
- Helium weak and Si stars, 533-36; evolutionary status, 580-81, 586
- Hensberge-de Loore method, magnetic field measurements using, 295-99
- Hg : abundance in CP stars, 79-82, 86; Isotopic anomaly in, 48-49, 55-58, 79-82, 86
- Hg-Mn stars, 1-17; analyses of individual, 4-5, 30, 37; atmospheric parameters, 11; binarity, 10; binaries among, table of, 332; CNO in, 5-7, 154-60; Effects of rotation, 133; Fe-peak in, 7, 153-60; heavy metals in, 7-8; helium in, 5; in clusters, 639-43; magnetic fields in, 9; photometric variability, 9, 339; photometric variability, table of, 331; rotational velocities, 10, 405, 642-43; surface gravities, 13
- Hg-Mn stars, abundances, 30-31, 37, 42-43, 60-71, 121, 131-36; CNO, 5; comparison with interstellar, 58; comparison with normal stars, 159; Fe-peak, 6, 154; Ga, 7; He, 5; Pt, Au, Hg, 8; rotation and, 133; trends, 57, 131-36; Zn, 6
- Horizontal branch stars, abundance analyses, 36
- HR 6000, see HD 144667
- HR 7775, see HD 193452
- Hydrogen line profiles, tables of, CP stars, 174-75; see also Balmer Lines, Line profiles
- Infrared, CP stars observed in, table of,

- 607-8; see also Photometry
- Interstellar medium, abundances, 58; chemistry in, 659-60
- Lambda Bootis stars, 356-67, 368-83; and Am stars, 364-65; atmospheric parameters, 372-74, 414; Balmer line profiles in 421, 423-27; classification of, 405-6, 422; definition of, 369-71; evolutionary status, 378-80, 383, 413-17, 418-22, 429-31; and halo A stars, 432-36; infrared excess in, 382; in OB associations, 418-22; in open clusters, 429-31; origin of abundances, 361-64, 376-81, 383, 482-88; rotational velocities, 387; and Strömgren photometry, 596; tables of, 358, 370; ultraviolet spectrum, 369, 373, 383; and Vega, 4
- Line formation, Stark broadening, 165, 173
- Line profiles, Balmer lines, NLTE, 107
- Lyman α line profiles, and chromospheres, 522-24
- Magnetic field, effect on mass loss, 529-32
- Magnetic fields, 218-31, 232-46; in CP2 and CP3 stars, 62; in Am stars, 310-14; in Ap stars, 218-31, 300-4, 305-9; CP2 stars, 61-2; decentered dipole models, 268; detection in CP stars, 61; line formation with, 220-22; moment technique, 232; oblique rotator model, 223-26; origin of, 272, 284; photometric measurement of, 274-78; spectropolarimetry, 232-46; structure in CP stars, 64, 65-7, 242-45, 315-24; surface field strengths, 224-29, 232-46; variations of, 223-26, 242-45; see also Oblique Rotator Model
- Magnetic fields, measurement of : 218-31, 232-46; broadband linear polarization, 305-9; Hensberge-de Loore method, 295-99; Stenflo-Lindgren method, 62-63
- Magnetospheres, in CP stars, 510-11, 528-38
- Mass loss, and diffusion, 376-77
- Maximum entropy method (MEM), 253-54; mapping of surface abundance distributions, 258
- Mercury, see Hg
- Mercury-Manganese stars, see Hg-Mn stars
- Meridional circulation, 475-78
- Metal-weak A stars, 434-36
- Microturbulence, 359-60; in Am stars, 215
- MK spectral types, criteria for Am stars, 198-99, 202
- Model atmospheres, 87-97, 98-117; grids of, 89-90; LTE, 87; NLTE, 98, 519-22; NLTE analyses, 359; NLTE analyses of A stars, 407-12; NLTE effects for carbon, 105-6; NLTE effects for Fe line opacity, 108
- Model atmospheres, programs : ATLAS12, 90; ATLAS9 vs ATLAS12, 92, 95; TLUSTY, 101-2; TLUSTY compared with ATLAS, 110-11
- Normal stars : analyses of individual, 2-3, 28, 37; Fe-peak abundances, 2, 28
- OB associations, Am stars in, 582-83, 603-4
- Oblique rotator model, 218-31, 242, 247-57, 258-70, 305-9, 315-24, 345-49, 400-403, 465-66, 528-40, 541-47, 547-60, 609-10, 612-16; decentered dipoles, 270, 272; distribution of obliquity, 269; and roAp stars, 561-76
- Opacity calculations : Kurucz line list, 114; Opacity Project (OP), 114-15; OPAL, 114
- Opacity distribution function, 88-89, 102-3

- Opacity Project (OP), description of data, 115-16
- Photoionization calculation, Si II as example of, 116, 117
- Photometry : Am stars, 184-85, 203; CP stars and infrared, 605-11; CP stars at high galactic latitudes, 592-102; Geneva system, 68-69, 588; infrared colors, 204-5; infrared flux method, Am stars, 183-84, 208; long term variability, 547-60; Maitzen a-index, 596-97; non-variable Ap stars, 558; and physical parameters for A stars, 143, 182; Stromgren system, 592-102, 634-38; variations of Hg-Mn stars, 331
- Post-AGB stars, 660
- Pre-main sequence stars, magnetic dynamos in, 272
- Przybylski's Star, see HD 101065
- Pulsation, and Ap stars, 561-76
- Radio emission, in CP stars, 507-16, 541-46
- Rapidly oscillating Ap stars (roAp), 561-76, 617-22; evolutionary status, 565; mechanism for, 565-66; table of, 564
- Rare earth elements : in Ap stars, 76; in Hg-Mn stars, 76-77
- Reddening, effect of on observed continua in CP stars, 143-47
- Rotation, 133, 142; and abundance patterns, 411; synchronism in close binary systems, 142
- Rotational velocities : A2 IV stars, 391-93; among A stars, 384-93; Ap stars, 273; distribution functions, 388-91; Hg-Mn stars, 405, 642-43
- Schneider's star, see BD +24°3675
- Silicon stars, abundance studies, 149; see also Ap stars
- Solar abundances, table of, 153, 216
- Spectropolarimetry, 232-46, 274-78
- Stark broadening, 165-68; see also Balmer Line Profiles, Line Profiles
- Stars, individual
- α And, see HD 358
 - 32 Aqr, 215, 216
 - 46 Aql, 603
 - γ^2 Ari, 265-66
 - 56 Ari, see HD 19832
 - θ Aur, 267
 - 53 Aur, see HD 47152
 - λ Boo, 317; see also Lambda Bootis stars
 - 49 Cam, see HD 62140
 - 53 Cam, see HD 65339
 - κ Cnc, 122-24
 - β CrB, see HD 137909
 - α^2 CVn, 86
 - θ Cyg, 215, 216
 - γ Equ, see HD 201601
 - γ Gem, 310-14
 - 33 Gem, 9, 350-55
 - ν Her, 124
 - 28 Her, 66-67
 - 52 Her, see HD 152107
 - μ Lep, 124
 - 33 Lib, see HD 137949
 - χ Lupi, 42-59, 85, 122-24
 - RR Lyn 192-96
 - δ Ori, 228
 - σ Ori E, see HD 37479
 - 11 Ori, 265, 268
 - o Peg, 124, 297
 - τ Per, 380, 382
 - β Pic, 379
 - ι Psc, 215, 216
 - 53 Tau, 646-47
 - 63 Tau, 208
 - 81 Tau, 211, 212
 - ϵ UMa, 249-50, 267-68
 - τ UMa, 211, 212
 - θ Vir, 22
 - 15 Vul, 215, 216
 - BD +24° 3675, 611

- BD +24°3675 = Schneider's star,
 178-181
 BD +25° 3344, 144, 145, 147
 BD +30°2431, 144, 145-47
 BD +39°2031, 144, 146, 147
 BD -17°3883, 144, 145, 147
 BD -6°86, 144, 145, 147, 383
 CD-26°10505, 144, 145, 147
 HD 358 = α And, 333
 HD 2453, 22, 298, 301
 HD 5441, 22
 HD 6432, 566
 HD 8441, 298
 HD 9996 = GY And, 301, 647-48
 HD 12288, 301
 HD 12932, 567
 HD 14437, 301-2
 HD 15385, 199, 201
 HD 18078, 302
 HD 18269 = 21 Per, 345-49
 HD 19832 = 56 Ari, 261, 646, 650-54
 HD 19918, 567
 HD 21699, 341
 HD 24712 = HR 1217, 276, 567
 HD 25823 = 41 Tau, 345-49
 HD 27749, 199, 201
 HD 32667, 199, 200
 HD 37017 = HR 1890, 542-46
 HD 37258, 419
 HD 37479 = σ Ori E = HR 1890,
 395-404, 406, 542-47
 HD 41841, 199, 200
 HD 43819, 149-52
 HD 47152, 161-63
 HD 48915 = HR 2491 = α CMa =
 Sirius, 8, 36, 310-14, abundances,
 36; atmospheric parameters, 8
 HD 50169, 302
 HD 54475, 335
 HD 55719, 302-3
 HD 55892, 335
 HD 60435, 567-68
 HD 62140 = 49 Cam, 277-78
 HD 65339 = 53 Cam, 227-28, 463-67,
 471
 HD 71066 = HR 3302, 558
 HD 76756, 199, 200
 HD 80316, 568
 HD 81009, 303
 HD 83368 = HR 3831 = IM Vel, 244,
 568-69, 575-76, 617-22
 HD 84041, 570
 HD 93903, 199, 201
 HD 94660 = HR 4263, 303, 554-55
 HD 101065, 570
 HD 110066, 298, 303
 HD 111786, 424-27
 HD 111786 = HR 4881, 379
 HD 116114, 303
 HD 116458, 303
 HD 116458 = HR 5049, 555-57
 HD 118022, 298
 HD 119027, 570
 HD 122523, 243
 HD 123299 = α Dra, 612-16
 HD 124224 = CU Vir, 264-65
 HD 125162, 424-27
 HD 125248, 238-39
 HD 126515, 242, 303
 HD 128898 = HR 5463 = α Cir, 570-
 71
 HD 134214, 303, 571
 HD 137509, 241, 243, 244
 HD 137909 = β CrB, 169-72, 273,
 276-77, 303, 469-71
 HD 137949 = 33 Lib, 303, 571-72
 HD 144667 = HR 6000, 583
 HD 147010, 241
 HD 152107 = 52 Her, 298, 548
 HD 153882, 244
 HD 161459, 572
 HD 161817 = FHB 69, 435, 436
 HD 165474, 303
 HD 166473, 572
 HD 172167 = HR 7001 = α Lyr =
 Vega, 3-4, 37, 91-91, 310-14, 375,

- 415-16, 491-95; abundance analyses, 37, 491-95; atmospheric parameters, 91-92
- HD 175362, 238
- HD 176232 = HR 7167 = 10 Aql, 572
- HD 177003, 342
- HD 179761, 330
- HD 179791, 424-27
- HD 184927, 342-43
- HD 187474 = HR 7552, 303, 553-54, 575
- HD 188041 = HR 7575, 303-4, 552-53
- HD 190290, 572
- HD 191742, 469-71
- HD 192640, 424-27
- HD 192678, 304
- HD 192913, 22
- HD 193452 = HR 7775, 165
- HD 193756, 573
- HD 196470, 573
- HD 200311, 304
- HD 201601 = γ Equ, 304, 557-58, 573
- HD 203932, 573
- HD 210071, 330
- HD 215441 = Babcock's star, 227-28
- HD 217522, 573-74
- HD 217833, 343
- HD 218495, 574
- HD 224801 = CG And, 647
- HD 290799, 419-20
- HR 6000, see HD 144667
- HR 7775, see HD 193452
- Sirius, see HD 48915
- Vega, see HD 172167
- Starspots, 65-67; models for, 279-83; see also Oblique Rotator Model, Doppler Imaging, Maximum Entropy Method (MEM)
- Stenflo-Lindgren technique for magnetic field measurement, 62-63
- Ultraviolet spectroscopy, 345-49, 466-67; Hg-Mn stars, 42-43, 79, 121, 154
- Wavelength coincidence statistics, 22-24
- X-ray emission, in helium weak and silicon stars, 513-14
- Zeeman effect : Doppler imaging, 247; line profiles, 234, 291, 310-14; magnetically resolved lines, 300-304; resolved magnetically split lines, 245; theory of line formation, 220-22, 254, 272; transverse, photometric measurement, 274; see also magnetic fields, measurement of