


OPINIONS ON THE LOWLAND MAYA LATE ARCHAIC PERIOD WITH SOME EVIDENCE FROM NORTHERN BELIZE

Robert M. Rosenswig 

University at Albany—SUNY, Department of Anthropology, AS 237, 1400 Washington Ave., Albany, New York 12222, United States

Abstract

The fourth millennium B.P. in the Maya lowlands provides an interesting case, with mobile, aceramic peoples documented, while ceramic-using villagers lived in other parts of Mesoamerica. Rather than ask why ceramic containers and village life took so long to reach the Maya lowlands, the question can be inverted to posit that a mixed horticultural-foraging adaptation was so effective that it persisted longer than elsewhere. I propose that the so-called 4.2 ka B.P. event was the ultimate cause of increased sedentism and the first adoption of ceramic containers in a limited number of regions of Mesoamerica. My musings are grounded in the comparisons of data from the Soconusco region of southern Mexico and evidence from northern Belize at Colha and Pulltrouser Swamp, as well as the Freshwater Creek drainage. I assume that proximate behavior must account for local adaptations and different rates of change in each region of Mesoamerica. Therefore, regional adaptation in northern Belize during the Late Archaic period provides the evidence with which to reconstruct local adaptation. Excavations and regional reconnaissance document a distinctive orange soil horizon at Progresso Lagoon associated with patinated chert tools and an absence of ceramics. Stone tool assemblages from the preceramic components of three sites in the region indicate a spatial separation of tool use and resharpening at island versus shore. Starch grains recovered from these stone tools indicate that preceramic peoples in northern Belize harvested maize and several other domesticated plant species. These data are consistent with local paleoenvironmental studies that document an extended period of horticultural activity during the fifth and fourth millennia B.P. prior to the adoption of ceramics. Lithic assemblages and associated dietary information from multiple sites provide glimpses of the data necessary to reconstruct Late Archaic period adaptation from a single locale. Such data will be required to understand the proximate causes for the transition to a more settled, village life.

INTRODUCTION

Increased reliance on domesticated foods was a fundamental change in the history of humankind. Some theories propose that climate changes led to this dietary transition (e.g., Binford 1968; Brooke 2014; Richerson et al. 2001). Others offer cultural and adaptive explanations to account for a reliance on increased levels of food production (e.g., Flannery 1986:19–28; Hayden 1990). Rather than mutually exclusive, climate and cultural explanations can both be correct, as each group of proponents focuses on a different scale of understanding. Climate change can provide ultimate causes whereas local adaptation explains the proximate causes of incipient food production (see Laland et al. 2011; and, of course, Flannery 1986:518–519). Climate change after the Younger Dryas may have been the ultimate cause of domestication in many regions of the world (Bellwood 2005:20). However, identifying ultimate causes provides only a starting point to understand what and how things happened in the past. Prime mover models (that generally address ultimate causation) have long been criticized by archaeologists for not providing complete explanations of cultural change (e.g., Zeder 2009). However, an incomplete explanation is different from an incorrect one. Climate change and resulting environmental reactions, as well as demography, epidemic disease, or volcanic

eruptions, clearly do all affect human evolution. The unique position of archaeology is that our data provide the detailed evidence that allows us to explore proximate human causes for past behavioral change in addition to the more straightforward ultimate causes that generally come from climate and geologic proxy data.

In this article, I propose that two global climatic events—the end of the Younger Dryas (at ~11.7 ka B.P.) and the end of the 4.2 ka B.P. event (at ~3.9 ka B.P.)—could provide the ultimate causes of changing human adaptation that Mesoamerican archaeologists recognize as the beginning and end of the Archaic period. Next, I review the evidence of Archaic period occupation in the tropical lowland region of what is today northern Belize (Figure 1). This review includes regional reconnaissance and excavation initiated by MacNeish (MacNeish and Nelken-Terner 1983a, 1983b; Zeitlin 1984), work by numerous scholars at Colha (Hester et al. 1996; Iceland 1997; Valdez et al. 2021), as well as excavation and paleo-environmental reconstruction by Pohl and colleagues (1996) in Pulltrouser Swamp. Then I turn to evidence that my colleagues and I have produced of Archaic period occupation in the Freshwater Creek drainage (Rosenswig 2004; Rosenswig and Masson 2001; Rosenswig et al. 2014). A discussion of pan-Mesoamerican adaptive changes that occurred at ~3.9 ka B.P. and at ~3.0 ka B.P. are also included in the musings that follow. The former corresponds to what archaeologists recognize as the transition from the Late Archaic to Early Formative period—with

E-mail correspondence to: rosenswig@albany.edu




Figure 1. Archaic period sites in northern Belize. Map by the author.

evidence of Mesoamerica's earliest documented ceramic-using villages in a handful of regions. The latter date corresponds to the transition from the Early to Middle Formative period, when the earliest cities and first conical mounds were built in Mesoamerica. Around 3.0 ka B.P. was also when ceramic-using villagers are first documented in the Maya lowlands (Lohse 2010). My use of the labels Archaic and Formative is therefore not strictly temporal, but adaptive. This highlights the fact that Archaic- and Formative-adapted peoples coexisted in Mesoamerica throughout the fourth millennium B.P., forming a mosaic of different adaptations (Arnold 1999; Clark and Cheetham 2002; Rosenswig 2006a, 2011).

Agriculture is defined here as a social process, not a biological one. Foraging peoples can consume cereal grains and other domesticates (that they grow themselves or trade with neighbors), but if

this does not result in changes to mobility, social institutions, or population levels, then it would be misleading to call them agriculturalists. Smith (2001) provides a description of the expansive middle ground between people who consume only wild foods and those dependent exclusively on domesticated species. As he points out: "Whether the agricultural boundary is drawn as a specific 'percentage contribution of domesticates' line, or defined as a relatively broad clinal zone of transition (e.g., 40–60 percent), it is clear that placement of societies relative to this border will not be a simple task" (Smith 2001:10). For example, ceramic-using villagers are first documented in Mesoamerica's lowlands on the Soconusco and Gulf of Mexico coasts during the Early Formative period (3.0–3.9 ka B.P.). However, these early villagers had a diet similar to their Late Archaic predecessors, who were consuming a

similar range of domesticates at similarly low levels. Agriculturalists are not documented in either region until nearly a millennium later, when population levels increased significantly, monumental architecture became a defining characteristic of stratified societies. The literature on this transition at ~3.0 ka B.P. is laid out elsewhere (e.g., Arnold 2009; Blake 2015; Clark et al. 2007; Killion 2013; Rosenswig 2006b, 2012; Rosenswig et al. 2015).

There were many pulses of increased use of domesticated plants in Mesoamerica through the Archaic and Formative periods. Further, the type of intensive agriculture that forms the basis of ethnographically known Mesoamerican societies was probably not established until the Late Formative period, between 2.3 ka and 1.7 ka B.P. Early varieties of maize were first grown in what is now known as the Maya lowlands during the Archaic period, and there were successive pulses of increased consumption at approximately 5.0 ka B.P., 4.0 ka B.P., 3.0 ka B.P., and 2.3 ka B.P. A reliance on maize likely only surpassed Smith's (2001) clinal zone of agricultural transition (i.e., 40–60 percent) by the last of these pulses, with the Late Formative period and the dramatic cultural changes instituted. If I had to guess, I would say that maize reached 40 percent in some regions by 3.0 ka B.P., and by ~2.3 ka B.P. approached 60 percent of the diet. Each of the earlier pulses of maize consumption (i.e., 5.0 ka and 4.0 ka B.P.) occurred within the mixed subsistence strategies of tropical lowland horticulturalists.

DEFINING MESOAMERICA'S ARCHAIC PERIOD

End of the Younger Dryas at 11.7 ka B.P.

Mesoamerica's Archaic period lasted for many millennia, beginning after the Younger Dryas (Piperno and Smith 2012) when precipitation increased and the more predictable Holocene environment was established (Hodell et al. 2008). This environmental transition was followed by the first documented squash, Mesoamerica's earliest domesticated food plant (Smith 1997). In the Near East, production of domesticated species also began at approximately this time (i.e., the Pre-Pottery Neolithic A), when rye, emmer wheat, einkorn wheat, and barley were domesticated (Bar-Yosef 2011:181–182). Lentils were also first transported out of their natural habitat at that time and were cultivated and stored (Weiss et al. 2006). In regions with species amenable to domestication, a limited number of plants and animals had their physiology altered to better suit the needs of humans (Diamond 1997:104–175). The end of the Younger Dryas thus may be the ultimate cause of early domestication in a variety of unrelated regions of the world (Bellwood 2005: 20; Brooke 2014:131–153). This claim is uncontroversial and has become archaeological common wisdom (e.g., Flannery 1986:514).

The 4.2 ka B.P. Event

The end of another global climatic disturbance—the three-century-long 4.2 ka B.P. event—also corresponds to significant environmental and cultural changes in many areas of the world. Increasing paleoclimatic data suggest that global drought conditions in the northern hemisphere were severe and prolonged (200–300 years) and began at around 4.2 ka B.P. (e.g., An et al. 2005; Arz et al. 2006; Dixit et al. 2014; Nakamura et al. 2016). The 4.2 ka B.P. event led to rapid climate change in the tropical Americas, as it is recorded as an abrupt change in speleothems (stalagmite) records from Peru and Brazil (Bustamante et al. 2016), in Andean ice

cores (Davis and Thompson 2006), and in the biogeochemical composition of peat bogs in Peru (Schitteck et al. 2015). With precise dating techniques, the synchronicity of these global changes is now widely accepted (Booth et al. 2005). In fact, the signal is so pervasive in climate records that it has been suggested as a marker to define the boundary between the Mid and Late Holocene (Walker et al. 2012). The onset of the 4.2 ka B.P. event further corresponds to the societal collapse of the Akkadian Empire in Mesopotamia, the end of Old Kingdom Egypt, as well as political collapse in the Levant and Indus Valley (Bar-Matthews and Ayalon 2011; Carolin et al. 2019; Weiss 2016; Welc and Marks 2014). The ultimate cause of cultural collapse of multiple Old World civilizations thus appears to be climatic (of course, mitigated through proximate causes of overpopulation, political exploitation, administrative ineptitude, and so on).

Mesoamerican archaeologists have begun to grapple with the implications of this global climatic change that corresponds with the end of our Archaic period (e.g., Awe et al. 2021; Ebert et al. 2017; Kennett et al. 2017), and I have been going on about it for a while (e.g., Rosenswig 2006b, 2015). Climate records from coastal Chiapas and Guatemala (Kennett et al. 2010; Neff et al. 2006) and the Peten Lakes (Rosenmeiner et al. 2002) reflect this climatic event to some degree. Other records from the Maya lowlands detect the onset of dryer conditions at 4.5 ka B.P. (Mueller et al. 2009), and I suspect this is just chronological impression in the time sequencing of this climate proxy record. While climate as the ultimate cause is not universally accepted across the discipline, all Mesoamerican archaeologists would agree that the beginning of a Formative adaptation—that includes permanent villages and the earliest use of ceramic containers—occurred sometime around 4.0 ka B.P. At a minimum, the 4.2 ka B.P. event correlates suspiciously with the timing of such behavioral changes.

A Mixed Horticultural Adaptation: 3.9–3.0 ka B.P.

The years after 3.9 ka B.P. correspond to a new cultural adaptation in a limited number of areas in Mesoamerica. This transition to a Formative way of life did not occur rapidly or universally, but instead was a progressive, millennium-long phenomenon (Clark and Cheetham 2002; Rosenswig 2011). Increased sedentism and the adoption of ceramic containers in various places in Mesoamerica thus followed a centuries-long drought. However, to understand what happened to people in Mesoamerica after ~4.0 ka B.P., we must also account for local cultural responses to climate change (also known as proximate causes). In the case of a handful of rich estuarine and lacustrine environments with abundant aquatic resources (e.g., the Chantuto of the Soconusco region, as well as inhabitants of the Santa Luisa site in north-central Veracruz on the Gulf Coast, and sites on the edges of Lake Chalco in the Basin of Mexico), people were increasingly sedentary during the Late Archaic period (reviewed in Rosenswig 2015: 127–128, 131–136). These relatively sedentary peoples would have relied on aquatic resources even more during the two or three centuries of drought conditions ushered in by the 4.2 ka B.P. event as vegetation was negatively impacted, further reducing their level of mobility. There is emerging evidence that Mesoamerican peoples also intensified production of domesticates such as maize (which does well in seasonally dry environments) at this time, by changing its physiology to increase the caloric content of each cob (e.g., Kennett et al. 2017). Changing the physiology of maize to increase caloric content compared with teosinte

was already long under way (e.g., Piperno and Flannery 2001), but changes at ~4.0 ka B.P. and again at ~3.0 ka B.P. likely each represented a pulse of increased caloric productivity of maize cobs. Therefore, a handful of regions in Mesoamerica with access to aquatic resources were more sedentary and may have had higher population densities during the Late Archaic period. Then, after the 4.2 ka B.P. event it was in a subset of these areas that the earliest ceramics are documented early in the fourth millennium B.P.

We do not yet have enough evidence to be definitive about any of this, but the following is my hypothesis to account for the proximate cultural changes of what happened in the centuries around 4.0 ka B.P. After centuries of drought, intensified subsistence practices in some areas of Mesoamerica was the new normal. Therefore, increased rainfall after ~3.9 ka B.P. resulted in the possibility of producing more food for the same amount of work. What was the result of this increased output? Part of this increased output resulted in the population increase evident with the onset of the Formative period, and part likely dissipated into decreased workload. Some part of this surplus, however, was transferred to cultural activities, such as increased feasting and use of fancy ceramic containers, as Clark and Blake (1994) long ago proposed for the Soconusco region of southern Mexico. Clark and Blake's (1994) model of Soconusco aggrandizers engaging in competitive feasts to win prestige is often cited, as it carefully explains the proximate causes of incipient hierarchy, as well as plausibly accounts for the motivation to adopt the earliest, and highly decorated, ceramic vessels in the region. Yet the model never explained why changes occurred when they did. Why, at 3.9 ka B.P., did aggrandizers first emerge in the Soconusco? I propose that the end of the 4.2 ka B.P. event could provide the ultimate cause for why the transition occurred when it did (see also Rosenswig 2015:118–120, 143–147). In contrast, in the Maya lowlands, increased sedentism and the use of ceramic containers are not documented until nearly a millennium later, at ~3.0 ka B.P. Importantly, 3.0 ka B.P. was another pulse of intensification, when increased maize consumption changed many aspects of culture in other areas of Mesoamerica, such as the Soconusco (Rosenswig 2010; Rosenswig et al. 2015). So the proximate behavior could have been very different in the Maya lowlands at ~3.0 ka B.P. than in the Soconusco at ~4.0 ka B.P., when the first ceramics were adopted in each region. As these are the two regions of Mesoamerica where I undertake fieldwork, I cannot help but focus on comparisons between them.

A Pulse of Increased Food Production in Mesoamerica: ~3.0 ka B.P.

Use of maize during the sixth through third millennia B.P. (i.e., Late Archaic and Early Formative periods) was part of a long-lasting, mixed horticultural subsistence strategy that persisted little changed through the adoption of ceramic technologies (Arnold 1999; Blake 2015; Clark et al. 2007; Killion 2013; Rosenswig 2006b). As discussed in the introduction, Late Archaic and Early Formative period peoples all relied on what Smith (2001) refers to as low-level food production. At around 3.0 ka B.P., the importance of maize production increased in some areas of Mesoamerica as part of an overall intensification of food production that also included reliance on fewer animal species, such as deer and dogs (e.g., Rosenswig 2007). It is more likely that the organization of society in places like the Soconusco was transformed by a reliance on maize and other domesticates than that the morphology of these

domesticates was changed by human selection (Rosenswig 2012; Rosenswig et al. 2015).

Although not highlighted in discussions regarding the origins of agriculture in the Tehuacán Valley, 3.0 ka B.P. also corresponds to a significant transition in the intensity of domesticated use there. The most dramatic increase in domesticated plant use (and decrease in wild plant remains) is documented in Tehuacán during the period from 3.0 ka to 0.75 ka B.P., the end of the Ajalpan phase (MacNeish 1967: Figure 186; with a revised phase dating from MacNeish 2001). The timing of increased consumption of domesticated food plants was therefore coeval in the Tehuacán Valley and the Soconusco—two areas of Mesoamerica that could not be more different in terms of their respective environments (arid highland valley versus tropical lowland jungle) or the types of sites from which dietary evidence was recovered (cave versus village).

Three thousand B.P. further corresponds to major settlement shifts in many areas of Mesoamerica, after which sedentary villagers are first documented in environments where they had been absent during the fourth millennium B.P. On Mexico's Gulf Coast, five separate settlement survey projects independently document an increase in the occupation of upland environments by ceramic-using villagers at this time (e.g., Arnold 2009; Borstein 2001:189; Killion and Urcid 2001; Kruger 1996:112–117; Symonds et al. 2002: Figure 4.3). Ceramic-using villagers only inhabited river margins and other lower-lying zones prior to 3.0 ka B.P., and Arnold (2009:398) argues that increased maize productivity meant that “[p]ermanent settlements and politico-economic relationships that did not rely on floodplain resources became increasingly viable, undermining the control exerted by the extant leadership and their dominant ideology.” A similar expansion of ceramic-using villagers into upland zones at 3.0 ka B.P. is documented in Tlaxcala (Lesure et al. 2006), on the Oaxacan coast (Joyce and Goman 2012), in the Valley of Oaxaca (Drennan 1976), and in the central Depression of Chiapas (Lowe 1998, 2007). Exploitation of more marginal environments using new technology (or plant species) is a classic measure of intensification (Boserup 1965).

Changes at ~3.0 ka B.P. are also evident in the lowland Maya area, as it is around this date that ceramic-using villagers are first documented in Belize and in the neighboring Peten region of Guatemala (Lohse 2010). Rather than expanding from more fertile fluvial and alluvial soils into less agriculturally productive upland environments (as with the Gulf Coast, Soconusco, Central Chiapas, Tlaxcalan, and Oaxacan cases), the centuries around 3.0 ka B.P. were when ceramic-using villagers are documented in large swaths of the Maya lowlands for the first time (Rosenswig 2015:101–102, 2022). The persistence of a non-ceramic-using adaptation is well-documented in northern Belize, even though maize and a variety of other species, including manioc, had long been cultivated by mobile foragers in the region (e.g., Pohl et al. 1996; Rosenswig et al. 2014). Recent work at Ceibal (Inomata et al. 2015) and Cival (Estrada-Belli 2011) also documents the earliest ceramic-using villagers in northeastern Guatemala at ~3.0 ka B.P. Ceramic-using villagers are therefore first documented in the Eastern Lowlands of Guatemala and Belize at approximately the same time as previously unoccupied upland zones were settled in various parts of Mexico. Together, these changing settlement patterns reflect a pan-regional population expansion that occurred at the same time as maize consumption increased. However, I suspect that the residents of the Maya lowlands were using the new varieties of maize less intensively than their Soconusco and Gulf Coast neighbors during the first part of the third millennium B.P.

Garber and Awe (2008) argue that the earliest ceramically defined Cunil phase began at 3.1 or 3.2 ka B.P. (see also Awe et al. 2021; Ebert et al. 2017), and Hammond (2005) has similarly argued for a start date of 3.2 ka B.P. for the Swasey phase. Lohse's (2010) assessment of dates from Belize and adjacent areas of Guatemala questions the interpretation that places the earliest ceramics before 3.0 ka B.P. Recently, Inomata et al. (2020) published dates of 3.2 ka B.P. associated with ceramic deposits in Tabasco, Mexico near La Venta, which they propose resemble those ceramics from Guatemala more so than those from surrounding sites on the Gulf Coast. The exact date of the earliest ceramics in the Maya lowlands is still contested, but seems to be within a century or two of 3.0 ka B.P. This was long after ceramic-using villagers had settled in most areas of Mesoamerica. The precise century of the first ceramics in the southern Maya lowlands does not impact the millennium-scale patterns described in this article.

A Recent Argument for Intensive Agriculture in Southern Belize at 4.0 ka B.P.

Kennett et al. (2020) recently claimed that maize was a staple crop in southern Belize soon after 4.0 ka B.P. Based on carbon and nitrogen isotope results from skeletal material recovered in two rock shelters, they define a pre-maize phase (9.6–4.7 ka B.P.) from 17 individuals, a transitional phase of mixed foraging-horticulture (4.7–4.0 ka B.P.) from 10 individuals, and a phase during which maize was a dietary staple (4.0–1.0 ka B.P.) based on the results from 23 individuals. High C_4 pathway absorption documented in carbon isotope results is employed as a proxy for maize consumption, and more than 25 percent of the diet is the threshold over which staple agricultural consumption is attributed.

As these results are apparently at odds with the interpretation of Mesoamerican patterns summarized in the previous section, I evaluate them in some detail. First, maize contributing 25 percent to the diet is significantly more than earlier in the Archaic period, but considerably less than Smith's (2001) 40–60 percent threshold, and much less than what Classic period and modern Maya agriculturalists consumed (see Awe et al. 2021). Second, the odd 4.0–1.0 ka B.P. periodization used in Awe et al. (2021) collapses three millennia of changes that subsumes the final millennium of the Late Archaic period (i.e., 4.0–3.0 ka B.P.) as well as the entire Formative (3.0–1.7 ka B.P.) and Classic (1.7–1.0 B.P.) epochs each comprised of various phases. The interpretation of the majority of burials in this study (47 of 50) is consistent with the conventional wisdom presented earlier in this article. The pre-4.7 ka B.P. lack of evidence for maize consumption and the transitional 4.7–4.0 ka B.P. period of low-level maize consumption by mixed-foraging horticulturalists are both expected. Further, the 20 individuals with staple maize dependence dating to the Late Formative and Classic periods are also consistent with expectations. There are only three individuals from the Mayahak Cab Pek rock shelter that date to the millennium between 4.0 ka and 3.0 ka B.P.—identified by Kennett et al. (2020:Figure 2) as MNCP.17.2.10b, MHCP.98.3AN.5, and MHCP.14.1.3—who have unexpectedly high C_4 levels: High, but within the range of mixed-subsistence horticulturalists.

Depositional context of the Mayahak Cab Pek rock shelter have yet to be fully described. It is therefore worth noting Prufer et al.'s (2021:447) description that after 4.0 ka B.P., all depositional contexts contain pottery fragments. If these three burials, dated to the beginning of the fourth millennium B.P., have ceramics associated with them, then C_4 levels are not their only unexpected characteristic.

So is having ceramics 800–1,000 years earlier than surrounding areas of Belize and Guatemala. However, we are also told that “between 3800 and 2000 cal B.C., sustained mortuary activity increases” (Prufer et al. 2021:448), indicating that post-depositional disturbance in those levels was extensive in the small 160 km² protected areas of this rock overhang.

Rock shelters are not typical or frequently used locations for mobile or sedentary societies, so they pose interpretive challenges. Were these overnight camps for local hunting expeditions (as the site is still used for today: Prufer et al. 2021:446), stopovers for migrating peoples, or sacred burial grounds? Further, could the function of caves and rock shelters have changed by season, decade, or millennium, and then changed back again and again? Determining the range of activities undertaken in rock shelters makes the interpretation of the deposits documented therein difficult. Human interments recovered from under a house floor or in a cemetery at the edge of town provide clear association with a particular community or corporate group. In contrast, human remains found in a rock shelter simply do not. The preservation afforded by caves and rock shelters is alluring, but the interpretive challenges of understanding the behavioral meaning of these contexts is greater than village contexts.

If we accept that the three individuals interred at the Mayahak Cab Pek rock shelter with an unprecedentedly high level of 25 percent maize consumption represents a widespread pattern in southern Belize, then what does it mean to have an isolated pocket of foragers consuming a lot of maize at ~4.0 ka B.P.? What might the proximate causes be for the increased maize consumption in this region? The ultimate explanation for the change in C_4 levels could well be increased rainfall at the end of the 4.2 ka B.P. event, as I have outlined previously. I am certainly open to reconstructing an increasingly complex mosaic of differing adaptations across Mesoamerica at this time (e.g., Rosenswig 2010:13–46, 2011). I therefore look forward to these authors fleshing out their arguments by enumerating the proximate causes for this localized pulse of maize consumption.

Let us now turn to the archaeological record of the fifth to third millennia B.P. in northern Belize, where Archaic period occupation is currently better documented than elsewhere in the Maya lowlands.

LATE ARCHAIC PERIOD IN NORTHERN BELIZE

Belize Archaic Archaeological Reconnaissance

Following up on his work in the Highlands, MacNeish started the Belize Archaic Archaeological Reconnaissance (BAAR) project in the early 1980s (MacNeish and Nelken-Terner 1983a; Zeitlin 1984). Three seasons of fieldwork documented nine Archaic sites in the northern half of Belize (MacNeish and Nelken-Terner 1983b:Figure 1). BAAR excavations were undertaken at a number of these sites, including Betz Landing on the west shore of Progresso Lagoon (Figure 1), where a total of 46 m² was excavated. No features were reported from the excavations at Betz Landing, but a “reddish-brown soil” was located 20–40 cm below the surface, with dates from the mid- to late fourth millennium B.P. (Zeitlin 1984:364, Table 1, Figure 2). These three dates all fall within what we now know to be the Late Archaic period (Rosenswig et al. 2014:Table 1). However, when these data were originally reported, ceramic-using villagers were thought to have been present at Cuello by the beginning of the fourth millennium B.P. (Marcus 1983:459), so the Betz Landing occupation was not attributed to the Archaic period.

Colha

One of the best-studied sites from the Archaic period in the lowland Maya area is Colha. Occupation persisted at this location until the Postclassic period, due to its location within one of the highest-quality chert-bearing zones in Mesoamerica (Hester et al. 1996; Iceland 1997; Iceland and Hester 1996; Kelly 1993; Shafer and Hester 1983; Valdez et al. 2021). Two formal superimposed lithic production areas were documented at Colha. The deeper aceramic deposits provide evidence of uniface production (debris and refits) and are buried beneath a ceramic-bearing surface from the Formative period, with burin spall cores and other diagnostic Formative lithic production debris (Hester 1994:3; Hester et al. 1996:47). The preceramic levels at Colha contained “large amounts of patinated lithic material including constricted unifaces, biface and macro-blade fragments, and debitage, but no ceramics,” with associated radiocarbon dates that range between the fourth and fifth millennia B.P. (Hester et al. 1996:45). Unfortunately, no domestic features were documented at Colha. However, in the adjacent Cobweb Swamp, a pollen record shows maize cultivation and forest disturbance as early as 4.5 ka B.P. and intensifying after 3.5 ka B.P. (Jacob 1995; Jones 1994). The Colha project also undertook work at the Kelly site (40 km to the south, where the BAAR had reported two Lowe Points) and specialized quarry production was documented (Iceland 1997:62–72). More recent excavation in this area near Burrell Boom continues to recover Archaic tools (McAnany et al. 2004).

Recent work at Colha indicates that a mixed forager-horticulturalist adaptation continued at the site from the Archaic into the Middle Formative period (see Valdez et al. 2021). So, as in the Soconusco and on the Gulf Coast, decreased mobility and the adoption of ceramic containers did not result in significant dietary changes for about a millennium.

Pulltrouser Swamp

Pohl et al. (1996) undertook a paleoecological program of coring and excavations at Pulltrouser Swamp and a number of other nearby wetland areas. This team compiled over 40 radiocarbon dates and documented maize and manioc pollen at Cob Swamp deposited by 5.0 ka B.P., as well as chipped stone from deposits dated to 4.0–2.0 ka B.P. High proportions of tree pollen indicate that maize was grown in an environment dominated by high-canopy, tropical forest with minor disturbance (Pohl et al. 1996:362). As mentioned, pollen analysis from nearby Cobweb Swamp indicates that only after 3.5 ka B.P. was forest disturbance extensive, with an increase in maize and particulate charcoal in lake cores (Jacob 1995; Jones 1994). The dating of both environmental records and archaeologically excavated lithic data is thus consistent with small-scale horticultural societies planting crops in northern Belize by 5.0 ka B.P., with increased environmental impacts occurring 1,500 years later.

Diagnostic Late Archaic Chipped Stone Tools from Belize

Two lithic tool types traditionally defined Archaic period sites in northern and central Belize: unifacial tools made of macro-flakes as well as stemmed and barbed knives (Awe et al. 2021; Stemp and Awe 2013). Constricted unifaces (Figure 2) are the most well-known of these tools, and use-wear analysis suggests that they were employed to dig soil and cut wood (Iceland 1997:227–229). Both activities are consistent with a horticultural adaptation.

Constricted unifaces show a high degree of morphological variability, as they were used and resharpened so that many examples no longer retain a constriction (presumably to strengthen hafting) and are oval in shape. Iceland (1997:219) documents a high degree of morphological variability in the form of constricted unifaces and 12 percent of his sample of 117 of tools are “pear-shaped,” so that the side notching was lost and replaced with a narrowing of the haft end of these examples. Beyond Belize, similar tools are also known in the Caribbean from the fifth and fourth millennia B.P. (Fitzpatrick 2011; Wilson et al. 1998).

Lowe and Sawmill points are another lithic tool form traditionally associated with the Late Archaic period in Belize (Figure 2a). Two Lowe points were tentatively dated by Kelly (1993:215) based on a mid-fourth millennium B.P. radiocarbon date from a hearth exposed in an orange soil on the surface 5 m away from a surface-collected example. Pohl et al. (1996:Table 1) report another Lowe point at Pulltrouser associated with wood dated to 3810 ± 90 B.P. Due to the limited number of dates and their questionable association with Lowe points, it is more judicious to say that these tools are not dated in northern Belize. In southern Belize, Prufer and colleagues (2019) recently published two complete and two fragmentary Lowe-like points with associated dates that place them at the very end of the Pleistocene or early in the Holocene. As these authors note, MacNeish had long ago called Lowe and Sawmill points “Pedernales-like” in reference to morphologically similar stemmed points he was familiar with in Texas from the fourth millennium B.P. (MacNeish and Nelken-Terner 1983a:78). Scholars have used the Pedernales-like designation to characterize points found in Oaxaca, Tehuacán, and Honduras, as well as Belize, thus cross-dating all to the fifth and fourth millennia B.P. (reviewed in Rosenswig 2015:126–130). If Lowe-like points in southern Belize were first used during the Early Holocene, we still need to determine an end date for this tool form. An additional Lowe-like point recovered in 2019 from another rock shelter in southern Belize was dated as much as 1,300 years more recent (6.9–6.6 ka B.P.), so the dating of these tools is still emerging (Prufer et al. 2021:Figure 8). Another issue that also requires resolution is whether Lowe and Sawmill points were contemporaries or sequentially used, as both point forms likely served similar purposes, as originally argued by Kelly (1993) and, more recently, by Lohse (2020).

FRESHWATER CREEK DRAINAGE

Orange Soils and Patinated Lithics

Archaic period deposits around Progresso Lagoon are found in a distinctive orange soil that appears not to have been formed through sedimentary processes. Where encountered, these orange soils are always located directly above limestone bedrock. We do not yet fully understand why this orange soil is associated with Archaic occupation, but when modern construction activities expose it, we have consistently found patinated lithics and an absence of ceramics. Eight Archaic-age sites are currently published from the Freshwater Creek drainage, six of which are from orange soils on the west side of Progresso Lagoon (Rosenswig 2004; Rosenswig and Masson 2001). These sites provide a glimpse of the buried universe of Archaic period settlement (Figure 3).

A new phase of research began in 2019 and documented two dozen new sites with orange soils through systematic augering. Excavations at three of them revealed aceramic deposits containing




Figure 2. Examples of (a) a Lowe point and (b) a constricted uniface from the Freshwater Creek drainage. Photographs by the author.

patinated lithics. With National Science Foundation funding for five more seasons of work in hand, we hope to generate a detailed regional picture of Archaic period adaptation and land use, combined with new paleo-environmental records from pollen and charcoal taken from adjacent lakes.

Settlement locations include island sites at Laguna de On Island and Caye Coco; shoreline sites at Doubloon Bank Lagoon, as well as Fred Smith and Betz Landing at Progresso Lagoon, and upland

sites including Strath Bogue, Patt Work site, and Progresso Test Program: Subop 7 (Figure 1). At all of these sites, heavily patinated stone tools were recovered. Patination results from the chemical exchange of calcium carbonate from the underlying limestone to form an outer rind on the surface of chert tools. The patina ranges from 1 to 5 mm in thickness and gives these Archaic tools a distinctive clean, white appearance that obscures the natural color of the lithic material from which they were made. In contrast, Formative and Classic period chert tools from the area can have a light patina “wash” that does not obscure the character of the raw material. Together, distinctive orange soil and heavily patinated lithics make identification of Archaic period sites at Progresso Lagoon quite simple.




Figure 3. Freshwater Creek drainage and the location of Archaic sites. In the scale bar, 1 km is divided into 200 m segments to the left, and 2 km is divided into 1 km segments to the right. Map by the author.

Caye Coco

At Caye Coco, the distinctive orange aceramic soil stratum is approximately 15 centimeters thick and is located between 60 and 80 centimeters below the ground surface over an area of at least 150 square meters (Rosenswig et al. 2014). Pit Feature 1 originated 60 cm below the ground surface on the west side of this aceramic deposit, underlying a Terminal Classic artificial terrace. Pit Feature 2 was documented 24 m to the west of Pit Feature 1 and right next to a posthole documented within the orange soil. A patinated, plano-convex unifacial tool (Figure 4a), as well as a hammerstone (Figure 4b) and numerous patinated flakes, were recovered from within the same stratigraphic layer of orange soil, 15 cm thick, from which Pit Feature 2 descends into the limestone bedrock.

Radiometric dating of the preceramic deposits at Caye Coco is enigmatic. Two carbonized wood samples were AMS radiocarbon dated from Pit Feature 2. These dated wood samples were recovered from a floated soil sample and botanical remains were hand-picked from light fractions using metal forceps. The calibrated two-sigma ranges of the Pit Feature 2 dates are 8.32–8.18 ka B.P. (UCIAMS-17908) and 6.73–6.56 ka B.P. (UCIAMS-17909). The two dates from Pit Feature 2 are earlier than those from other Archaic sites known from the area. Dating carbon from flotation is not ideal and these dates from the same feature are from two millennia apart. I do not claim, therefore, that such early dates indicate evidence of occupation (or maize use) in northern Belize at this time. Bioturbation clearly brought these two dated wood samples into Pit Feature 2. It would not surprise me if these were samples




Figure 4. (a) Plano-convex unifacial tool and (b) hammerstone from Archaic deposits at Caye Coco. Drawing and photograph by the author.

of old wood and the Archaic of the Freshwater Creek sites date to millennia later, such as the 5.0–3.0 ka B.P. documented by the Colha and Pulltrouser pollen data. That said, a mid-seventh millennium B.P. occupation of Caye Coco with maize use (see below) would be roughly contemporaneous with patterns reported from the Gulf Coast lowlands (Pope et al. 2001). While bioturbation may also be responsible for the Gulf Coast dates (Sluyter and Dominguez 2006; but see response by Pohl et al. 2007), maize use on the Gulf Coast and in northern Belize during the seventh millennium B.P. is consistent with maize reported in the Balsas by 8.7 ka B.P. (Piperno et al. 2009) and coastal Chiapas by 6.5 ka B.P. (Kennett et al. 2010). Maize use at such an early time in the Maya lowlands is certainly possible, but not conclusive.

Fred Smith

Excavations were also undertaken at the Fred Smith site on the west shore of Progresso Lagoon, 400 m across the water from Caye Coco and 500 m to the north of Betz Landing (Figure 3). When we encountered the site during the summer of 2001, the area of approximately 800 square meters had been stripped of topsoil by heavy machinery in preparation for house construction (Rosenswig et al. 2014). The bulldozing had exposed orange soils and heavily patinated lithic material was abundant in the disturbed area. Systematic surface collections at the Fred Smith site recovered a total of 358 patinated lithic objects, including 10 unifacial tools, two expedient bifaces and two formal biface fragments, as well as numerous flakes and shatter. Excavations of an undisturbed portion of the site documented more of the orange aceramic soil horizon in which patinated lithics were recovered and ceramics were absent. Unlike Caye Coco, the aceramic orange soil of this site began directly below the active topsoil, at 20 cm below the current ground surface and approximately 30 to 40 centimeters above the bedrock. In the undisturbed zone of the Fred Smith site there is no indication of a buried orange soil visible from the surface.

Without modern land disturbance, we would not have been aware of the existence of the Fred Smith site. This pattern of buried aceramic orange soils containing patinated lithics was also documented in the area as a result of mechanical earthmoving activities at the Patt Work site. In other fortuitous instances, the orange soils and Archaic lithics

were documented at the bottom of test pits excavated to document later period sites (e.g., Strath Bogue and Test Program Subop 7).

Orange soils are not an indication of Archaic period sites north and south of Progresso Lagoon. The quantity of orange soil increases as one moves north towards the modern city of Corozal, but we have not found an Archaic site in this area. North of the international border in the southern part of Quintana Roo, Mexico orange soils are even more abundant and periodic examination of highway construction activities over the past two decades has never encountered patinated lithics. Furthermore, to the south of Progresso Lagoon there are no orange soils around the Freshwater Creek; Archaic tools were recovered in white clays at Laguna de On and Doubloon Bank Lagoon (Figure 3). The local geology is complex and we do not yet understand why orange soils and patinated lithics co-occur around Progresso Lagoon.

Laguna de On Island

Laguna de On Island was the first place we documented patinated Archaic lithic tools and debitage below the Postclassic occupation of the island (Rosenswig and Masson 2001). These Archaic period deposits were documented at the base of an initial 1 × 1 m unit and contained macro-flake tools, including a heavily resharpened uniface that was probably originally constricted. We extended the excavation to a 1 × 4 m trench that documented cultural deposits more than 2 m deep. A program of test augering around this unit at Laguna de On revealed that there were at least two more such Postclassic intrusions into aceramic clays on the island to the south and east of the 1 × 4 m trench (Rosenswig et al. 2014). The depth of these clays in some test auger holes was significantly greater than surrounding test auger locations, indicating that at least two other Postclassic pits into bedrock exist on the island.

Starch Evidence of Domesticates

Starch remains were recovered from all seven tools we tested from the Freshwater Creek drainage (Rosenswig et al. 2014). Maize was the most common starch recorded. There are 57 securely identified maize granules, along with an additional 24 granules that resemble maize. Maize starch granules are simple, with a central, open hilum




Figure 5. (a) Maize, (b) manioc, and (c) chili pepper starch remains from the Archaic period at Freshwater Creek, northern Belize. Photographs by Deborah Pearsall for the Belize Archaic Project (Rosenswig et al. 2014).

and a distinct and continuous double border (Figure 5a). Maize with hard endosperm (pop and flint) is characterized by many starch granules with pressure facets, while soft (flour) endosperm maize has more granules that are smooth. Both types of granules (faceted and smooth) are present in both hard and soft endosperm maize, and both types were present on the Freshwater Creek tools studied. This indicates that multiple varieties of maize were already under cultivation in northern Belize during the Archaic period.

Starch remains from manioc, chili pepper, beans, and squash were also present in small numbers on some tools. *Capsicum* starch was recovered from the seven tools tested. Domesticated chili peppers produce large, flattened starch granules that are circular in outline, with a shallow central depression visible in the flat view. Two manioc starch granules were recovered, both from the Caye Coco. Domesticated manioc produces compound starch; granules have an open, centric hilum and usually one to three basal facets. Several kinds of less diagnostic starches were also recovered from the tools. Four *Fabaceae* (bean family) granules were documented from a formal biface recovered at the Fred Smith site. Starch granules of domesticated *Phaseolus* and *Canavalia* beans are large, elliptical to irregular in outline, and somewhat flattened in side view, with pronounced irregular, linear fissures. The granules recovered in this study were small, but of similar form, suggesting the bean family. A single *Cucurbitaceae* (squash family) starch granule was recovered from the Caye Coco. This starch grain is an oblong hemisphere with a deeply indented base (bell-shaped), which is found in a number of genera in the squash family. Starch results from the Archaic period tools in the Freshwater Creek provide preliminary association between tools and early economic plant use from the lowland Maya area.

Regional Patterns of Archaic Lithic Use

A total of 778 patinated lithics were recovered from Caye Coco, the Fred Smith site (from the surface and excavated contexts) and from Laguna de On Island. Figure 6 provides a graphical comparison of the four lithic assemblages. The proportion of different lithic classes from the surface and excavated samples at the Fred Smith site is virtually identical. This overlap suggests that the systematically collected surface assemblage unearthed by heavy machinery originated from the same context as the tools from intact deposits sampled by our controlled excavations.

The lithic assemblages from the Fred Smith site on the shore of Progresso Lagoon differ from the lithic materials recovered from the islands of Caye Coco and Laguna de On. The Fred Smith assemblage contains more cores and more flakes than the island settlements, but the numbers of cores in all locations are low. The sites of Caye Coco and Laguna de On contain more shatter than Fred Smith, but shatter is present at all sites in proportions of 14–21

percent at Fred Smith, and 32–48 percent at Caye Coco and Laguna de On. Shatter in this study is defined as blocky debris that lacks clear flake attributes, especially a striking platform. These observations suggest that lithic artifacts were being reduced differentially on the two islands compared to the Fred Smith site. More tools may have been broken or more expedient production occurred on the islands. The overlap in all tool types, especially materials other than flakes and shatter, is more significant in characterizing the use of the lithic assemblage. Tool patterns link all three sites to a similar Archaic technological tradition.

Sites with systematically different lithic patterns may reflect diverse activities undertaken, especially when these sites were from different locations on the local landscape. Crops such as maize may have been preferentially planted on large islands like Caye Coco (measuring 24 ha) or smaller Laguna de On (measuring 0.38 ha), as they would have been protected from grazing animals, such as deer. However, these plots of island land were relatively small and areas along the shore were likely also cultivated. The use of islands as protected locales would have been particularly advantageous for mobile horticulturalists who foraged at distant locations while their crops grew. Archaic peoples in northern Belize were comfortable in a variety of habitats, including aquatic and wetland zones, and the planting of crops was one of many subsistence activities. The sample of known sites remains small, but these preliminary patterns provide an initial regional glimpse of Archaic peoples' adaptation to the local landscape.

Colha is located approximately 25 kilometers from the southern end of Progresso Lagoon. Traveling down Freshwater Creek to Laguna de On by canoe and then walking overland the 10 km to Colha (Figure 1) would have made these lithic raw material sources easily accessible to mobile peoples. With NAA data, Iceland (1997:230–231) documented finished constricted unifaces found at sites outside the chert-bearing zone with no access to local raw material with which to make the tools. The Archaic period stone tools from the Freshwater Creek drainage conform to Iceland's observations. One reason for the concentration of discovered Archaic-age sites in northeastern Belize may have been the lure of this chert resource for preceramic peoples. Of course, the concentration of this raw material in the area could simply be providing a more easily identifiable material record for archaeologists compared to contemporary groups in other areas using tools made of more perishable materials. Archaic period evidence from the Freshwater Creek drainage provides a glimpse of how the tools made of Colha chert were being used for horticultural activities in surrounding areas.

DISCUSSION

What makes the lowland Maya area distinct during the fourth millennium B.P. is that it was the last large region of Mesoamerica




Figure 6. Lithic patterns from three Archaic sites in the Freshwater Creek drainage. Graph by the author.

where ceramics and village life are documented. For eight of nine centuries, a mobile way of life without ceramic containers persisted, while incipient chiefs emerged in ever-larger villages in places such as the Soconusco, Valley of Oaxaca, and Basin of Mexico, and while the precocious center of San Lorenzo rose and fell. Elsewhere, I outline two competing hypotheses that account for the proximate cause of the earliest evidence of ceramics and village life in the Maya lowlands at ~3.0 ka B.P. (Rosenswig 2022)—that is, either that local foragers adopted ceramic containers and lived in more sedentary villages, or else people with such an adaptation migrated in from the south and west. I conclude that a long-standing, local population of mobile forager-horticulturalists in northern Belize adopted ceramic containers and reduced their residential mobility in the centuries around 3.0 ka B.P., only once maize productivity had increased enough to sustain forager-horticulturalists in a tropical lowland environment known to be lacking in carbohydrates (Rosenswig 2022:11–20).

If Kennett et al.'s (2020) isotope results of 25 percent of diet coming from C_4 plants indicate that the entire local population of southern Belize consumed so much maize early in the fourth millennium B.P., then the end of the 4.2 ka B.P. event may be the ultimate cause of this dietary change. However, there is not yet evidence that reduced mobility, permanent villages, or ceramic technology accompanied this change of diet documented among the three individuals buried in the Mayahak Cab Pek rock shelter. Working out the proximate human behavior that accounts for small groups of mobile, non-ceramic-using peoples consuming diets with 25 percent C_4 plants may attest to the variability in adaptations found across Mesoamerica at this time.

Dietary reconstructions of the residents of northern and central Belize indicate that low levels of C_4 plants were consumed until the end of the Middle Formative period (3.0–2.3 ka B.P.). Carbon and nitrogen isotope results from skeletons at Cahal Pech in central Belize indicate that low levels of C_4 plants were consumed prior to 2.4 ka B.P. (Powis et al. 1999). Further, individuals in different areas of the site consumed different quantities of maize and reef fish based on faunal and botanical analyses (Powis et al. 1999:374). Such variability emphasizes the perils of employing a single deposition context to generalize about an entire population. Isotope and faunal data also demonstrate that residents of Cahal Pech transported

reef fish 110 km upriver from the Caribbean Sea. At Cuello in northern Belize, and within 20 km of Progresso Lagoon (Figure 1), a sample of 54 human burials generated isotope results that actually show a decrease in C_4 levels through the Middle Formative period (Tykot et al. 1996). Furthermore, of five domestic dogs sampled from Formative period Cuello, three have no evidence of C_4 consumption, whereas two others have levels significantly above that of any humans at the site. The authors propose that these canids may have been fattened up with maize to be served at feasts (Tykot et al. 1996:358). The salient point is that isotope results from central and northern Belize indicate that maize and other C_4 plants were not dietary staples until quite late in the Formative period—possibly not until the Late Formative period after 2.3 ka B.P.

Diets were variable across Mesoamerica during the third and fourth millennia B.P., and even within the small modern nation of Belize. The same types of plants and animals (both wild and domestic) were consumed by all, but in varying proportions. Preliminary evidence from the Freshwater Creek drainage documents people living without ceramic containers or permanent villages who were nonetheless cultivating a range of domesticates—including maize, manioc, chili peppers, beans, and squash. Such cultivation was occurring at low levels and did not affect other aspects of settlement patterns or material culture. These “archaically-adapted peoples” occupied islands, shorelines, and upland locations and used an array of stone tools, including unifacial hoes, bifacial knives, hammerstones, expedient and formal oval bifaces, as well as frequently used flakes as expedient cutting tools. Comparisons from Caye Coco, Laguna de On, and Fred Smith suggest that different relative proportions of activities were carried out at island and shore sites. Such regional evidence will be required to understand Archaic period adaptation and to make meaningful behavioral comparisons with subsequent ceramic-using villagers who are currently much better-known.

CONCLUSION

The transition from an Archaic to a Formative adaptation in Mesoamerica was “messy,” as a mixture of adaptations changed at different rates in different places. Foragers had already become

increasingly sedentary by the fifth millennium B.P. in a handful of regions, such as the lowland estuaries of the Soconusco and Gulf Coast, as well as around highland lakes such as those in the Basin of Mexico. In such environments, reduced mobility accompanied subsistence practices that focused on low-level food production and the exploitation of aquatic resources. Some of these regions of increased Archaic period sedentism were later where ceramic-using villagers are first documented after rainfall levels increased at ~3.9 ka B.P. The number of regions in Mesoamerica where sedentary villagers using ceramic containers are documented then increased throughout the fourth millennium B.P. During this millennium, ceramic-using villagers were found almost exclusively close to sources of permanent water and stable food resources contained therein. Then, in the centuries around 3.0 ka B.P., ceramic-using villagers across Mesoamerica expanded their range from estuary, river, and lake margins into adjacent upland areas. This time period was also when Formative-adapted peoples were documented in the Maya lowlands for the first time—between ~3.2 ka and 2.8 ka B.P., depending on the area.

Understanding why long-lasting Archaic adaptations were replaced by a more settled village lifestyle that included new tools (such as containers made of fired clay) is a central comparative anthropological issue. In northern Belize (as elsewhere), regional patterns of the final few millennia of the Archaic period need to catch up with what is currently understood of the earliest ceramic-using villagers in order to reconstruct the behavioral changes that occurred. Maize and other domesticates were long-used in the region, so their presence alone cannot explain a reduction in mobility or adoption of ceramic technology. It may, in fact, be the other way around—that sedentism and ceramic use were the causes for forager-horticulturalists to apply selective pressure on the domesticated plants they were already eating to increase calories or other nutritional content of what had been, up to that point, only a minor supplementary food source. Determining the proximate, behavioral causes of forager interaction with the plants they were domesticating will require regional archaeological data to document local adaptation and variability of dietary and settlement choices.

RESUMEN

El cuarto milenio a.C. provee un caso interesante de poblaciones móviles sin cerámica en las tierras bajas mayas, al mismo tiempo que en otras partes de Mesoamérica se documentan aldeas donde se usaba la cerámica. En lugar de preguntar por qué los recipientes cerámicos y la vida aldeana tardaron tanto en llegar a las tierras bajas mayas, la pregunta se puede invertir para postular que una adaptación mixta de horticultura y recolección fue tan efectiva que persistió más tiempo que en otros lugares. Se propone que el evento 4.2 ka a.P. fue la última causa del aumento del sedentarismo y la primera adopción de recipientes cerámicos en un número limitado de regiones de Mesoamérica. Estas reflexiones se basan en las comparaciones de datos de la región de Soconusco en el sur de México y la evidencia del norte de Belice en Colha y Pulltrouser Swamp, así como en la cuenca de Freshwater Creek. Se supone que el comportamiento próximo debe tener en cuenta las adaptaciones locales y los diferentes ritmos de cambio en cada región de Mesoamérica. Por lo tanto, la adaptación regional en el norte de Belice durante el período arcaico tardío proporciona la evidencia con la que se puede reconstruir la adaptación local. Las excavaciones y la

prospección regional documentan un horizonte de suelo anaranjado distintivo en la zona de la laguna Progreso, asociado con herramientas silíceas con pátinas y la ausencia de cerámica. Los conjuntos de herramientas de piedra de los componentes precerámicos en la región indican una separación espacial del uso y reafilado de herramientas en el sitio de la costa versus los dos sitios de las islas. Los gránulos de almidón recuperados de estas herramientas de piedra indican que las poblaciones precerámicas del norte de Belice cosecharon maíz y varias otras especies de plantas domesticadas. Estos datos son consistentes con estudios paleoambientales locales que documentan un período prolongado de actividad hortícola durante el quinto y cuarto milenio antes de la adopción de la cerámica. Los conjuntos líticos y la información dietética asociada de múltiples sitios brindan atisbos de los datos necesarios para reconstruir la adaptación del período arcaico tardío a partir de una sola región local. Estos datos serán necesarios para comprender las causas próximas de la transición a una vida aldeana más sedentaria.

ACKNOWLEDGMENTS

Stimulating conversations over the past two decades with Kazuo Aoyama, Flip Arnold, Jaime Awe, Mike Blake, Kat Brown, Richard Burger, David Cheetham, John Clark, Anabel Ford, Jim Garber, Norman Hammond, Takeshi Inomata, Doug Kennett, Jon Lohse, Marilyn Masson, Hector Neff, James Stemp, Fred Valdez, Barbara Voorhies, and Harvey Weiss

have all contributed to my ideas in this article. I also acknowledge Joyce Marcus and three anonymous reviewers whose comments on earlier versions of the article made the finished product better, and Nan Gonlin for her patience. None of these people are to be held responsible for any flaws, which are solely my own.

REFERENCES

- An, Cheng-Bang, Lingyu Tang, Loukas Barton, and Fa-Hu Chen
2005 Climate Change and Cultural Response Around 4000 cal Yr BP in the Western Part of Chinese Loess Plateau. *Quaternary Research* 63: 347–352.
- Arnold, Philip J., III
2009 Settlement and Subsistence among the Early Formative Gulf Olmec. *Journal of Anthropological Archaeology* 28:397–411.
- 1999 Tecomates, Residential Mobility, and Early Formative Occupation in Coastal Lowland Mesoamerica. In *Pottery and People: A Dynamic Interaction*, edited by James M. Skibo and Gary M. Feinman, pp. 157–170. University of Utah Press, Salt Lake City.
- Arz, Helge W., Frank Lamy, and Jurgen Patzold
2006 A Pronounced Dry Event Recorded Around 4.2 ka in Brine Sediments from the Northern Red Sea. *Quaternary Research* 66: 432–441.
- Awe, Jaime J., Claire E. Ebert, W. James Stemp, M. Katherine Brown, and James F. Garber
2021 Lowland Maya Genesis: The Late Archaic to Late Early Formative Transition in the Upper Belize River Valley. *Ancient Mesoamerica* 32: 519–544.
- Bar-Matthews, Miryam, and Avner Ayalon
2011 Mid-Holocene Climate Variations Revealed by High-Resolution

- Speleothem Records from Soreq Cave, Israel and their Correlation with Cultural Changes. *Holocene* 21:163–171.
- Bar-Yosef, O.
2011 Climatic Fluctuations and Early Farming in West and East Asia. *Current Anthropology* 52S:175–193.
- Bellwood, Peter
2005 *First Farmers: The Origins of Agricultural Societies*. Blackwell, Oxford.
- Binford, Lewis
1968 Post-Pleistocene Adaptations. In *New Perspectives in Archaeology*, edited by Sally R. Binford and Lewis R. Binford, pp. 313–341. Aldine, Chicago.
- Blake, Michael.
2015 *Maize for the Gods: Unearthing the 9,000-Year History of Corn*. University of California Press, Berkeley.
- Booth, Robert K., Stephen T. Jackson, Stephen L. Forman, John E. Kutzbach, E. A. Bettis III, Joseph Kreig, and David K. Wright
2005 A Severe Centennial-Scale Drought in Mid-Continental North America 4200 Years Ago and Apparent Global Linkages. *Holocene* 15:321–328.
- Borstein, Joshua A.
2001 *Tripping Over Colossal Heads: Settlement Patterns and Population Development in the Upland Olmec Heartland*. Unpublished Ph.D. dissertation, Department of Anthropology, The Pennsylvania State University, University Park.
- Boserup, Ester
1965 *The Conditions of Agricultural Growth: The Economics of Agrarian Change under Population Pressure*. Aldine, Chicago.
- Brooke, John L.
2014 *Climate Change and the Course of Global History: A Rough Journey*. Cambridge University Press, New York.
- Bustamante, Maria G., Francisco William Cruz, Mathias Vuille, James Apaestegui, Nicholas Strikis, Gonzalo Panizo, V. F. Novello, M. Deininger, A. Sifeddine, H. Cheng, J. S. Moquet, J. L. Guyot, R. V. Santos, H. Segura, and R. L. Edwards
2016 Holocene Changes in Monsoon Precipitation in the Andes of NE Peru Based on $\delta^{18}\text{O}$ Speleothem Records. *Quaternary Science Reviews* 146:274–287.
- Carolin, Stacey A., Richard T. Walker, Christopher C. Day, Vasile Ersek, R. Alastair Sloan, Michael W. Dee, Morteza Talebian, and Gideon M. Henderson
2019 Precise Timing of Abrupt Increase in Dust Activity in the Middle East Coincident with 4.2 ka Social Change. *Proceedings of the National Academy of Science, USA* 116:67–72.
- Clark, John E., and Michael Blake
1994 The Power of Prestige: Competitive Generosity and the Emergence of Rank Societies in Lowland Mesoamerica. In *Factional Competition and Political Development in the New World*, edited by Elizabeth M. Brumfiel and John W. Fox, pp. 17–30. Cambridge University Press, Cambridge.
- Clark, John E., and David Cheetham
2002 Mesoamerica's Tribal Foundations. In *The Archaeology of Tribal Societies*, edited by William A. Parkinson, pp. 278–339. International Monographs in Prehistory, Ann Arbor.
- Clark, John E., Mary E. Pye, and Dennis C. Gosser
2007 Thermolithics and Corn Dependency in Mesoamerica. In *Archaeology, Art, and Ethnogenesis in Mesoamerican Prehistory: Papers in Honor of Gareth W. Lowe*, edited by Lynne S. Lowe and Mary E. Pye, pp. 23–42. Papers of the New World Archaeological Foundation 68. Brigham Young University, Provo.
- Davis, Mary E., and Lonnie G. Thompson
2006 An Andean Ice-Core Record of a Middle Holocene Mega-Drought in North Africa and Asia. *Annals of Glaciology* 43:34–41.
- Diamond, Jared.
1997 *Guns, Germs, and Steel: The Fate of Human Societies*. Norton, New York.
- Dixit, Yama, David A. Hodell, and Cameron A. Petrie
2014 Abrupt Weakening of the Summer Monsoon in Northwest India ~4100 Yr Ago. *Geology* 42:339–342.
- Drennan, Robert D.
1976 *Fábrica San José and Middle Formative Society in the Valley of Oaxaca*. Memoirs of the Museum of Anthropology 8, Prehistory and Human Ecology of the Valley of Oaxaca 4. University of Michigan, Ann Arbor.
- Ebert, Claire E., N. P. May, Brendan J. Culleton, Jaime J. Awe, and Douglas J. Kennett
2017 Regional Response to Drought During the Formation and Decline of Preclassic Maya Societies. *Quaternary Science Reviews* 173: 211–235.
- Estrada-Belli, Francisco
2011 *The First Maya Civilization: Ritual and Power before the Classic Period*. Routledge, New York.
- Fitzpatrick, Scott M.
2011 Verification of an Archaic Age Occupation on Barbados, Southern Lesser Antilles. *Radiocarbon* 53:595–604.
- Flannery, Kent V.
1986 *Gula Naquitz: Archaic Foraging and Early Agriculture in Oaxaca, Mexico*. Academic Press, Orlando.
- Garber, James F., and Jaime J. Awe
2008 Middle Formative Architecture and Ritual at Cahal Pech. *Research Reports in Belizean Archaeology* 5:185–190.
- Hammond, Norman
2005 The Dawn and the Dusk: Beginning and Ending a Long-Term Research Program at the Preclassic Maya Site of Cuello, Belize. *Anthropological Notebooks* 11:45–60.
- Hayden, Brian
1990 Nimrods, Piscators, Pluckers, and Planters: The Emergence of Food Production. *Journal of Anthropological Archaeology* 9:31–69.
- Hester, Thomas R.
1994 The Archaeological Investigations of the Colha Project, 1983 and 1984. In *Continuing Archaeology at Colha, Belize*, edited by Thomas R. Hester, Harry J. Shafer, and Jack D. Eaton, pp. 1–9. Texas Archaeological Research Laboratory, University of Texas, Austin.
- Hester, Thomas R., Harry B. Iceland, D. B. Hudler, and Harry J. Shafer
1996 The Colha Preceramic Project: Preliminary Results from the 1993–1995 Field Seasons. *Mexicon* 18:45–50.
- Hodell, David A., Flavio S. Anselmetti, Daniel Ariztegui, Mark Brenner, Jason H. Curtis, Adrian Gilli, Dustin A. Grzesik, T. J. Guilderson, A. D. Muller, M. B. Bush, A. Correa-Metrio, J. Escobar, and S. Kutterolf
2008 An 85 ka Record of Climate Change in Lowland Central America. *Quaternary Science Reviews* 27:1152–1165.
- Iceland, Harry B.
1997 *The Preceramic Origins of the Maya: Results of the Colha Preceramic Project in Northern Belize*. Unpublished Ph.D. dissertation, Department of Anthropology, University of Texas, Austin.
- Iceland, Harry B., and Thomas R. Hester
1996 The Earliest Maya? Origins of Sedentism and Agriculture in the Maya Lowlands. In *The Prehistory of the Americas: XIII International Congress of Prehistoric and Protohistoric Sciences*, edited by Thomas R. Hester, Laura Laurencich Minelli, and Sandro Salvatori, pp. 11–17. Series Colloquia 17. A.B.A.C.O., Forlì.
- Inomata, Takeshi, Jessica MacLellan, Daniela Triadan, Jessica Munson, Melissa Burham, Kazuo Aoyama, and Hiroo Yonenobu
2015 Development of Sedentary Communities in the Maya Lowlands: Coexisting Mobile Groups and Public Ceremonies at Ceibal, Guatemala. *Proceedings of the National Academy of Science, USA* 112:4268–4273.
- Inomata, Takeshi, Daniela Triadan, Verónica A. Vázquez López, Juan Carlos Fernandez-Diaz, Takayuki Omori, María Belén Méndez Bauer, Melina García Hernández, Timothy Beach, Clarissa Cagnato, Kazuo Aoyama, and Hiroo Nasu
2020 Monumental Architecture at Aguada Fénix and the Rise of Maya Civilization. *Nature* 582:530–533.
- Jacob, John S.
1995 Ancient Maya Wetland Agricultural Fields in Cobweb Swamp, Belize: Construction, Chronology and Function. *Journal of Field Archaeology* 22:175–190.
- Jones, John G.
1994 Pollen Evidence for Early Settlement and Agriculture in Northern Belize. *Palynology* 18:205–211.
- Joyce, Arthur A., and Michelle Goman
2012 Bridging the Theoretical Divide in Holocene Landscape Studies: Social and Ecological Approaches to Ancient Oaxacan Landscapes. *Quaternary Science Review* 55:1–22.
- Kelly, Thomas C.
1993 Preceramic Projectile-Point Typology in Belize. *Ancient Mesoamerica* 4:205–227.

- Kennett, Douglas J., Dolores R. Piperno, John G. Jones, Hector Neff, Barbara Voorhies, Megan K. Walsh, and Brendan J. Culleton
2010 Pre-Pottery Farmers on the Pacific Coast of Southern Mexico. *Journal of Archaeological Science* 37:3401–3411.
- Kennett, Douglas J., Heather B. Thakar, Amber M. VanDerwarker, David L. Webster, Brendan J. Culleton, Thomas K. Harper, Logan Kistler, Timothy E. Scheffler, and Kenneth Hirth
2017 High-Precision Chronology for Central American Maize Diversification from El Gigante Rockshelter, Honduras. *Proceedings of the National Academy of Science, USA* 114:9026–9031.
- Kennett, Douglas J., Keith M. Prufer, Brendan J. Culleton, Richard J. George, Mark Robinson, Willa R. Trask, Gina M. Buckley, Emily Moes, Emily J. Kate, Thomas K. Harper, Lexi O'Donnell, Erin E. Ray, Ethan C. Hill, Asia Alsgaard, Christopher Merriman, Clayton Merridith, Heather J. H. Edgar, Jaime J. Awe, and Said M. Gutierrez
2020 Early Isotopic Evidence for Maize as a Staple Grain in the Americas. *Science Advances* 6:eaba3245.
- Killion, Thomas W.
2013 Nonagricultural Cultivation and Social Complexity: The Olmec, Their Ancestors, and Mexico's Southern Gulf Coast Lowlands. *Current Anthropology* 54:569–606.
- Killion, Thomas W., and Javier Urcid
2001 The Olmec Legacy: Cultural Continuity and Change in Mexico's Southern Gulf Coast Lowlands. *Journal of Field Archaeology* 28:3–25.
- Kruger, Robert P.
1996 *An Archaeological Survey in the Region of the Olmec: Veracruz, Mexico*. Unpublished Ph.D. dissertation, Department of Anthropology, University of Pittsburgh, Pittsburgh.
- Laland, Kevin N., Kim Sterelny, John Odling-Smee, William Hoppitt, and Tobias Uller
2011 Cause and Effect in Biology Revisited: Is Mayr's Proximate-Ultimate Dichotomy Still Useful? *Science* 334:1512–1516.
- Lesure, Richard G., Aleksander Borejsza, Jennifer Carballo, Charles Frederick, Virginia Popper, and Thomas A. Wake
2006 Chronology, Subsistence, and the Earliest Formative of Central Tlaxcala, Mexico. *Latin American Antiquity* 17:474–492.
- Lohse, Jon C.
2010 Archaic Origins of the Lowland Maya. *Latin American Antiquity* 21:312–352.
- 2020 Early Holocene Cultural Diversity in Central America: Comment on Prufer et al. (2019) "Linking Late Paleoindian Stone Tool Technologies and Populations in North, Central and South America." *Lithic Technology* 45:59–67.
- Lowe, Gareth W.
1998 *Los olmecas de San Isidro en Malpaso, Chiapas*. Colección Científica 371. UNAM, San Cristóbal de las Casas.
2007 Early Formative Chiapas: The Beginnings of Civilization in the Central Depression of Chiapas. In *Archaeology, Art, and Ethnogenesis in Mesoamerican Prehistory: Papers in Honor of Gareth W. Lowe*, edited by Lynne S. Lowe and Mary E. Pye, pp. 63–108. Papers of the New World Archaeological Foundation 68. Brigham Young University, Provo.
- MacNeish, Richard
2001 Tehuacán Region. In *Archaeology of Ancient Mexico and Central America: An Encyclopedia*, edited by Susan T. Evans and David L. Webster, pp. 705–710. Garland Publishing, New York.
1967 A Summary of the Subsistence. In *The Prehistory of the Tehuacan Valley: Environment and Subsistence*, Vol. 1, edited by Douglas S. Byers, pp. 290–309. University of Texas Press, Austin.
- MacNeish, Richard S., and Antoinette Nelken-Terner
1983a The Pre-ceramic of Mesoamerica. *Journal of Field Archaeology* 10:71–84.
1983b *Final Annual Report of the Belize Archaic Archaeological Reconnaissance*. Center for Archaeological Studies, Boston University, Boston.
- Marcus, Joyce
1983 Lowland Maya Archaeology at the Crossroads. *American Antiquity* 48:454–488.
- McAnany, Patricia A., Satoru Murata, Ben S. Thomas, Sandra L. Lopez Varela, Daniel Finamore, and David G. Buck
2004 Deep History of the Sibun River Valley. *Research Reports in Belizean Archaeology* 1:295–310.
- Mueller, A. D., G. A. Islebe, M. B. Hillesheim, D. A. Grzesik, F. S. Anselmetti, D. Ariztegui, M. Brenner, J. H. Curtis, D. A. Hodell, and K. A. Venz
2009 Climate Drying and Associated Forest Decline in the Lowlands of Northern Guatemala During the Late Holocene. *Quaternary Research* 71:133–141.
- Nakamura, Atsunon, Yusuke Yokoyama, Hideaki Maemoku, Hiroshi Yagi, Makoto Okamura, Hiroshi Matsuoka, Nao Miyake, Toshiaki Osada, Danda Pani Adhikari, Vishnu Dangol, Minoru Ikehara, Yosuke Miyairi, and Hiroyuki Matsuzaki
2016 Weak Monsoon Event at 4.2 ka Recorded in Sediment from Lake Rara, Himalayas. *Quaternary International* 397:349–359.
- Neff, Hector, Deborah M. Pearsall, John G. Jones, Barbara Arroyo de Pieters, and Dorothy E. Freidel
2006 Climate Change and Population History in the Pacific Lowlands of Southern Mesoamerica. *Quaternary Research* 65:390–400.
- Piperno, Dolores R., and Kent V. Flannery
2001 The Earliest Archaeological Maize (*Zea mays* L.) from Highland Mexico: New Accelerator Mass Spectrometry Dates and their Implications. *Proceedings of the National Academy of Science, USA* 98:2101–2103.
- Piperno, Dolores R., and Bruce D. Smith
2012 The Origins of Food Production in Mesoamerica. In *The Oxford Handbook of Mesoamerican Archaeology*, edited by Deborah L. Nichols and Christopher A. Pool, pp. 151–164. Oxford University Press, New York.
- Piperno, Dolores R., Anthony J. Ranere, Irene Holst, Jose Iriarte, and Ruth Dickau
2009 Starch Grain and Phytolith Evidence for Early Ninth Millennium B.P. Maize from the Central Balsas River Valley, Mexico. *PNAS* 106:5019–5024.
- Pohl, Mary D., Kevin O. Pope, John G. Jones, John S. Jacob, Dolores R. Piperno, Susan D. deFrance, David L. Lentz, John A. Gifford, Marie E. Danforth, and J. Kathryn Josseland
1996 Early Agriculture in the Maya Lowlands. *Latin American Antiquity* 7:355–372.
- Pohl, Mary E., Dolores R. Piperno, Kevin O. Pope, and John G. Jones
2007 Microfossil Evidence for Pre-Columbian Maize Dispersals in the Neotropics from San Andres, Tabasco, Mexico. *Proceedings of the National Academy of Science, USA* 104:6870–6875.
- Pope, Kevin O., Mary E. Pohl, John G. Jones, David L. Lentz, Christopher Von Nagy, Francisco J. Vega, and Irvy R. Quitmyer
2001 Origin and Environmental Setting of Ancient Agriculture in the Lowlands of Mesoamerica. *Science* 292:1370–1373.
- Powis, Terry G., Norbert Stanchly, Christine D. White, Paul F. Healy, Jaime J. Awe, and Fred Longstaffe
1999 Maya Subsistence Economy at Cahal Pech, Belize. *Antiquity* 73:364–376.
- Prufer, Keith M., Asia V. Alsgaard, Mark Robinson, Clayton R. Meredith, Brendan J. Culleton, Timothy Dennehy, Shelby Magee, Bruce B. Huckell, W. James Stemp, Jaime J. Awe, Jose M. Capriles, and Douglas J. Kennett
2019 Linking Late Paleoindian Stone Tool Technologies and Populations in North, Central and South America. *PLoS ONE* 14:e0219812.
- Prufer, Keith M., Mark Robinson, and Douglas J. Kennett
2021 Terminal Pleistocene through Middle Holocene Occupations in Southeastern Mesoamerica: Linking Ecology and Culture in the Context of Neotropical Foragers and Early Farmers. *Ancient Mesoamerica* 32:439–460.
- Richerson, Peter J., Robert Boyd, and Robert L. Bettinger
2001 Was Agriculture Impossible During the Pleistocene But Mandatory During the Holocene? A Climate Change Hypothesis. *American Antiquity* 66:387–411.
- Rosenmeiner, Michael F., David A. Hodell, Mark Brenner, and Jason H. Curtis
2002 A 4000-Year Lacustrine Record of Environmental Change in the Southern Maya Lowlands of Petén, Guatemala. *Quaternary Research* 57:183–190.
- Rosenswig, Robert M.
2004 New Archaeological Excavation Data from the Late Archaic Occupation of Northern Belize. *Research Reports in Belizean Archaeology* 1:267–277.
2006a Northern Belize and the Soconusco: A Comparison of the Late Archaic to Formative Transition. *Research Reports in Belizean Archaeology* 3:59–71.
2006b Sedentism and Food Production in Early Complex Societies of the Soconusco, Mexico. *World Archaeology* 38:329–354.
2007 Beyond Identifying Elites: Feasting as a Means to Understand Early Middle Formative Society on the Pacific Coast of Mexico. *Journal of Anthropological Archaeology* 26:1–27.
2010 *The Beginnings of Mesoamerican Civilization: Inter-Regional Interaction and the Olmec*. Cambridge University Press, New York.

- 2011 An Early Mesoamerican Archipelago of Complexity: As Seen from Changing Population and Human Depictions at Cuauhtémoc. In *Sociopolitical Transformation in Early Mesoamerica: Archaic to Formative in the Soconusco Region*, edited by Richard Lesure, pp. 242–271. University of California Press, Berkeley.
- 2012 Materialism, Mode of Production and a Millennium of Change in Southern Mexico. *Journal of Archaeological Method and Theory* 19:1–48.
- 2015 A Mosaic of Adaptation: The Archaeological Record for Mesoamerica's Archaic Period. *Journal of Archaeological Research* 23:115–162.
- 2022 Who Were the First Ceramic-Using Villagers in the Maya Lowlands? In *Origins of the Maya: The Pre-Mamom Unnamed Period*, edited by Debra Walker. University of Colorado Press, Boulder. In press.
- Rosenswig, Robert M., and Marilyn A. Masson
- 2001 Seven New Preceramic Sites Documented in Northern Belize. *Mexicon* 23:138–140.
- Rosenswig, Robert M., Deborah M. Pearsall, Marilyn A. Masson, Brendan J. Culleton, and Douglas J. Kennett
- 2014 Archaic Period Settlement and Subsistence in the Maya Lowlands: New Starch Grain and Lithic Data from Freshwater Creek, Belize. *Journal of Archaeological Science* 41:308–321.
- Rosenswig, Robert M., Amber M. VanDerwarker, Brendan J. Culleton, and Douglas J. Kennett
- 2015 Is It Agriculture Yet? Intensified Maize-Use at 1000 cal B.C. in the Soconusco and Mesoamerica. *Journal of Anthropological Archaeology* 40:89–108.
- Schitteck, Karsten, Markus Forbriger, Berti Mächtle, Frank Schäbitz, Volker Wennrich, Markus Reindel, and Bernhard Eitel
- 2015 Holocene Environmental Changes in the Highlands of the Southern Peruvian Andes (14° S) and Their Impact on Pre-Columbian Cultures. *Climate Past* 11:27–44.
- Shafer, Harry J., and Thomas R. Hester
- 1983 Ancient Maya Chert Workshops in Northern Belize, Central America. *American Antiquity* 48:519–545.
- Sluyter, Andrew, and Gabriela Dominguez
- 2006 Early Maize (*Zea mays* L.) Cultivation in Mexico: Dating Sedimentary Pollen Records and Its Implications. *Proceedings of the National Academy of Science, USA* 103:1147–1151.
- Smith, Bruce D.
- 1997 The Initial Domestication of *Cucurbita pepo* in the Americas. 10,000 Years Ago. *Science* 276:932–934.
- 2001 Low-Level Food Production. *Journal of Archaeological Research* 9:1–43.
- Stemp, W. James, and Jaime J. Awe
- 2013 Possible Variation in the Late Archaic Period Bifaces in Belize: New Finds from the Cayo District of Western Belize. *Lithic Technology* 38:17–31.
- Symonds, Stacey, Ann Cyphers, and Roberto Lunagómez
- 2002 *Asentamiento prehispánico en San Lorenzo Tenochtitlán*. Universidad Nacional Autónoma de México, Ciudad de México.
- Tykot, Robert H., Nikolaas J. Van der Merwe, and Norman Hammond
- 1996 Stable Isotope Analysis of Bone Collagen, Bone Apatite, and Tooth Enamel in the Reconstruction of Human Diet: A Case Study from Cuello, Belize. In *Archaeological Chemistry: Organic, Inorganic, and Biochemical Analysis*, edited by Mary Virginia Orna, pp. 355–365. ACS Symposium Series 625. American Chemical Society, Washington, DC.
- Valdez, Fred, Jr., Lauren A. Sullivan, Palma J. Buttles, and L. Aebersold
- 2021 The Origins and Identification of the Early Maya from Colha and Northern Belize. *Ancient Mesoamerica* 32:502–518.
- Walker, M. J. C., M. Berkelhammer, S. Björck, L. C. Cwynar, D. A. Fisher, A. J. Long, J. J. Lowe, R. M. Newnham, S. O. Rasmussen, and H. Weiss
- 2012 Formal Subdivision of the Holocene Series/Epoch: A Discussion Paper by a Working Group of INTIMATE (Integration of Ice-Core, Marine and Terrestrial Records) and the Subcommittee on Quaternary Stratigraphy (International Commission on Stratigraphy). *Journal of Quaternary Science* 27:649–659.
- Weiss, Ehud, Mordechai E. Kislev, and Anat Hartmann
- 2006 Autonomous Cultivation Before Domestication. *Science* 312:1608–1610.
- Weiss, Harvey
- 2016 Global Megadrought, Societal Collapse and Resilience at 4.2–3.9 ka B.P. across the Mediterranean and West Asia. *PAGES Magazine* 24:62–63.
- Welc, Fabian, and Leszek Marks
- 2014 Climate Change at the End of the Old Kingdom in Egypt Around 4200 B.P.: New Geoarchaeological Evidence. *Quaternary International* 324:124–133.
- Wilson, Samuel M., Harry B. Iceland, and Thomas R. Hester
- 1998 Preceramic Connections Between Yucatan and the Caribbean. *Latin American Antiquity* 9:342–352.
- Zeder, Melinda A.
- 2009 The Neolithic Macro-(r)evolution: Macroevolutionary Theory and the Study of Culture Change. *Journal of Archaeological Research* 17:1–63.
- Zeitlin, Robert N.
- 1984 A Summary Report on Three Seasons of Field Investigations into the Archaic Period Prehistory of Lowland Belize. *American Anthropologist* 86:358–368.