

- 1989;110:653-656.
7. McCormick RD, Maki DG. Epidemiology of needle-stick injuries in hospital personnel. *Am J Med* 1981;70:928-932.
 8. Neuberger JS, Harris JA, Kundlin WD, Bischone A, Chin TDY. Incidence of needlestick injuries in hospital personnel: implications for prevention. *Am J Infect Control* 1984;12:171-176.
 9. Jagger J, Hunt EH, Brand-Elnaggar J, Pearson RD. Rates of needle-stick injury caused by various devices in a university hospital. *N Engl J Med* 1988;319:284-288.
 10. Centers for Disease Control. *Guidelines for Prevention of Transmission of Human Immunodeficiency Virus and Hepatitis B Virus to Health-Care and Public-Safety Workers—A Response to PL 100-607*. The Health Omnibus Programs Extension Act; 1988. Department of Health and Human Services, February 1989. DHHS (NIOSH) publication no. 89-109.
 11. Occupational Safety and Health Administration. Occupational exposure to bloodborne pathogens; final rule (29 CFR 1910.1030). *Federal Register*. December 6, 1991;56(235):64175-64182.
 12. Ribner BS, Landry MN, Gholson GL, Linden LA. Impact of a rigid, puncture resistant container system upon needlestick injuries. *Infect Control* 1987;8:63-66.
 13. Krasinski K, LaCouture R, Holzman RS. Effect of changing needle disposal systems on needle puncture injuries. *Infect Control* 1987;8:59-62.
 14. Linnemann CC Jr, Cannon C, DeRonde M, Lanphear B. Effect of educational programs, rigid sharps containers, and universal precautions on reported needlestick injuries in healthcare workers. *Infect Control Hosp Epidemiol* 1991;12:214-219.
 15. Loving TJ. Infectious waste: doing your best for the environment, your employees, and your bottom line. *J Healthcare Mat Manage* 1992;10:30-41.
 16. Osterman CA. Relation of new disposal unit to risk of needle puncture injuries. *Hosp Topics* 1975;53:12-13.
 17. Department of Transportation. *DOT Hazardous Materials Guide* (49 CFR 178.210).
 18. Fibre Box Association. *Fibre Box Handbook*. 20th ed. Rolling Meadows, IL: Fibre Box Association; 1992;126.
 19. Rosner B. *Fundamentals of Statistics*, 3rd ed. Belmont, CA: Duxbury Press; 1990.
 20. British Standards Institution. BS 7320:1990: specifications for sharps containers. London, England: BSI; 1990.
 21. American Society for Testing and Materials. Performance standard specifications for puncture resistance of containers for discarded medical needles and other sharps. ASTM Task Force F04.65.01 (in preparation).
 22. Emergency Care Research Institute (ECRI). Sharps disposal containers. *Health Devices* 1993;22:359-412.

HICPAC Guidelines

by **Gina Pugliese, RN, MS**
Medical News Editor

The CDC's Hospital Infection Control Practices Advisory Committee (HICPAC) put the finishing touches on the "Guideline for Isolation Precautions in Hospitals" based on public and practitioner comments. The final guideline is expected to be published before the end of this year. This guideline was coordinated by CDC's Julia Garner with assistance from HICPAC member Rita McCormick.

The next guideline scheduled for publication in the *Federal Register* for public comment this fall is the "Guideline for Prevention of Nosocomial Intravascular Device-Related Infections." This guideline is being coordinated by CDC's Dr. Michele Pearson, and the HICPAC advisor is Dr. Glen Mayhall.

The "Guideline for Infection Control in Hospital Personnel" is being coordinated by Dr. Ofelia Tablan of the CDC and Dr. Susan Forlenza of HICPAC. This guideline will address issues related to preventing occupational transmission of dis-

ease to healthcare workers and will be reviewed at the next HICPAC meeting, scheduled for November 1995 in Atlanta.

The committee also is considering the development of a guideline for postexposure follow-up of healthcare workers with occupational exposure to hepatitis C virus.

FROM: Centers for Disease Control and Prevention. HICPAC reviews guidelines for preventing nosocomial infections. *CDC/NCID Focus* 1995;5(7):2.