

Weeds

VOLUME I
JULY 1952
NUMBER 4

Journal of the Association of Regional Weed Control Conferences

EDITORIAL BOARD

<i>Name</i>	<i>Representing</i>
W. A. HARVEY.....	Western Weed Control Conference, College of Agric., Davis, Calif.
E. C. TULLIS.....	Southern Weed Control Conference, Camp Detrick, Frederick, Maryland
H. L. YOWELL (<i>advertising</i>)..	Northeastern Weed Control Conference, Standard Oil Development Co., P.O. Box 51, Linden, New Jersey
R. S. DUNHAM.....	North Central Weed Control Conference, College of Agriculture, St. Paul, Minn.
R. L. LOVORN (<i>circulation</i>)..	Association of Regional Weed Control Conferences, Div. of Weed Investigations, Bureau of Plant Industry, Beltsville, Maryland
R. D. Sweet,	Temporary Editor, Cornell Univ., Ithaca, New York

WEEDS is a quarterly journal published by the Association of Regional Weed Control Conferences. Editorial offices are located in E. Roberts Hall, Cornell University, Ithaca, N. Y. Printing is by the W. F. Humphrey Press, Inc., Geneva, New York. Subscription price is \$4.00 yearly or four issues; single copies \$1.25. Address all communications regarding subscriptions to Dr. R. L. Lovorn, Division of Weed Investigations, Bureau of Plant Industry, U.S.D.A., Beltsville, Maryland. For information on advertising contact Dr. H. L. Yowell, Esso Laboratories, P. O. Box 51, Linden, New Jersey. Manuscripts and inquiries on material for publication should be addressed to the Editorial offices.

Entered as second-class matter at the post office
at Ithaca, New York, and Geneva, New York.

Table of Contents

	<i>Page</i>
The Present Status of the Halogeton Problem by C. Erickson, H. L. Morton, E. W. Tisdale and Geo. Zappettini	321
Sprayers for Use on Experimental Plots by Lyle A. Derscheid	329
Factors Affecting the Pre-emergence Use of 2,4-D in Corn by R. J. Aldrich and C. J. Willard	338
Cultural Methods for Control of Quackgrass by H. J. Lowe and K. P. Buchholtz	346
Techniques and Equipment Used in Evaluating Chemicals for Their Herbici- dal Properties by W. C. Shaw and C. R. Swanson	352
Aromatic Solvents for the Control of the Submersed Water Weed Naiad, <i>Najas guadalupensis</i> (Spreng.) Morong., in South Florida by C. C. Seale, J. W. Randolph and J. C. Stephens	366
Comments:	
on Thorn Scrub Control with Herbicides in Africa by E. R. Hattingh	372
on Cogon and Torpedo Grasses—a Challenge to Weed Workers by Paul Tabor	374
Bibliography of Weed Investigations January, February, March, 1952	377

WEEDONE®

*Constantly
Searching-----*



We maintain a permanent department whose field research is ever seeking new and improved chemicals and methods for weed and brush control.



AMERICAN CHEMICAL PAINT COMPANY

Agricultural Chemicals Division

AMBLER, PA.

Originators of 2,4-D and 2,4,5-T Weedkillers



FOR WEED AND BRUSH CONTROL

Kolker Quality Chemicals



GIVE GREATER KILLABILITY

2, 4-D WEED KILLERS . . .

. . . Esters and Amine salts.

Selected weed killers proved effective against annual and perennial weeds, many types of thistle and cress—and nettle.

2, 4, 5-T BRUSH KILLERS . . .

. . . Isopropyl and Butyl esters.

Low volatile, high kill esters of 2, 4, 5-T recommended and approved for mesquite and other brush control on range and grassland, along railroads, pipelines and other right-of-ways.

To meet increasing demands, Kolker—one of the nation's major producers of weed and brush control chemicals—has expanded production facilities at its Newark plant. Expert technical assistance supplied. Call on Kolker—and be sure of delivery at the right time, at the right price.

Products of DIAMOND ALKALI's subsidiary, KOLKER CHEMICAL WORKS, *specializing in organic chemicals for agriculture and industry.*

Order from

KOLKER CHEMICAL WORKS, INC.

80 LISTER AVENUE, NEWARK 5, NEW JERSEY

Plants: Newark, New Jersey and Houston, Texas



DIAMOND ALKALI COMPANY *Chemicals you live by*

Cyanamid

WEED CONTROL CHEMICALS

AERO Cyanate

TRADE MARK

WEEDKILLER

contains 91% potassium cyanate. Used for pre-emergence contact weedkilling, post-emergence selective contact weedkilling, weedkilling by directed spraying, top-killing, defoliation and post-harvest weedkilling. Relatively non-toxic to warm blooded animals. Breaks down immediately on contact with soil so residues are no problem.

AERO Cyanamid

TRADE MARK

GRANULAR

Contains 20% nitrogen and 70% lime. In granular form for easy handling and application. For pre-emergence weed control in peas, corn and other crops. For weed control in tobacco and other plant beds.

AERO Cyanamid

TRADE MARK

SPECIAL GRADE

Contains 21% nitrogen and 70% lime. Used as dust for pre-emergence residual and contact weed control and defoliation of cotton, field beans, and other crops. For top-killing of tomatoes and potatoes.

AMERICAN Cyanamid COMPANY

Agricultural Chemicals Division
30 Rockefeller Plaza New York 20, N.Y.

Ded-Weed
Crabgrass Killer

Ded-Weed
(ME-5)

Ded-Weed
(40)

**Farm
Tested**

Ded-Weed
Brush Killer

Ded-Weed
Lawn Groom


Tell
**Your Farmer
Friends to Ask for...**

**THOMPSON-
HAYWARD**

As an expert, you will be asked many times by farmers and others to recommend pesticides.

We wanted you to know about the NEW Thompson-Hayward package...and the BLACK TAG! Yes we've re-designed the label to help the farmer follow out your directions...we've taken the arithmetic out of crop-spraying.

The Black Tag states actual amount of active ingredients contained, making it simple to use.



**THOMPSON-HAYWARD CHEMICAL
COMPANY**

AGRICULTURAL DIVISION

KANSAS CITY, MISSOURI

MINNEAPOLIS • OKLAHOMA CITY • N. LITTLE ROCK • SAN ANTONIO • DES MOINES • DAVENPORT • NEW ORLEANS
ST. LOUIS • HOUSTON • DALLAS • WICHITA • MEMPHIS • CHICAGO • OMAHA • DENVER • TULSA



Pittsburgh
BRUSH KILLERS
HAVE *SELF CONTROL*, TOO!

You can count on PITTSBURGH Brush Killers to concentrate and confine their killing action to the sprayed areas only. This "self control" is the result of the low volatile Tetrahydrofurfuryl Esters (THFE)† which all PITTSBURGH Brush Killers now contain.

For ease and economy of use, plus this NEW safety to nearby valuable crops, use PITTSBURGH Brush Killers. †U. S. Patent Pending

10-20 BRUSH KILLER: General farmland clearance.

BRUSH KILLER 22: Rangeland clearance, rights-of-way.

LO-VOL 4: Mesquite, briars, hard-to-kill woody growth.


Standard for Quality

PITTSBURGH AGRICULTURAL CHEMICAL COMPANY

7601 EMPIRE STATE BUILDING, NEW YORK 1, NEW YORK

Organic Insecticides
 Organic Phosphate
 Insecticides
 Weed Killers and Brush-
 Killers
 Cotton Sprays and Dusts
 Special Agricultural
 Chemicals


W&D 3968-A






the precision nozzle for effective spraying


Supplied in a full range of interchangeable orifice tip and strainer sizes to meet every capacity requirement. TeeJet Spray Nozzles for Weed Control by spraying make it possible to take maximum advantage of the chemical and sprayer unit. TeeJet nozzles are precision built and provide a flat spray with uniform distribution. Atomization is properly controlled to give coverage with an absolute minimum of driftage. Patented tip design, with set-back orifice opening protects precision orifice from accidental damage. TeeJet spray nozzles are built for use on spray booms and portable sprayers.



TEEJET SPRAY NOZZLE male pipe connection



TEEJET SPRAY NOZZLE female pipe connection



INTER-CHANGE-ABLE ORIFICE TIPS flat and cone spray types

OFF-CENTER SPRAY NOZZLES

Spraying Systems Spray Nozzles with TeeJet tips are supplied in a variety of special body types to meet any unusual spraying requirement. For example, one type of off-center spray nozzle with swivel body provides a flat spray up to 35 feet wide for spraying areas with a single nozzle, that are not accessible with a boom.

SUPPLEMENTARY EQUIPMENT

Complete accessories relating to nozzle use are supplied. These include strainers, special nozzle fittings, and hand valve equipment.

TeeJet Spray Nozzles are supplied for Weed Control... as well as all other types of agricultural spraying. For complete information and reference data write for Bulletin 58.

SPRAYING SYSTEMS CO.
Engineers and Manufacturers

3275 RANDOLPH STREET

BELLWOOD, ILLINOIS



WEED AND BRUSH KILLERS

Developed through research... tested and proven in the laboratory and field for effective, economical control of weeds and brush.

DU PONT AMMATE (R) WEED KILLER — One thorough spraying with “Ammate” gives practically complete kill of many kinds of brush and trees. One treatment lasts for years because “Ammate” destroys roots as well as the tops.

DU PONT 80% CMU WEED KILLER — An outstanding, new, powerful weed killer especially suitable for use wherever it is desired to keep the ground bare. Tests indicate that one application of CMU provides effective control of grass and broadleaf weeds for as long as a year or more.

OTHER DU PONT WEED AND BRUSH KILLERS INCLUDE:

2,4-D – 2,4,5-T Ester (low volatile)
2,4,5-T Ester (low volatile)
2,4-D – 2,4,5-T Amine
2,4,5-T 57% Amine
90% Sodium TCA
2,4-D Amine
2,4-D Ester



Better Things for Better Living . . . Through Chemistry

E. I. DU PONT DE NEMOURS & CO. (INC.)

GRASELLI CHEMICALS DEPT.

WILMINGTON 98, DELAWARE

**GEIGY
BIG 4...**

WEED and BRUSH Control Program

AIR AND GROUND APPLICATIONS MADE EASY WITH 4-LB. FORMULATIONS



- **GEIGY 2,4-D ESTER WEED KILLER No. 4— 4 lbs.** 2,4-D acid equivalent per gallon. Weed control in small grains, corn, flax, pastures, fence rows, roadsides, ditch-banks, etc.



- **GEIGY 2,4,5-T No. 400— 4 lbs.** 2,4,5-T acid equivalent per gallon. Brush and woody plant control on range land, power line right-of-ways, stump land, roadsides, etc.



- **GEIGY BRUSH KILLER No. 22— 4 lbs.** (each gallon contains 2 lbs. each of 2,4-D and 2,4,5-T acid equivalent). Brush and woody plant control on range land, power line right-of-ways, stump land, etc.



- **GEIGY "Lo-V" BRUSH KILLER No. 500— 4 lbs.** (each gallon contains 2 lbs. each of 2,4-D and 2,4,5-T acid equivalent). (Low volatile polyethylene glycol ester). Brush and woody plant control on range land, power line right-of-ways, stump land, etc.

ORIGINATORS OF



DDT INSECTICIDES

GEIGY COMPANY, INC.

89 BARCLAY ST., N. Y. 8, N. Y.

Aberdeen, N. C.; Burlington, Iowa; Colorado Springs, Colo.; Elkton, Md.; Fresno, Calif.; Houlton, Me.; Leland, Miss.; McGregor, Tex.; Orlando, Fla.; Walla Walla, Wash.

Efficiency at Low Cost

Nonselective Herbicides:

POLYBOR-CHLORATE*

POLYBOR*

BORASCU*

BORASCU · 44

CONCENTRATED BORASCU

Be thrifty! . . . choose any of these safe, effective weed-and grass-killing products . . . their high Boron content provides lasting results; toxic to most types of vegetation.

POLYBOR-CHLORATE, a new, improved, high solubility product is now available! This is a fast-acting general purpose herbicide which combines the effectiveness of sodium borates and chlorate to quickly destroy vegetation by contact or thru root absorption. It is nonfire-hazardous! . . . may be applied in its dry form.

POLYBOR* is a spray herbicide for effective destruction of some noxious weeds such as Bindweed, Leafy Spurge, and Canada Thistle. May also be applied in dry form.

The BORASCU'S* are applied dry in delivered form and may be handled freely for they are nonpoisonous, noncombustible, and will not corrode ferrous metals.

*Reg. U. S. Pat. Off.

Check These Highlight Features:

**NONTOXIC . . . NONCORROSIVE
NONSELECTIVE . . . NONFLAMMABLE
FAST-ACTING . . . ECONOMICAL**





ATLACIDE: A chlorate weed killer... widely used for non-selective eradication of bindweed, Canada thistle, quack grass, Johnson grass and other tough perennials. Kills roots... destroys entire plant... discourages regrowth. Applied as spray or in original dry form. Atlacide is backed by over 25 years of successful use, plus an outstanding reputation as "the safer chlorate".

ATLACIDE WITH 2, 4-D: A combination of Atlacide and 2,4-D acid. Offers dual killing action of sodium chlorate and 2,4-D.

CHLORAX SPRAY POWDER: A non-separating composition of sodium chlorate and pentaborate. For use where long-lasting residual effect is desirable... such as along fence rows, ditch banks, around buildings and other structures. Kills practically all types of weeds and grasses. Creates no fire or poison hazard. Applied dry or as spray.

ATLAS "A": A 40% sodium arsenite solution (4 lbs. arsenic trioxide per gal.). Destroys submersed vegetation in ponds and lakes. Used for selective control of crabgrass, chickweed and clover in turf. Also used as general weed killer for annual weeds and grasses. Kills trees and shrubs. Applied on pulpwood trees as a method for loosening bark to facilitate debarking.

SODIUM ARSENITE: A powder containing 75% arsenic trioxide. Used for the same purposes as Atlas "A". Soluble in water or may be applied dry.

2, 4-D WEED KILLERS: For selective control of broad-leaf weeds in grain and grass crops. Available as 2,4-D Amine and 2,4-D Ester liquids; also 2,4-D Ester dusts.

2,4,5-T Weed Killer
Brush Killer (2,4,5-T & 2,4-D)
Chipman General (Dinitro)
Sodium Chlorate

Write for Weed Control Booklet

CHIPMAN CHEMICAL COMPANY, INC.

BOUND BROOK, N. J.

Chicago, Ill. . Palo Alto, Calif. . Pasadena, Tex. . Portland, Ore.

Manufacturers of Weed Killers Since 1912