

EARLY WARNING PREDICTION WITH AUTOMATIC LABELLING IN EPILEPSY PATIENTS

PENG ZHANG¹, TING GAO^{1,2,3}, JIN GUO^{1,2,3}, JINQIAO DUAN^{3,4,5} and SERGEY NIKOLENKO⁶

(Received 14 December, 2023; accepted 15 April, 2024)

Abstract

Early warning for epilepsy patients is crucial for their safety and well being, in particular, to prevent or minimize the severity of seizures. Through the patients' electroencephalography (EEG) data, we propose a meta learning framework to improve the prediction of early ictal signals. The proposed bilevel optimization framework can help automatically label noisy data at the early ictal stage, as well as optimize the training accuracy of the backbone model. To validate our approach, we conduct a series of experiments to predict seizure onset in various long-term windows, with long short-term memory (LSTM) and ResNet implemented as the baseline models. Our study demonstrates that not only is the ictal prediction accuracy obtained by meta learning significantly improved, but also the resulting model captures some intrinsic patterns of the noisy data that a single backbone model could not learn. As a result, the predicted probability generated by the meta network serves as a highly effective early warning indicator.

2020 *Mathematics subject classification*: primary 92-05; secondary 92-06, 92B20.

Keywords and phrases: meta learning, early warning indicator, automatic labelling, tipping, epilepsy.

¹School of Mathematics and Statistics, Huazhong University of Science and Technology, Wuhan, PR China; e-mail: kazusa_zp@hust.edu.cn

²Center for Mathematical Science, Huazhong University of Science and Technology, Wuhan, PR China; e-mail: tgao0716@hust.edu.cn

³Steklov-Wuhan Institute for Mathematical Exploration, Huazhong University of Science and Technology, Wuhan, PR China; e-mail: jinguo0805@hust.edu.cn

⁴Department of Mathematics and Department of Physics, Great Bay University, Dongguan, PR China; e-mail: duan@gbu.edu.cn

⁵Guangdong Provincial Key Laboratory of Mathematical and Neural Dynamical Systems, Dongguan, China

⁶St. Petersburg Department of the Steklov Mathematical Institute, St. Petersburg, Russia; e-mail: sergey@logic.pdmi.ras.ru

© The Author(s), 2025. Published by Cambridge University Press on behalf of Australian Mathematical Publishing Association Inc.

1. Introduction

Nearly one third of the patients with epilepsy continue to have seizures despite optimal medication management [38]. According to the World Health Organization (WHO) [52], epilepsy affects approximately 50 million individuals worldwide, rendering it one of the most prevalent neurological disorders on a global scale. Seizures result from abnormal discharges originating in a cluster of brain cells [13, 19]. These discharges can originate in various regions of the brain, leading to a spectrum of seizure manifestations, ranging from momentary lapses of consciousness or muscle reflexes to prolonged and intense convulsive episodes.

Individuals with epilepsy often experience a heightened prevalence of physical issues such as seizure-related fractures and abrasions [45]. Additionally, a greater proportion of individuals with epilepsy also grapple with psychological disorders, including anxiety and depression [41]. Furthermore, there exists substantial evidence indicating that individuals with uncontrolled epilepsy over an extended period face an elevated risk of enduring memory impairment, depression, anxiety, suicide and other psychiatric conditions [35]. Despite the existence of certain clinical treatments, a longitudinal study spanning over 20 years on idiopathic generalized epilepsies (IGEs) revealed that individuals with epilepsy still report a diminished quality of life [9], primarily attributed to the unpredictability of seizures and their adverse consequences. Consequently, the development of early warning systems for epilepsy holds paramount significance in addressing these challenges.

Electroencephalography (EEG) serves as a highly effective diagnostic instrument for investigating the functional intricacies of the brain during epileptic seizures. Extensive research has been dedicated to the prediction and treatment of epilepsy through the use of EEG [1, 8, 10, 25, 40, 44, 53]. EEG signals, characterized by their non-Gaussian and nonsmooth properties, are instrumental in quantifying electrical brain activity. This, in turn, aids in diagnosing various types of brain disorders, so the analysis of EEG measurements plays a key role in distinguishing between normal and aberrant brain function. Throughout the past century, researchers have grappled with the challenges inherent in epilepsy detection and prediction. Given that EEG signals represent a key resource for monitoring brain activity preceding, during and following epileptic seizures, epileptic seizure prediction research has primarily centred on the analysis of EEG recordings.

Deep learning architectures have found applications across various medical domains, including clinical imaging [29], genomics and proteomics [2], and disease prediction [26]. Notably, deep learning algorithms have demonstrated their efficacy in discerning intricate patterns within high-dimensional data, particularly in the context of EEG data classification [4, 27, 39]. In particular, to introduce a universally applicable method for all patients, Truong et al. [47] propose a prediction approach based on convolutional neural networks (CNNs). Their methodology involved the transformation of raw EEG data into a two-dimensional matrix through a short-term Fourier transform (STFT). Subsequently, this image is input into a CNN to facilitate

feature extraction and classification of pre-ictal and inter-ictal states. Generally speaking, CNN-based architectures remain standard for EEG processing, in particular for epileptic seizure detection, to this day [15, 18, 20].

It is important to note that the vast majority of high-performance seizure prediction algorithms operate in a fully supervised setting, training exclusively on labelled data. Nevertheless, it is essential to recognize that the process of labelling seizure data is manual and costly, it requires the expertise of a neurologist and consumes substantial resources. To address this challenge, Truong et al. [46] employ a generative adversarial network (GAN) for unsupervised training. They feed STFT spectrograms of EEG data into the GAN and use trained discriminators as features for seizure prediction. This unsupervised training approach is particularly valuable as it not only enables real-time predictions using EEG recordings, but also eliminates the need for manual feature extraction. In a different approach, Tsiouris et al. [48] employ long short-term memory (LSTM) recurrent networks for seizure prediction. They conduct a comparative assessment of various LSTM architectures using randomly selected input segment sizes ranging from 5 to 50 seconds. Their evaluation encompasses three distinct LSTM architectures, each using feature vectors derived from EEG segments as input. These feature vectors contain a diverse array of attributes, incorporating temporal and frequency domain characteristics, as well as local and global metrics derived from graph theory. LSTMs, and RNNs in general, are another common way to process EEG data due to their sequential nature [32], and generative adversarial networks have been used many times for synthetic data generation [34], including synthetic EEG generation [22, 23].

While the above research has demonstrated effectiveness in predicting seizures, applications of deep learning for early seizure warning still encounter several challenges since EEG data have high frequency, high dimension and come under the influence of complex noise distributions.

The first challenge revolves around the high cost of accurate and reliable labels. Precise labelling of epileptic seizure and nonseizure EEG data is of fundamental importance for model training, but the process of labelling EEG data necessitates the expertise of physicians and can be a time- and resource-intensive endeavour. For example, a recent work [20] presents a new CNN-based architecture based on a dataset of only 79 EEG recordings labelled by three experts. Furthermore, labels produced by physicians may not always be correct. EEG data labelling by physicians often rely on their individual experiences, and it is not uncommon for different physicians to assign different labels to the same dataset.

The second challenge is that the prediction for the onset of seizures under ambiguous states between resting and seizure states is difficult, especially for long-term prediction tasks. Additionally, epileptic seizures can be regarded as sudden and infrequent transitions in brain dynamics, making it challenging to capture these rare events in time.

In this work, we present a new framework tackling the above issues to make early warnings for epileptic seizures. In response to the first and second challenges,

we have implemented enhancements to the method of meta label correction [57]. This refinement enables the training of a primary model capable of providing highly accurate predicted labels even when supplied with a limited quantity of clean data. As for the third challenge, we develop the capability to predict early warning signals of critical transitions via tipping point detection.

To summarize, we develop a new method to detect the early warning signals integrating both data-driven models and the tipping dynamics. Our key contributions in this work are as follows.

- *Meta labelling*: we split the original data into a clean part and a noisy part, and subsequently integrate meta-learning into conventional methods to optimize both labelled information from clean data and the complex feature patterns from noisy data with automatically generated labels.
- *Real data experiments*: our experiments conducted on real-world EEG data obtained from epilepsy patients reveal a substantial enhancement in predicted accuracy; we additionally report a series of experiments conducted with various input and output window sizes.
- *Tipping point indicator*: we find that the *predicted probability* obtained by the meta learning framework can serve as an effective early warning indicator for tipping phenomena; our study illustrates that meta learning can capture some patterns between rest states and seizure states that a single backbone model could not.

2. Meta labelling and tipping phenomena

2.1. Meta label correction High-quality labels are crucial for enhancing the training performance of neural networks. Following the assumptions of [12, 49, 51], we assume that labels with noise can be categorized into two distinct groups: one dataset with clean or trusted labels and other datasets with noisy or weak labels. In many cases, the dataset with clean labels is smaller than those with noisy labels, primarily due to the limited availability of clean labels and the associated high cost of labelling. Direct training on these smaller clean datasets can result in suboptimal performance, with a pronounced risk of overfitting. Similarly, training exclusively on noisy datasets—or a mix of both clean and noisy datasets—may also yield unsatisfactory outcomes, as large-scale models can inadvertently fit and memorize the noise [56].

Our objective is to identify precursor features that contribute to seizures, enabling us to distinguish data oscillations caused by other behaviours. For epileptic patients, seizures often last only 30 seconds to 2 minutes, which makes seizure data scarce compared with nonseizure data and leads to data imbalance issues. Moreover, accurate labelling of seizure and nonseizure data serves as the foundation for model training, a process typically requiring the expertise of a physician and demanding substantial time and effort. Yang et al. propose the MMLC method to handle financial data with partial feature information and poor label quality [54]. Here, we have far more clean

data than noisy data. Our dataset is partitioned into two subsets: a smaller dataset with potentially noisy or no labels during the period when seizures are possible, and a larger dataset with clean and reliable labels during nonseizure period or post-ictal period when the seizures have concluded.

Our aim is to employ clean data to facilitate the labelling of noisy data. Unlike conventional label generation methods, our approach relies on making label judgments for the data based on their predicted time domain, obviating the need to directly obtain labels for the noisy data. This concept operates with a two-layer optimization paradigm. Initially, we employ a meta model to predict labels for the noisy data and subsequently refine our meta model using clean data. The main network uses these corrected labels to classify noisy data.

2.2. Early warning indicators Under long-term noise disturbances, a dynamical system may experience enormous fluctuations, which could lead to transitions between metastable states [17, 21]. Sudden transitions between alternative states are a ubiquitous phenomenon within complex systems, spanning a wide spectrum of domains ranging from cellular regulatory networks to neural processes and ecological systems [3, 43]. Numerous instances of abrupt regime shifts have been observed in diverse research fields, including collapses of ecosystems [24, 50], abrupt climate shifts [14, 30] and onset of certain disease states such as atrial fibrillation [37] or epileptic seizures [31]. Warning signals for impending critical transitions are highly desirable, owing to the formidable challenges associated with restoring a system to its prior state subsequent to the occurrence of such transitions [16, 42]. Lade and Gross [28] introduced a method for the identification of early warning signals, offering a comprehensive integration of diverse information sources and data within the context of a generalized model framework. Proverbio et al. [36] undertook a systematic exploration of the characteristics and effectiveness of dynamical early warning signals across various conditions of system deterioration.

An increase in the variance within the pattern of fluctuations [11] represents a plausible outcome of critical slowing down when a system approaches a critical transition. This phenomenon can be rigorously demonstrated through formal mathematical representations [7] and intuitively grasped. As the eigenvalue of the system approaches zero, the influence of perturbations becomes increasingly enduring, resulting in an amplified accumulation effect that subsequently augments the variance of the system's state variable. In principle, one might anticipate that critical slowing down could impair the system's capacity to trace these fluctuations, potentially leading to an opposite effect on the variance [5, 6]. Nevertheless, investigations into mathematical models consistently reveal that an elevation in variance typically emerges and becomes discernible well in advance of the occurrence of a critical transition [11]. Neubert and Caswell [33] introduced a pair of quantitative metrics for characterizing transient dynamics, namely *reactivity* and the *amplification envelope*. These metrics can be computed by using the Jacobian matrix in the vicinity of a stable equilibrium. *Reactivity* offers an estimation of the system's susceptibility to

immediate perturbation-induced growth, while the maximum *amplification* quantifies the highest magnitude that a perturbation can transiently achieve relative to the system's equilibrium.

In this work, one of our goals is to extract fluctuation patterns from data via the meta learning network as an early warning indicator for state transitions in EEG time series signals.

3. Our method

3.1. Automatic label optimization through meta learning The meta-model comprises two neural networks: a *meta network* and a *main network*. The *meta network*'s objective is to enhance label accuracy for noisy data, while the *main network*'s role is to achieve correct classification. We denote the parameters of the *meta network*, considered as meta-knowledge, as α , denoting the meta network as $g_\alpha(X', Y')$. Conversely, the *main network*'s parameters are denoted as ω , and it computes the function $f_\omega(X', y_c)$, where y_c represents the outcome obtained from the *meta network*.

The training process is illustrated in Figure 1. The data we feed into the meta network are divided into two parts. One part is the historical data X' , input as a time window of length $h \in \mathbb{R}^+$, that is, X' represents the EEG time series from time t to $t + h$. The other part is the known data Y' , and its time window size is denoted as $m \in \mathbb{R}^+$, that is, Y' represents the EEG time series from time $t + h$ to time $t + h + m$; both X' and Y' are sequential in time. The meta network learns the label y_c of data Y' , where $y_c \in \{0, 1\}$. If the pattern of Y' indicates that the patient had seizures during this time period, the meta network should output $y_c = 1$; otherwise, it should output $y_c = 0$. As for the main network, its objective is to learn the label of the next (unknown) EEG signal window Y of the current time series data X , that is, the main network does not know the sequential data Y and is supposed to predict the label of unknown Y with known data X . This approach enables us to extract additional information about the prediction horizon and historical data without being influenced by noisy labels. We have already mentioned that labels given manually by experts can be subjective and are certainly expensive; our approach can avoid this problem by generating noisy data labels.

In every batch, we obtain both noisy and clean sample data. We initially input the noisy samples, along with their corresponding (X', Y') pairs, into the *meta network* to derive accurate labels. Subsequently, the noisy data X' are used as input for the current task's classifier to generate the corresponding predicted labels. We update the *main network* classifier's parameters based on the loss between the corrected and predicted labels. Following this, the clean data pair (X, y) is introduced to the new classifier, and the classification loss is computed to facilitate the *meta network*'s update.

The bilevel optimization of our model can be formulated as follows:

$$\begin{aligned} \min_{\alpha} \mathbb{E}_{(X, y) \in D} \mathcal{L}_D(f_{\omega_\alpha^*}(X), y) \quad \text{where} \\ \omega_\alpha^* = \arg \min_{\omega} \mathbb{E}_{(X', Y') \in D'} [\mathcal{L}_{D'}(f_\omega(X'), g_\alpha(X', Y'))], \end{aligned}$$




FIGURE 1. The framework of meta label generation model.

Algorithm 1: Meta learning for noise label generation

Input: Clean dataset $D = \{X, y\}$, noisy dataset $D' = \{X', Y'\}$, learning rates μ, η

- 1 Initialize main network weights ω and meta network weights α ;
- 2 for $n \leftarrow 0$ to episodes do
- 3 for $k \leftarrow 0$ to K do
- 4 $\mathcal{L}_{D'} = \frac{1}{N} \sum_{i=1}^N (g_\alpha(X', Y') \ln(f_\omega(X')) + (1 - g_\alpha(X', Y')) \ln(1 - f_\omega(X')))$;
- 5 Update main network parameters by gradient descent:
 $\omega \leftarrow \omega - \mu \nabla_\omega \mathcal{L}_{D'}$.
- 6 end
- 7 $\mathcal{L}_D = \frac{1}{N} \sum_{i=1}^N (y \ln(f_\omega(X)) + (1 - y) \ln(1 - f_\omega(X)))$;
- 8 Update meta network parameters by gradient descent: $\alpha \leftarrow \alpha - \eta \nabla_\alpha \mathcal{L}_D$
- 9 end

and where the loss function is defined as

$$\mathcal{L}(a, b) = \frac{1}{N} \sum_{i=1}^N (b_i \ln(a_i) + (1 - b_i) \ln(1 - a_i)),$$

that is, the cross entropy loss for $a, b \in \mathbb{R}^{N \times 2}$. Our algorithm is shown in Algorithm 1.

Updating the meta model presents a formidable challenge, as the resulting loss function does not explicitly feature α . Consequently, we have to compute $\partial \omega'_\alpha / \partial \alpha$, which involves second-order gradient computations. Several different methods exist for this purpose. To circumvent resource-intensive demands, we employ the Taylor expansion method, as detailed by Zheng et al. [57], to compute the Hessian matrix $(\partial^2 / \partial \omega^2) \mathcal{L}_{D'}(\alpha, \omega)$.

Denote the meta loss as

$$\mathcal{L}_D(\omega_\alpha^*) \triangleq \mathbb{E}_{(\mathbf{X}, y) \in D} \ell(y, f_{\mathbf{w}_\alpha^*}(\mathbf{X})).$$

Then, we have

$$\begin{aligned} \min_{\alpha} \mathcal{L}_D(\mathbf{w}_\alpha^*) &\approx \mathcal{L}_D(\mathbf{w}'_\alpha) \\ &= \mathcal{L}_D(\omega - \eta \nabla_{\omega} \mathcal{L}_{D'}(\alpha, \omega)). \end{aligned}$$

Subsequently, the update rule for the meta-knowledge α can be written as follows:

$$\alpha = \alpha - \mu \nabla_{\alpha} \mathcal{L}_D(\omega'_\alpha). \tag{3.1}$$

Then, the meta-parameter gradient is shown as

$$\begin{aligned} \frac{\partial \mathcal{L}_D(\omega'_\alpha)}{\partial \alpha} &= g_{\omega'} (I - \eta \nabla_{\omega, \omega} \mathcal{L}_{D'}(\alpha, \omega)) \frac{g_{\omega^\top}}{\|g_{\omega}\|^2} \frac{\partial \mathcal{L}_D(\omega)}{\partial \alpha} \\ &\quad - \eta \nabla_{\alpha} (\nabla_{\omega}^{\top} \mathcal{L}_{D'}(\alpha, \omega) \nabla_{\omega'} \mathcal{L}_D(\omega')). \end{aligned}$$

3.2. Early warning probability indicator The capacity to discern transitions between meta-stable states assumes a crucial role in the prediction and regulation of brain function. In our model, the objective of the main network is to learn the label of the next sequential data Y (unknown) based on the current time series data X , that is, the main network does not know the sequential data Y and should predict the label of unknown Y with known data X . Namely, the output of the main network is the probability of epileptic seizures occurring within the subsequent sequential time period following $[t, t + h]$.

An escalation in the variance within the pattern of fluctuations, as established by Carpenter and Brock [11], can serve as a credible indicator when a system is near a tipping point and is experiencing a critical slowing down. We adopt the value of the main network’s output as an early warning indicator in the context of epilepsy, that is,

$$I_P = f_{\omega}(X), \tag{3.2}$$

which could be seen as the probability of ictal seizure occurring in the next time window. We conduct experiments in Section 4.2 to compare our early warning indicator I_P with the variance of time series data.

4. Experiments

4.1. Data processing The scalp EEG data are recorded via the bipolar montage method [55], where the voltage of each electrode is linked and compared with neighbouring electrodes to form a chain of electrodes. Figure 2(a) shows a sample of the data, and the red line represents time intervals identified as seizure occurrences by experienced physicians in this case. The horizontal axis represents the time of the test, while the vertical axis corresponds to specific brain regions where electrodes were inserted. Each segment of EEG data was recorded with a 23-channel sampling rate of




FIGURE 2. A sample of our EEG data: (a) time series for the electrodes; the red part shows seizure states and the grey part represents rest states; (b) variance of the EEG data.

256 Hz and recording duration of 1 hour, during which five seizures were recorded for the subject. Our dataset is derived from this EEG data, collected at a frequency of 32 Hz¹. Due to the high cost of acquiring such data, the size of the sample under examination remains modest. Consequently, the development of an early warning system based on this limited dataset becomes especially challenging. We collected data from *five epileptic episodes* of an epileptic patient and used *four epileptic episodes* to generate the *training set* and *the remaining one episode* as the *test set*. Figure 2(a) shows one epileptic episode.

To establish the benchmark, we employ a sliding window technique, shifting the window left and right with a 0.5-second step. We set the time window of X to encompass 10 seconds, 15 seconds and 20 seconds, aligning precisely with durations of historical data. For Y , however, we have considered time windows spanning 5, 10, 15 and 20 seconds; these windows indicate the length of our prediction horizon.

Our dataset is divided into clean data and noisy data. Noisy data refer to data instances that are especially challenging for labelling due to their inherent complexity and lack of clear, unequivocal categorization. To be precise, we define an indeterminate zone around the clinically established onset time of epilepsy as the demarcation point, that is, we define a time window spanning ± 10 seconds around this moment, amounting to 40 samples in every epileptic episode, as noisy data. Then, we expand the time window both forward and backward, collecting 40 clean data samples with labels 0 and 1, respectively, on every side. In instances where the right boundary of the Y -window intersects with this indeterminate, we designate the corresponding window X and Y as noisy data; we denote noisy data as X' and Y' , and obtain the resulting noisy dataset $D' = \{X', Y'\}$. Noisy data do not have fixed determined labels, and our objective is to assign accurate labels to this data category without relying on expert annotations. In essence, we aim to generate precise labels for this noisy dataset autonomously. The rest of the data, which fall outside the indeterminate zones around onset times, is categorized as clean data. The clean dataset is partitioned into two distinct segments: one segment corresponds to the data obtained during the resting state, with label 0,

¹The datasets that support the findings of this study are available upon request.

and the other segment comprises data recorded during the epileptic state, with label 1. The clean dataset is denoted as $D = \{X, y\}$, where $y \in \{0, 1\}$ is the label.

Different electrodes have data with different orders of magnitude, so all data were normalized, and then noisy and clean data were divided according to different tasks. Figure 2(b) shows a sample of the covariance of the EEG data time series, with the red dotted line showing an epileptic seizure in the sample. The figure illustrates how growing variance could be seen as an indicator for an upcoming abrupt transition, which is consistent with [11].

4.2. Experimental results


4.2.1. Performance comparison To test the performance of our approach, we have conducted experiments with a number of different models. During testing, we rely on the seizure onset moments delineated by physicians. Specifically, if the sample with X -window or Y -window intersects with the ictal moment demarcated by physicians, this sample is assigned with a label $y = 1$. Conversely, if neither the X -window nor the Y -window intersect with seizure onset moment identified by the physician, it is labelled by $y = 0$. Then accuracy is computed by comparing the model's output labels with the corresponding ground truth labels y , that is, the number of true positives and true negatives divided by total sample size.

Table 1 provides a comprehensive overview of our classification results, comparing the performance of the baseline LSTM model, the ResNet model and our proposed model. Here, we use LSTM for the meta network and ResNet for the main network. Columns in Table 1 show the length of the input (historical) time window $|X|$, and the rows correspond to different sizes of the prediction horizon $|Y|$. It is clear that as the prediction horizon $|Y|$ (shown in the first column) grows, it becomes increasingly difficult to make accurate predictions for all three models. The accuracy of the LSTM model rises significantly as the length of the history duration becomes longer, because longer sequences in the input data contain more information. ResNet, however, has no particularly pronounced dependence on the input time length. Additionally, LSTM shows a very promising predictive ability over short periods of time, but the accuracy decreases rapidly as the prediction horizon length increases. The ResNet model, however, still shows a good degree of adaptation for prediction lengths greater than 10 seconds.


Throughout all settings, our model shows substantial improvements in prediction accuracy. Naturally, all three models achieve higher accuracy values at shorter prediction ranges, but our model demonstrates excellent results for longer noisy data as well. Our approach reduces the error rate by at least $2\times$ in most cases: for 5 seconds prediction horizons our model reduces the error rate from 5–7% to 2–2.5%, for 10 seconds, from 10–15% to 5–8%, and for 15 seconds and 20 seconds the error goes down from 20–30% or higher to 15–25%. These results suggest that our approach based on meta learning can very significantly improve the performance of baseline models in epileptic seizure prediction tasks.

TABLE 1. The accuracy of LSTM, ResNet and our method. Columns correspond to the duration of the input data time X (shown in row 2) and rows correspond to different lengths of the prediction window Y .


Method	LSTM	ResNet	Ours	LSTM	ResNet	Ours	LSTM	ResNet	Ours
$ Y $	$ X = 10$ s			$ X = 20$ s			$ X = 30$ s		
5 s	93.8%	92.5%	97.5%	95.0%	95.0%	98.8%	96.3%	93.8%	97.5%
10 s	85.0%	86.3%	92.5%	87.5%	86.3%	91.7%	90.0%	88.8%	94.4%
15 s	72.5%	77.5%	83.8%	75.0%	78.8%	86.3%	76.3%	80.0%	88.9%
20 s	62.5%	71.3%	76.3%	63.8%	70.0%	78.8%	66.3%	73.8%	82.5%




(a) LSTM, $|X| = 20$, $|Y| = 5$




(b) ResNet, $|X| = 20$, $|Y| = 5$




(c) Our model, $|X| = 20$, $|Y| = 5$



(d) LSTM, $|X| = 20$, $|Y| = 10$



(e) ResNet, $|X| = 20$, $|Y| = 10$



(f) Our model, $|X| = 20$, $|Y| = 10$

FIGURE 3. Predicted ictal probabilities (blue lines) and true ictal onset moments (red dashed lines): (a–c) for $|X| = 20$ and $|Y| = 5$; (d–f) for $|X| = 20$ and $|Y| = 10$.

To show the efficiency of our predictions more intuitively, we compare predicted ictal probabilities with the true ictal moment identified by experienced physicians. Figure 3 illustrates the results with input duration $|X| = 20$ and prediction horizons $|Y| = 5$ (Figures 3(a), 3(b), 3(c)) and $|Y| = 10$ (Figures 3(d), 3(e), 3(f)). The horizontal axis shows 120 consecutive time samples with an interval of 0.5 seconds, and the vertical axis represents the output probability of the model. Solid blue lines show the ictal probabilities learned by different models, and red dashed lines represent the true ictal moment. It is clear that for the LSTM model and ResNet model, the predicted onset time is approximately 5 seconds late compared with the real onset time. Both models almost always output probability values of 0 or 1, with very few moments of output probability between 0 and 1. This means that these two models can only learn




FIGURE 4. A comparison of the proposed indicator I_P (red solid line) with the variance indicator (blue dashed line) for EEG data: (a) $|X| = 20, |Y| = 5$; (b) $|X| = 20, Y = 10$.

features of clean data, that is, they cannot capture the features of noisy data and make a timely prediction. In contrast, our model has a clear fluctuation that occurs just before and after the onset of the seizure (see the position of the red dashed line in Figures 3(c) and 3(f)), which suggests that our model captures the changes in noisy data adequately.

4.2.2. Early warning prediction Early warning of epileptic seizures is of paramount importance for individuals with epilepsy. In addition to the accuracy associated with predicted label generation, our research also places a significant emphasis on evaluating the early warning capacity inherent to the model.

Inspired by [11], we compare the tipping signal in terms of our indicator I_{TP} and the variance indicator. Figure 4 shows the variance from Figure 2(b) averaged over a window of 0.5 seconds (dashed blue line) compared with the predicted probability averaged over five experiments (solid red line), which we call the I_P indicator. Figure 4 illustrates that there is an earlier tipping point in our indicator I_P than in the variance indicator on the same data. It is clear that for any given reasonable threshold, our indicator I_P always gives an earlier warning than the variance indicator, which suggests that our indicator I_P is an effective early warning signal.

5. Conclusion

Early warning of epileptic seizures is of paramount significance for individuals afflicted with epilepsy. In this study, we introduce a novel meta-learning framework that can integrate with existing baselines to enhance the predictive capabilities for early ictal signal detection, as evidenced by our results on EEG data obtained from real patients. Our approach amalgamates diverse components (a CNN for the main network and an LSTM for the meta network) to improve prediction accuracy. In addition, we introduce the concept of meta label generation, a method that segregates the original data into clean and noisy segments. This approach leverages the meta label generator to effectively label noisy samples, thereby augmenting the overall data quality.

Biological, physical and social systems frequently exhibit qualitative shifts in their dynamics. The development of early warning signals that aim to anticipate these transitions in advance remains a crucial objective for many problem settings, even beyond epileptic seizure detection. We incorporate tipping dynamics as a pivotal feature extracted from the data. Our study demonstrates that the output probability produced by our proposed meta-network is a highly effective early warning indicator. Our experimental findings show a remarkable improvement in prediction accuracy, particularly in scenarios involving long-term predictions. In total, our method offers a robust and innovative approach to the detection of early warning signals, effectively bridging the gap between data-driven models and tipping dynamics.

Acknowledgements

We would like to thank Luxuan Yang and Yiheng Ding for their helpful discussions. This work was supported by the National Key Research and Development Program of China (No. 2021ZD0201300), the National Natural Science Foundation of China (No. 12141107), the Fundamental Research Funds for the Central Universities (5003011053), the Guangdong-Dongguan Joint Research Grant 2023A151514 0016, and is partly supported by the Guangdong Provincial Key Laboratory of Mathematical and Neural Dynamical Systems.

References

- [1] H. Adeli, Z. Zhou and N. Dadmehr, "Analysis of EEG records in an epileptic patient using wavelet transform", *J. Neurosci. Methods* **123** (2003) 69–87; doi:[10.1016/S0165-0270\(02\)00340-0](https://doi.org/10.1016/S0165-0270(02)00340-0).
- [2] E. Asgari and M. R. K. Mofrad, "Continuous distributed representation of biological sequences for deep proteomics and genomics", *PLoS One* **10** (2015) Article ID: e0141287; doi:[10.1371/journal.pone.0141287](https://doi.org/10.1371/journal.pone.0141287).
- [3] P. Ashwin and A. Zaikin, "Pattern selection: the importance of how you get there", *Biophys. J.* **108** (2015) 1307–1308; doi:[10.1016/j.bpj.2015.01.036](https://doi.org/10.1016/j.bpj.2015.01.036).
- [4] D. Avola, M. Cascio, L. Cinque, A. Fagioli, M. R. Marini and D. Pannone, "Analyzing EEG data with machine and deep learning: a benchmark", in: *International conference on image analysis and processing* (eds. S. Sclaroff, C. Distanto, M. Leo, G. M. Farinella and F. Tombari) (Springer International Publishing, Cham, 2022); doi:[10.1007/978-3-031-06427-2_28](https://doi.org/10.1007/978-3-031-06427-2_28).
- [5] N. Berglund and B. Gentz, "Metastability in simple climate models: pathwise analysis of slowly driven Langevin equations," *Stoch. Dyn.* **2** (2002) 327–356; doi:[10.1142/S0219493702000455](https://doi.org/10.1142/S0219493702000455).
- [6] N. Berglund and B. Gentz, *Noise-induced phenomena in slow-fast dynamical systems: a sample-paths approach* (Springer-Verlag, London, 2006); doi:[10.1007/1-84628-186-5](https://doi.org/10.1007/1-84628-186-5).
- [7] R. Biggs, S. R. Carpenter and W. A. Brock, "Turning back from the brink: detecting an impending regime shift in time to avert it", *Proc. Natl. Acad. Sci. USA* **106** (2009) 826–831; doi:[10.1073/pnas.0811729106](https://doi.org/10.1073/pnas.0811729106).
- [8] J. Birjandtalab, M. Heydarzadeh and M. Nourani, "Automated EEG-based epileptic seizure detection using deep neural networks", in: *2017 IEEE international conference on healthcare informatics (ICHI)*, Park City, UT, USA (eds. C. Giraud-Carrier, J. Facelli, H. Nakajima, M. Cummins and G. Meixner) (CPS, IEEE, Los Alamitos, CA, 2017) 552–555 doi:[10.1109/ICHI.2017.55](https://doi.org/10.1109/ICHI.2017.55).
- [9] P. Camfield and C. Camfield, "Idiopathic generalized epilepsy with generalized tonic-clonic seizures (IGE-GTC): a population-based cohort with >20 year follow up for medical and social outcome", *Epilepsy & Behavior* **18** (2010) 61–63; doi:[10.1016/j.yebeh.2010.02.014](https://doi.org/10.1016/j.yebeh.2010.02.014).

- [10] Y. Cao, Y. Guo, H. Yu and X. Yu, “Epileptic seizure auto-detection using deep learning method”, in: *2017 4th international conference on systems and informatics (ICSAI), Hangzhou, China, 2017* (eds. X. Fei, L. Wang, C. Ji, N. Chen, Q. Sun, X. Song and X. Wang) (IEEE, Danvers, MA, 2017) 1076–1081; doi:[10.1109/ICSAI.2017.8248445](https://doi.org/10.1109/ICSAI.2017.8248445).
- [11] S. R. Carpenter and W. A. Brock, “Rising variance: a leading indicator of ecological transition”, *Ecol. Lett.* **9** (2006) 311–318; doi:[10.1111/j.1461-0248.2005.00877.x](https://doi.org/10.1111/j.1461-0248.2005.00877.x).
- [12] M. Charikar, J. Steinhardt and G. Valiant, “Learning from untrusted data”, in: *Proceedings of the 49th annual ACM SIGACT symposium on theory of computing* (eds. H. Hatami, P. McKenzie and V. King) (ACM, Inc., New York, 2017) 47–60; doi:[10.1145/3055399.3055491](https://doi.org/10.1145/3055399.3055491).
- [13] D. Cogan, J. Birjandtalab, M. Nourani, J. Harvey and V. Nagaraddi, “Multi-biosignal analysis for epileptic seizure monitoring”, *Int. J. Neural Syst.* **27** (2017) Article ID: 1650031; doi:[10.1142/S0129065716500313](https://doi.org/10.1142/S0129065716500313).
- [14] S. Drijfhout, S. Bathiany, C. Beaulieu, V. Brovkin, M. Claussen, C. Huntingford, M. Scheffer, G. Sgubin and D. Swingedouw, “Catalogue of abrupt shifts in Intergovernmental Panel on Climate Change climate models”, *Proc. Natl. Acad. Sci. USA* **112** (2015) E5777–E5786; doi:[10.1073/pnas.1511451112](https://doi.org/10.1073/pnas.1511451112).
- [15] A. A. Ein Shoka, M. M. Dessouky, A. El-Sayed and E. El-Din Hemdan, “EEG seizure detection: concepts, techniques, challenges, and future trends”, *Multimed. Tools Appl.* **82** (2023) 42021–42051; doi:[10.1007/s11042-023-15052-2](https://doi.org/10.1007/s11042-023-15052-2).
- [16] C. Folke, S. Carpenter, B. Walker, M. Scheffer, T. Elmqvist, L. Gunderson and C.S. Holling, “Regime shifts, resilience, and biodiversity in ecosystem management”, *Annu. Rev. Ecol. Evol. Syst.* **35** (2004): 557–581; doi:[10.1146/annurev.ecolsys.35.021103.105711](https://doi.org/10.1146/annurev.ecolsys.35.021103.105711).
- [17] T. Gao, J. Duan, X. Kan and Z. Cheng, “Dynamical inference for transitions in stochastic systems with α -stable Lévy noise”, *J. Phys. A* **49** (2016) Article ID: 294002; doi:[10.1088/1751-8113/49/29/294002](https://doi.org/10.1088/1751-8113/49/29/294002).
- [18] Y. Gao, B. Gao, Q. Chen, J. Liu and Y. Zhang, “Deep convolutional neural network-based epileptic electroencephalogram (EEG) signal classification”, *Front. Neurol.* **11** (2020) Article ID: 525678; doi:[10.3389/fneur.2020.00375](https://doi.org/10.3389/fneur.2020.00375).
- [19] D. Gentiletti, P. Suffczynski, V. Gnatkovsky and M. de Curtis, “Changes of ionic concentrations during seizure transitions—a modeling study”, *Int. J. Neur. Sys.* **27** (2017) Article ID: 1750004; doi:[10.1142/S0129065717500046](https://doi.org/10.1142/S0129065717500046).
- [20] A. Gramacki and J. Gramacki, “A deep learning framework for epileptic seizure detection based on neonatal EEG signals”, *Sci. Rep.* **12** (2022) Article ID: 13010; doi:[10.1038/s41598-022-15830-2](https://doi.org/10.1038/s41598-022-15830-2).
- [21] J. Guo, T. Gao, P. Zhang, J. Han and J. Duan, “Deep reinforcement learning in finite-horizon to explore the most probable transition pathway”, *Phys. D* **458** (2024) Article ID: 133955; doi:[10.1016/j.physd.2023.133955](https://doi.org/10.1016/j.physd.2023.133955).
- [22] A. G. Habashi, A. M. Azab, S. Eldawlatly and G. M. Aly, “Generative adversarial networks in EEG analysis: an overview”, *J. NeuroEng. Rehabilitation* **20** (2023) Article ID: 40; doi:[10.1186/s12984-023-01169-w](https://doi.org/10.1186/s12984-023-01169-w).
- [23] K. G. Hartmann, R. T. Schirrmeister and T. Ball, “EEG-GAN: generative adversarial networks for electroencephalographic (EEG) brain signals”, Preprint, 2018, [arXiv:1806.01875](https://arxiv.org/abs/1806.01875).
- [24] M. Hirota, M. Holmgren, E. H. Van Nes and M. Scheffer, “Global resilience of tropical forest and savanna to critical transitions”, *Science* **334** (2011) 232–235; doi:[10.1126/science.1210657](https://doi.org/10.1126/science.1210657).
- [25] R. Hussein, H. Palangi, R. K. Ward and Z. J. Wang, “Optimized deep neural network architecture for robust detection of epileptic seizures using EEG signals”, *Clin. Neurophysiol.* **130** (2019) 25–37; doi:[10.1016/j.clinph.2018.10.010](https://doi.org/10.1016/j.clinph.2018.10.010).
- [26] H. Khan, L. Marcuse, M. Fields, K. Swann and B. Yener, “Focal onset seizure prediction using convolutional networks”, *IEEE Trans. Biomed. Eng.* **65** (2018) 2109–2118; doi:[10.1109/TBME.2017.2785401](https://doi.org/10.1109/TBME.2017.2785401).
- [27] M.-J. Kim, Y. C. Youn and J. Paik, “Deep learning-based EEG analysis to classify normal, mild cognitive impairment, and dementia: algorithms and dataset”, *NeuroImage* **272** (2023) Article ID: 120054; doi:[10.1016/j.neuroimage.2023.120054](https://doi.org/10.1016/j.neuroimage.2023.120054).

- [28] S. J. Lade and T. Gross, “Early warning signals for critical transitions: a generalized modeling approach”, *PLoS Comput. Biol.* **8** (2012) Article ID: e1002360; doi:[10.1371/journal.pcbi.1002360](https://doi.org/10.1371/journal.pcbi.1002360).
- [29] J.-G. Lee, S. Jun, Y.-W. Cho, H. Lee, G. B. Kim, J. B. Seo and N. Kim, “Deep learning in medical imaging: general overview”, *Korean J. Radiol.* **18** (2017) Article ID: 570; doi:[10.3348/kjr.2017.18.4.570](https://doi.org/10.3348/kjr.2017.18.4.570).
- [30] T. M. Lenton, V. N. Livina, V. Dakos, E. H. van Nes and M. Scheffer, “Early warning of climate tipping points from critical slowing down: comparing methods to improve robustness”, *Philos. Trans. Royal Soc. A* **370**.1962 (2012) 1185–1204; doi:[10.1098/rsta.2011.0304](https://doi.org/10.1098/rsta.2011.0304).
- [31] C. Meisel and C. Kuehn, “Scaling effects and spatio-temporal multilevel dynamics in epileptic seizures”, *PLoS One* **7** (2012) Article ID: e30371; doi:[10.1371/journal.pone.0030371](https://doi.org/10.1371/journal.pone.0030371).
- [32] W. A. Mir, M. Anjum and S. Shahab, “Deep-EEG: an optimized and robust framework and method for EEG-based diagnosis of epileptic seizure”, *Diagnostics* **13** (2023) Article ID: 773; doi:[10.3390/diagnostics13040773](https://doi.org/10.3390/diagnostics13040773).
- [33] M. G. Neubert and H. Caswell, “Alternatives to resilience for measuring the responses of ecological systems to perturbations”, *Ecology* **78** (1997) 653–665; doi:[10.2307/2266047](https://doi.org/10.2307/2266047).
- [34] S. I. Nikolenko, *Synthetic data for deep learning*, Volume 174 of Springer Optim. Appl. Series (Springer Nature, Cham, Switzerland, 2021); doi:[10.1007/978-3-030-75178-4](https://doi.org/10.1007/978-3-030-75178-4).
- [35] D. Ott, P. Siddarth, S. Gurbani, S. Koh, A. Tournay, W. Donald Shields and R. Caplan, “Behavioral disorders in pediatric epilepsy: unmet psychiatric need”, *Epilepsia* **44** (2003) 591–597; doi:[10.1046/j.1528-1157.2003.25002.x](https://doi.org/10.1046/j.1528-1157.2003.25002.x).
- [36] D. Proverbio, A. Skupin and J. Gonçalves, “Systematic analysis and optimization of early warning signals for critical transitions using distribution data”, *iScience* **26** (2023) Article ID: 107156; doi:[10.1016/j.isci.2023.107156](https://doi.org/10.1016/j.isci.2023.107156).
- [37] T. Quail, A. Shrier and L. Glass, “Predicting the onset of period-doubling bifurcations in noisy cardiac systems”, *Proc. Natl. Acad. Sci. USA* **112** (2015) 9358–9363; doi:[10.1073/pnas.1424320112](https://doi.org/10.1073/pnas.1424320112).
- [38] S. Ramgopal, et al. “Seizure detection, seizure prediction, and closed-loop warning systems in epilepsy”, *Epilepsy Behavior* **37** (2014) 291–307; doi:[10.1016/j.yebeh.2014.06.023](https://doi.org/10.1016/j.yebeh.2014.06.023).
- [39] Y. Roy, H. Banville, I. Albuquerque, A. Gramfort, T. H. Falk and J. Faubert, “Deep learning-based electroencephalography analysis: a systematic review”, *J. Neural Eng.* **16** (2019) Article ID: 051001; doi:[10.1088/1741-2552/ab260c](https://doi.org/10.1088/1741-2552/ab260c).
- [40] R. San-Segundo, M. Gil-Martín, L. F. D’Haro-Enríquez, J. M. Pardo, “Classification of epileptic EEG recordings using signal transforms and convolutional neural networks”, *Comput. Biol. Med.* **109** (2019) 148–158; doi:[10.1016/j.compbimed.2019.04.031](https://doi.org/10.1016/j.compbimed.2019.04.031).
- [41] V. F. Schabert, S. Stern, L. Ferrari, C.T. Wade, R. J. Willke and W. A. Hasser “Incidence of mental health conditions by seizure control among adults with epilepsy in the United States”, *Epilepsy Behavior* **134** (2022) Article ID: 108865; doi:[10.1016/j.yebeh.2022.108865](https://doi.org/10.1016/j.yebeh.2022.108865).
- [42] M. Scheffer, S. Carpenter, J. A. Foley, C. Folke and B. Walker, “Catastrophic shifts in ecosystems”, *Nature* **413** (2001) 591–596; doi:[10.1038/35098000](https://doi.org/10.1038/35098000).
- [43] M. Scheffer, et al., “Early-warning signals for critical transitions”, *Nature* **461** (2009) 53–59; doi:[10.1038/nature08227](https://doi.org/10.1038/nature08227).
- [44] R. V. Sharan and S. Berkovsky, “Epileptic seizure detection using multi-channel EEG wavelet power spectra and 1-D convolutional neural networks”, in: *2020 42nd annual international conference of the IEEE engineering in medicine and biology society (EMBC)* (ed. R. Barbieri) (IEEE, Danvers, MA, 2020); doi:[10.1109/EMBC44109.2020.9176243](https://doi.org/10.1109/EMBC44109.2020.9176243).
- [45] D. J. Thurman, et al., “The burden of premature mortality of epilepsy in high-income countries: a systematic review from the Mortality Task Force of the International League Against Epilepsy.” *Epilepsia* **58** (2017) 17–26; doi:[10.1111/epi.13604](https://doi.org/10.1111/epi.13604).
- [46] N. D. Truong, L. Kuhlmann, M. R. Bonyadi, D. Querlioz, L. Zhou and Omid Kavehei, “Epileptic seizure forecasting with generative adversarial networks.” *IEEE Access* **7** (2019) 143999–144009; doi:[10.1109/ACCESS.2019.2944691](https://doi.org/10.1109/ACCESS.2019.2944691).
- [47] N. D. Truong, A. D. Nguyen, L. Kuhlmann, M. R. Bonyadi, J. Yang and O. Kavehei, “A generalised seizure prediction with convolutional neural networks for intracranial and scalp electroencephalogram data analysis”, Preprint, 2017, [arXiv:1707.01976](https://arxiv.org/abs/1707.01976).

- [48] K. M. Tsiouris, et al., “A long short-term memory deep learning network for the prediction of epileptic seizures using EEG signals”, *Comput. Biol. Med.* **99** (2018) 24–37; doi:10.1016/j.combiomed.2018.05.019.
- [49] A. Veit, N. Alldrin, G. Chechik, I. Krasin, A. Gupta and S. Belongie, “Learning from noisy large-scale datasets with minimal supervision”, in: *30th IEEE conference on computer vision and pattern recognition, CVPR 2017*, Honolulu, Hawaii, 21–26 July 2016 (CPS, IEEE, Los Alamitos, CA, 2017); doi:10.1109/CVPR.2017.696.
- [50] R. Wang, J. A. Dearing, P. G. Langdon, E. Zhang, X. Yang, V. Dakos and M. Scheffer, “Flickering gives early warning signals of a critical transition to a eutrophic lake state”, *Nature* **492** (2012) 419–422; doi:10.1038/nature11655.
- [51] W. Wei, T. Gao, X. Chen and J. Duan, “An optimal control method to compute the most likely transition path for stochastic dynamical systems with jumps”, *Chaos* **32** (2022) Article ID: 051102; doi:10.1063/5.0093924.
- [52] World Health Organization, “Epilepsy” (accessed 9 February 2023); <https://www.who.int/news-room/fact-sheets/detail/epilepsy>.
- [53] L. Yang, S. Ding, H.-M. Zhou and X. Yang, “A strategy combining intrinsic time-scale decomposition and a feedforward neural network for automatic seizure detection”, *Physiol. Meas.* **40** (2019) Article ID: 095004; doi:10.1088/1361-6579/ab3e2e.
- [54] L. Yang, T. Gao, W. Wei, M. Dai, C. Fang and J. Duan, “Multi-task meta label correction for time series prediction”, *Pattern Recognit.* **150** (2024) Article ID: 110319; doi:10.1016/j.patcog.2024.110319.
- [55] H. P. Zaveri, R. B. Duckrow and S. S. Spencer, “On the use of bipolar montages for time-series analysis of intracranial electroencephalograms”, *Clin. Neurophysiol.* **117** (2006) 2102–2108; doi:10.1016/j.clinph.2006.05.032.
- [56] C. Zhang, S. Bengio, M. Hardt and B. Recht, “Understanding deep learning (still) requires rethinking generalization”, *Commun. ACM* **64** (2021) 107–115; doi:10.1145/3446776.
- [57] G. Zheng, A. H. Awadallah and S. Dumais, “Meta label correction for noisy label learning”, in: *Proceedings of the AAAI conference on artificial intelligence*, Vol. 35 (AAAI Press, Palo Alto, CA, 2021) 11053–11061; doi:10.1609/aaai.v35i12.17319.