


INTERNATIONAL ASTRONOMICAL UNION

SYMPOSIUM NO. 212

# A MASSIVE STAR ODYSSEY: FROM MAIN SEQUENCE TO SUPERNOVA

Edited by: KAREL A. VAN DER HUCHT,  
ARTEMIO HERRERO and CÉSAR ESTEBAN



INTERNATIONAL ASTRONOMICAL UNION

PUBLISHER  
THE ASTRONOMICAL SOCIETY OF THE PACIFIC

# A MASSIVE STAR ODYSSEY: FROM MAIN SEQUENCE TO SUPERNOVA

IAU SYMPOSIUM VOLUME 212

## *COVER ILLUSTRATION:* BANDERAS DEL COSMOS

This is a reproduction of one of the ‘Banderas del Cosmos’ (Cosmic Flags), a series of paintings made by the famous Lanzarotean painter and architect, César Manrique (1919-1992), to celebrate the inauguration of the Observatories of the Canary Islands, on June 29<sup>th</sup>, 1985.

“Looking towards the future, new flags spring from the imagination of the Canarian artist, César Manrique, who, in a gigantic leap into the unknown, offers us the identity of new worlds swimming into the ken of human perception.”

*Jerónimo Saavedra Acevedo,  
President of the Government of the Canary Islands*

“As we enter the Space Age, flags should no longer be inward looking, should not provoke differences, or warlike competition. With the Cosmic Flags, as symbols of our knowledge of far away places, we could start a more beautiful and poetic lifestyle, avoiding gratuitous irrational hatred, or basic racist pride. Human beings are the same species over the face of planet Earth.

As artists, we have the moral and ethical responsibility of applying our talents to live, filling our living environment with harmony and beauty, educating and heightening awareness, to prevent the brutal and systematic destruction of our planet. Doing this, we could enjoy a life worth the living.”

*César Manrique*

In 1994, Lanzarote was declared a Reserve of the Biosphere by UNESCO. The Organization cited Manrique’s work as being one of the major factors in the award of this status to the island.

The painting is reproduced with the permission of the  
Fundación César Manrique

**THE ASTRONOMICAL SOCIETY OF THE PACIFIC**  
**390 Ashton Avenue – San Francisco – California – USA 94112-1722**  
**Phone: (415) 337-1100      E-Mail: [catalog@astrosociety.org](mailto:catalog@astrosociety.org)**  
**Fax: (415) 337-5205      Web Site: [www.astrosociety.org](http://www.astrosociety.org)**



**ASP CONFERENCE SERIES - EDITORIAL STAFF**

Managing Editor: D. H. McNamara  
Production Manager: Enid L. Livingston  
Production Assistant: Andrea Weaver

PO Box 24453, Room 211 - KMB, Brigham Young University, Provo, Utah, 84602-4463  
Phone: (801) 422-2111    Fax: (801) 422-0624    E-Mail: [pasp@byu.edu](mailto:pasp@byu.edu)

LaTeX-Computer Consultant: T. J. Mahoney (Spain) – [tjm@ll.iac.es](mailto:tjm@ll.iac.es)

**ASP CONFERENCE SERIES PUBLICATION COMMITTEE:**

Joss Bland-Hawthorn  
George Jacoby  
James B. Kaler  
J. Davy Kirkpatrick

A listing of all other IAU Volumes published by the ASP  
is cited at the back of this volume

**INTERNATIONAL ASTRONOMICAL UNION**


**98bis, Bd Arago – F-75014 Paris – France**

**Tel: +33 1 4325 8358**

**E-mail: [iau@iap.fr](mailto:iau@iap.fr)**

**Fax: +33 1 4325 2616**

**Web Site: [www.iau.org](http://www.iau.org)**



**A MASSIVE STAR ODYSSEY:  
FROM MAIN SEQUENCE TO SUPERNOVA**

Proceedings of the 212<sup>th</sup> Symposium  
of the International Astronomical Union  
held in Costa Teguise, Lanzarote, Canary Islands  
24-28 June 2002

Edited by

**KAREL A. VAN DER HUCHT**

*SRON National Institute for Space Research, Utrecht, The Netherlands*

**ARTEMIO HERRERO**

*Instituto de Astrofísica de Canarias, La Laguna, Tenerife, Spain*

and

**CÉSAR ESTEBAN**

*Instituto de Astrofísica de Canarias, La Laguna, Tenerife, Spain*

© 2003 by International Astronomical Union      All Rights Reserved

*No part of the material protected by this copyright notice may be reproduced or utilized in any form or by any means – graphic, electronic, or mechanical including photocopying, taping, recording or by any information storage and retrieval system, without written permission from the IAU.*

Library of Congress Cataloging in Publication Data  
Main entry under title

LOC #: 2003101708  
ISBN: 1-58381-133-8

IAU Publications - First Edition

Published on behalf of IAU by: The Astronomical Society of the Pacific

Printed in United States of America by Sheridan Books, Ann Arbor, Michigan

**Table of Contents**

Preface . . . . . xix

Organizing committee . . . . . xxi

Conference photograph . . . . . xxii

Conference participants . . . . . xxv

Address by the Local Organizing Committee,  
*César Esteban* . . . . . xxvii

Address by the Scientific Organizing Committee,  
*Karel A. van der Hucht and Artemio Herrero* . . . . . xxviii

**Part 1. ATMOSPHERES OF MASSIVE STARS**

**Section A. Recent observations and advances in modeling atmospheres of hot massive stars**

*Chair: Karel A. van der Hucht*

Parameters of massive OB stars . . . . . 3  
*A. Herrero*

The earliest O-type stars . . . . . 13  
*N.R. Walborn*

Massive star abundances in the Galaxy and the Magellanic Clouds . . . . . 22  
*S.J. Smartt*

Chemical abundances of massive stars in Local Group galaxies . . . . . 30  
*K.A. Venn, A. Kaufer, E. Tolstoy, R.-P. Kudritzki, N. Przybilla, S.J. Smartt, D.J. Lennon*

Luminous Blue Variables, cool hypergiants and some impostors in the H-R diagram . . . . . 38  
*R.M. Humphreys*

Stellar parameters of Wolf-Rayet stars from far-UV to mid-IR observations 47  
*P.A. Crowther*

Overloaded and fractured stellar winds . . . . . 56  
*A. Feldmeier, L.M. Oskinova, W.-R. Hamann, S.P. Owocki*

Advances in radiatively driven wind models . . . . . 61  
*J. Puls, T. Repolust, T.L. Hoffmann, A. Jokuthy, R.O.J. Venero*

Advances in modeling of Wolf-Rayet stars . . . . .	70
<i>D.J. Hillier</i>	
<b>Section B. Massive binaries</b>	
<i>Chair: Anatol M. Cherepashchuk</i>	
Formation of massive binaries . . . . .	80
<i>H. Zinnecker</i>	
Masses and other parameters of massive binaries . . . . .	91
<i>D.R. Gies</i>	
Tidal forces and variability in close binary stars: the $\beta$ factor . . . . .	101
<i>G. Koenigsberger, E. Moreno, F. Cervantes</i>	
Gamma-ray bursts: the most powerful cosmic explosion . . . . .	106
<i>L. Kaper</i>	
Dust formation as a diagnostic of Wolf-Rayet winds . . . . .	115
<i>P.M. Williams, K.A. van der Hucht, P.W. Morris, F. Marang</i>	
High-resolution near-IR imaging of the WCd(+OB) environments: pinwheels . . . . .	121
<i>P.G. Tuthill, J.D. Monnier, W.C. Danchi, N.H. Turner</i>	
X-ray observations of massive colliding wind binaries . . . . .	130
<i>M.F. Corcoran</i>	
3D-hydrodynamics of colliding winds in massive binaries . . . . .	139
<i>R. Walder, D. Folini</i>	
<b>Section C. Poster papers Part 1</b>	
Spectral analysis of WC stars in M33 using CFHT-MOS . . . . .	148
<i>J.B. Abbott, P.A. Crowther, L. Drissen, L. Dessart, P. Martin</i>	
Gamma-ray production in selected Wolf-Rayet binaries . . . . .	150
<i>P. Benaglia, G.E. Romero</i>	
Self-consistent coupling of radiative transfer and dynamics in dust driven winds . . . . .	152
<i>N. Berruyer, J.-P.J. Lafon, S. Liberatore</i>	
The evolutionary stage of five southern Galactic unclassified B[e] stars .	154
<i>M. Borges Fernandes, F.X. de Araújo, H. Lamers</i>	
Quantitative analysis of O-type star properties, at low metallicity . . . .	156
<i>J.-C. Bouret, T.M. Lanz, S.R. Heap, I. Hubeny, D.J. Hillier, D.J. Lennon, C.J. Evans, L.J. Smith</i>	
The Wind Momentum-Luminosity relationship: blue supergiants in the spiral galaxy NGC 300 . . . . .	158
<i>F. Bresolin, R.-P. Kudritzki, W. Gieren</i>	

Candidate LBVs in Local Group galaxies . . . . .	160
<i>L.J. Corral, A. Herrero</i>	
A flatter metallicity gradient in the Galactic disk: non-LTE abundance calculations of OB stars . . . . .	162
<i>S. Daflon, K. Cunha</i>	
Mass loss predictions and stellar masses of early-type stars . . . . .	164
<i>A. de Koter, J.S. Vink</i>	
Interferometric and spectroscopic monitoring of emission lines: detection of CIRs in hot star winds . . . . .	166
<i>L. Dessart, O. Chesneau</i>	
Emission-line-profile variability as a constraint on the structure and dynamics of hot star winds . . . . .	168
<i>L. Dessart, S.P. Owocki</i>	
Radio emission models of colliding-wind binary systems . . . . .	170
<i>S.M. Dougherty, J.M. Pittard, L. Kasian, R.F. Coker, P.M. Williams, H. Lloyd</i>	
Radiatively driven winds: shaping bipolar LBV nebulae . . . . .	172
<i>V.V. Dwarkadas, S.P. Owocki</i>	
Insights into Wolf-Rayet WC9 stars from spectroscopy . . . . .	174
<i>P.R.J. Eenens, L.J. Corral</i>	
Spectroscopic studies of OB stars in the Magellanic Clouds with VLT-UVES	176
<i>C.J. Evans, P.A. Crowther, A.W. Fullerton, D.J. Hillier</i>	
Grain formation in post-shocked wind collisions of massive binary systems	178
<i>D. Falceta-Gonçalves, V. Jatenco-Pereira, Z. Abraham</i>	
Binaries among the WN population in the Magellanic Clouds . . . . .	180
<i>C. Foellmi, A.F.J. Moffat, M.A. Guerrero Roncel</i>	
<i>FUSE</i> observations of stellar wind variability in the LMC supergiant Sk-67°166(O4 If <sup>+</sup> ) . . . . .	182
<i>A.W. Fullerton, D.L. Massa, R.K. Prinja, I.D. Howarth, A.J. Willis, S.P. Owocki</i>	
The massive Wolf-Rayet binary WR 98 (WN7/WC+O8-9) . . . . .	184
<i>R.C. Gamen, V.S. Niemela</i>	
Instabilities in the winds of hot stars . . . . .	186
<i>E.L. Gomez, R.J.R. Williams</i>	
Preliminary results from <i>XMM-Newton</i> observations of the massive Wolf-Rayet binary WR 22 (WN7h+O9III-V) . . . . .	188
<i>E. Gosset, G. Rauw, J.-M. Vreux, Y. Nazé, I.I. Antokhin, H. Sana</i>	
Hydrodynamic model atmospheres for hot stars . . . . .	190
<i>G. Gräfener, W.-R. Hamann</i>	



Wind inhomogeneities in [WC] central stars of planetary nebulae . . . . .	192
<i>Y. Grosdidier, A.F.J. Moffat, A. Acker</i>	
The ejecta of $\eta$ Carinae . . . . .	194
<i>T.R. Gull, K. Davidson, K. Ishibashi</i>	
Near-UV nebular absorption lines of $\eta$ Carinae . . . . .	196
<i>T.R. Gull, G.L. Vieira, A.C. Danks</i>	
Wolf-Rayet star parameters from spectral analyses . . . . .	198
<i>W.-R. Hamann, G. Gräfener, G., L. Koesterke</i>	
Theoretical X-ray line profiles from colliding wind binaries . . . . .	200
<i>D.B. Henley, I.R. Stevens, J.M. Pittard</i>	
Discovery of weak magnetic fields in early B-type stars . . . . .	202
<i>H.F. Henrichs, C. Neiner, V.C. Geers</i>	
Colliding winds in the WR+OB binary $\theta$ Muscae (WR 48, WC5+O6-7)	204
<i>G.M. Hill, A.F.J. Moffat, N. St-Louis</i>	
Wind models and synthetic UV spectra for O-type stars . . . . .	206
<i>T.L. Hoffmann, A.W.A. Pauldrach, J. Puls</i>	
FUSE observations of Luminous Blue Variables . . . . .	208
<i>R.C. Iping, G. Sonneborn, D.L. Massa</i>	
Unusual 2001 periastron passage in the colliding-wind binary WR 140 (WC7pd+O4-5) . . . . .	210
<i>S.V. Marchenko, A.F.J. Moffat, K.P. Panov, W. Seggewiss, V.G. Zubko</i>	
Line-blanketing effects in atmospheres of O-type stars . . . . .	212
<i>F. Martins, D. Schaerer</i>	
X-ray line profiles from structured stellar winds . . . . .	214
<i>L.M. Oskinova, A. Feldmeier, W.-R. Hamann</i>	
A critical comparison of spectroscopic and evolutionary masses for O-type binary systems . . . . .	216
<i>L.R. Penny, D.R. Gies, W.G. Bagnuolo, J.H. Wise, A. Herrero, D.J. Stickland, C. Lloyd</i>	
In hot pursuit of the hidden companion of $\eta$ Carinae: an X-ray determination of the wind parameters . . . . .	218
<i>J.M. Pittard, M.F. Corcoran</i>	
The dominant X-ray wind in massive star binaries . . . . .	220
<i>J.M. Pittard, I.R. Stevens</i>	
High-resolution X-ray imaging of the colliding winds shock in WR 147 (WN8(h)+B0.5V) . . . . .	222
<i>J.M. Pittard, I.R. Stevens, P.M. Williams, A.M.T. Pollock, S.L. Skinner, M.F. Corcoran, A.F.J. Moffat</i>	

Long-term spectral variability of the O4If <sup>+</sup> star HD 15570 in the open cluster IC 1805 . . . . .	224
<i>V.F. Polcaro, R.F. Viotti, L. Norci, C. Rossi, P.R.J. Eenens, L.J. Corral</i>	
Clumps and shocks in the outer winds of hot stars . . . . .	226
<i>M. Runacres, S.P. Owocki</i>	
A gallery of cool hypergiants — imaging their circumstellar environments . . . . .	228
<i>M.T. Schuster, R.M. Humphreys, N. Smith, K. Davidson, R.D. Gehrz</i>	
Radio continuum observations of massive stars in open cluster NGC 6231 and the Sco OB1 association . . . . .	230
<i>D.Y.A. Setia Gunawan, J.M. Chapman, I.R. Stevens, G. Rauw, C. Leitherer</i>	
A search for the most massive stars in M 33 . . . . .	232
<i>O. Sholukhova, S.N. Fabrika, A.N. Burenkov</i>	
New neon-abundance results in Galactic WN and WC stars . . . . .	234
<i>J.-D.T. Smith</i>	
The stellar wind geometry of $\eta$ Carinae . . . . .	236
<i>N. Smith, K. Davidson, T.R. Gull, K. Ishibashi</i>	
<i>FUSE</i> observations of the SMC Wolf-Rayet binary Sand 1 (WO4+O4V): atmospheric eclipses and colliding winds . . . . .	241
<i>N. St-Louis, A.F.J. Moffat, S.V. Marchenko</i>	
High-resolution spectroscopy of two LBV cycles of HR Car . . . . .	243
<i>T. Szeifert, A. Kaufer, P.A. Crowther, O. Stahl, C. Sterken</i>	
B-type supergiants in the M 31 . . . . .	245
<i>C. Trundle, P.L. Dufton, D.J. Lennon, S.J. Smartt, M.A. Urbaneja</i>	
Dynamical simulations of magnetically channeled line-driven stellar winds . . . . .	247
<i>A. ud-Doula, S.P. Owocki</i>	
UV and optical quantitative spectroscopy of early B-type supergiants in M 33 . . . . .	249
<i>M.A. Urbaneja, A. Herrero, D.J. Lennon, F. Najarro, J. Puls, S.J. Smartt, R.-P. Kudritzki</i>	
Near-IR spectroscopic search for binary companions to dusty WC stars . . . . .	251
<i>W.P. Varricatt</i>	
Near-IR spectroscopic monitoring of WR 140 (WC7pd+O4-5) during the 2001 periastron passage . . . . .	253
<i>W.P. Varricatt, P.M. Williams, N.M. Ashok</i>	
Search for magnetic fields in A-type supergiants . . . . .	255
<i>E. Verdugo, A. Talavera, A.I. Gómez de Castro, H.F. Henrichs</i>	
Post-outburst polarimetry of the binary HD 5980 (O4-6/LBV+WN3): rapid density enhancements along the polar axis and equatorial plane . . . . .	257
<i>A. Villar-Sbaffi, A.F.J. Moffat, N. St-Louis</i>	

The winds of Luminous Blue Variables and the mass of AG Carinae . . .	259
<i>J.S. Vink, A. de Koter</i>	
Variable dust formation by the double-line spectroscopic binary WR 70 (HD 137603, WC9vd+B0I) . . . . .	261
<i>P.M. Williams, K.A. van der Hucht, F. Marang</i>	
FUSE far-ultraviolet spectroscopy of Wolf-Rayet stars . . . . .	263
<i>A.J. Willis, P.A. Crowther, J.B. Hutchings, A.W. Fullerton, K.R. Brownsberger, D.L. Massa, N.R. Walborn</i>	

## Part 2. INTERIORS OF MASSIVE STARS

### Section A. Recent evolutionary models for massive single and binary stars

*Chair: Gloria Koenigsberger*

The role of rotation and mass loss in the evolution of massive stars . . .	267
<i>A. Maeder, G. Meynet</i>	
On the evolution of massive close binaries . . . . .	275
<i>N. Langer, S. Wellstein, J. Petrovic</i>	
Instabilities in massive stars . . . . .	281
<i>S.P. Owocki</i>	
Testing convective mixing in massive stars . . . . .	291
<i>M.F. El Eid, P.J. Flower</i>	

### Section B. Massive single star and close binary evolution in different environments

Observed instabilities in OB and Wolf-Rayet stars . . . . .	296
<i>S.V. Marchenko</i>	
Massive star evolution in the Small Magellanic Cloud . . . . .	308
<i>D.J. Lennon</i>	
Observational constraints on massive star evolution . . . . .	316
<i>P. Massey</i>	

### Section C. Massive star evolution at very low to zero metallicity: Population III stars

Line driven winds, ionizing fluxes and UV-spectra of hot stars at extremely low metallicity . . . . .	325
<i>R.-P. Kudritzki</i>	
Evolution of zero-metallicity massive stars . . . . .	334
<i>P. Marigo, C. Chiosi, L. Girardi, R.-P. Kudritzki</i>	

Rotating stellar interior models at $Z = 10^{-5}$ and CNO yields for early galactic evolution . . . . .	341
<i>G. Meynet, A. Maeder</i>	

## **Section D. Pre-supernova phase, Type Ib, Type Ic and Type II supernova formation, collapsars**

*Chair: Virpi S. Niemela*

Searching for hydrogen in Type Ib supernovae, and for helium and hydrogen in Type Ic supernovae . . . . .	346
<i>D. Branch</i>	
The pre-supernova evolution of rotating massive stars . . . . .	357
<i>A. Heger, S.E. Woosley, N. Langer</i>	
Inventory of black hole binaries . . . . .	365
<i>J.A. Orosz</i>	
Distinction between distribution of masses of Wolf-Rayet stars and that of relativistic objects . . . . .	372
<i>A.M. Cherepashchuk</i>	
Explosions from stellar collapse . . . . .	377
<i>C.L. Fryer</i>	
Aspherical supernova explosions . . . . .	387
<i>P.A. Höflich, D. Baade, A.M. Khoklov, L. Wang, J.C. Wheeler</i>	
Hypernovae and their nucleosynthesis . . . . .	395
<i>K. Nomoto, K. Maeda, H. Umeda, T. Ohkubo, J. Deng, P. Mazzali</i>	

## **Section E. Poster papers Part 2**

Evolution of Wolf-Rayet stars in binary systems: analysis of distributions of masses and orbital eccentricities . . . . .	404
<i>A.M. Cherepashchuk, V.G. Karetnikov</i>	
Black hole formation preceded by a SN explosion or not: evidence from Galactic chemical evolution . . . . .	406
<i>E. De Donder, D. Vanbeveren</i>	
Influence of radiation pressure and wind momentum on mass transfer in massive binaries . . . . .	408
<i>L. Dessart, J. Petrovic, N. Langer</i>	
The evolution of close helium star to neutron star binaries . . . . .	410
<i>J.D.M. Dewi, O.R. Pols</i>	
On the modeling of the outflowing envelopes of massive evolved stars at arbitrary optical depths . . . . .	412
<i>A.V. Dorodnitsyn, G.S. Bisnovatyi-Kogan</i>	

Measuring the true supernova rate in galaxies . . . . .	414
<i>M.R. Kidger, F. Martín-Luis</i>	
Model atmospheres of massive zero-metal stars . . . . .	416
<i>E.J. Lentz, P.H. Hauschildt, J.P. Aufdenberg, E. Baron</i>	
Progenitor models of Wolf-Rayet binaries: short-period WNE+O binaries with mass ratios $q \simeq 0.5$ . . . . .	418
<i>J. Petrovic, N. Langer</i>	
A spectroscopic survey of the WNL population in the LMC: very preliminary results . . . . .	421
<i>O. Schnurr, A.F.J. Moffat, N. St-Louis, C. Foellmi, G. Skalkowski, M.M. Shara, V.S. Niemela, S. Vennes</i>	
Detecting the progenitors of core-collapse supernovae . . . . .	423
<i>S.J. Smartt</i>	
Discovery of narrow O VI emission from SN1987A . . . . .	425
<i>G. Sonneborn, P. Lundqvist, R.C. Iping, D.L. Massa</i>	
On the possibility of partial matter mixing in rotating massive stars . .	427
<i>E.I. Staritsin</i>	

## Part 3. LOCATION AND DISTRIBUTION OF MASSIVE STARS

### Section A. Distribution of massive stars, H II regions, open clusters and OB associations

*Chair: André Maeder*

Distribution of star-forming complexes and the structure of our Galaxy	431
<i>D. Russeil</i>	
The Galactic distribution of Wolf-Rayet stars: an optical and infrared approach . . . . .	441
<i>K.A. van der Hucht</i>	
Wolf-Rayet stars in Local Group starbursts . . . . .	451
<i>L. Drissen</i>	

### Section B. Massive stellar content in H II regions, including obscured giant H II regions

The stellar content of obscured Galactic giant H II regions . . . . .	458
<i>R.D. Blum</i>	
The stellar content of obscured compact H II regions . . . . .	467
<i>M.M. Hanson, L. Kaper, A. Bik, F. Comerón, J. Puls, A. Jokuthy, R.-P. Kudritzki</i>	
UCH II regions in extragalactic clusters and associations . . . . .	474
<i>K.E. Johnson</i>	

Nebular diagnostics of hot star atmospheres . . . . .	481
<i>G. Stasińska, D. Schaerer, C.J. Zeppen</i>	
<b>Section C. Massive stars at the Galactic Center</b>	
<i>Chair: Francesca Matteucci</i>	
Massive stars and the creation of our Galactic Center . . . . .	487
<i>D.F. Figer</i>	
Radio observations of Galactic Center massive stars . . . . .	497
<i>C.C. Lang</i>	
<b>Section D. From resolved to unresolved massive star populations</b>	
Cygnus OB2 at all wavelengths . . . . .	505
<i>J. Knödseder</i>	
Galactic starburst NGC 3603 from X-rays to radio . . . . .	515
<i>A.F.J. Moffat and the XMEGA consortium</i>	
M 82: starburst Rosetta Stone . . . . .	523
<i>N.M. Förster Schreiber, R. Genzel, D. Lutz, A. Sternberg</i>	
The very rich massive post-main-sequence star population of the open cluster Westerlund 1 . . . . .	531
<i>I. Negueruela, J.S. Clark</i>	
<b>Section E. Poster papers Part 3</b>	
Massive star population in circumnuclear star-forming regions . . . . .	537
<i>M. Álvarez-Álvarez, Á.I. Díaz, M. Castellanos</i>	
Synthetic UV spectra of starburst regions with massive close binaries . . . . .	539
<i>H. Belkus, J. Van Bever, D. Vanbeveren, W. van Rensbergen</i>	
On the ionizing source of the Flame Nebula (NGC 2024) . . . . .	541
<i>A. Bik, A. Lenorzer, L. Kaper, A. de Koter, R. Waters, F. Comerón, M.M. Hanson</i>	
Young open clusters in the Carina region . . . . .	543
<i>G. Carraro, P. Marigo, P. Ventura, M. Romaniello, F. Patat</i>	
Resolved and unresolved populations: statistics and synthesis models . . . . .	545
<i>M. Cerviño</i>	
Wolf-Rayet stars at 1–2 Mpc . . . . .	547
<i>P.A. Crowther, J.B. Abbott, L. Drissen, H. Schild, W. Schmutz, P. Royer, S.J. Smartt</i>	
The chaotic ISM of the post(?)-starburst galaxy NGC 1569 . . . . .	549
<i>R.J. Dufour, B.A. Buckalew, P.L. Shopbell, D.K. Walter</i>	

Young stellar populations in several photometric systems . . . . .	551
<i>L. Girardi, G. Bertelli, C. Chiosi, P. Marigo</i>	
A <i>HST</i> study of young massive star clusters in compact H II regions of the Magellanic Clouds . . . . .	553
<i>M. Heydari-Malayeri, V. Charmandaris, L. Deharveng, F. Mcynadier, M.R. Rosa, D. Schaerer, H. Zinnecker</i>	
A near-IR search for Galactic Wolf-Rayet stars . . . . .	555
<i>N.L. Homeier, R.D. Blum, P.S. Conti, A. Pasquali, A. Damineli</i>	
The Carina spiral feature — an investigation based on a complete magnitude-limited <i>wby</i> $\beta$ sample . . . . .	558
<i>N.T. Kaltcheva</i>	
A spectroscopic, photometric, and astrometric Galactic O-type star database . . . . .	560
<i>J. Maíz-Apellániz, N.R. Walborn</i>	
Triggered massive star formation in the open cluster NGC 1893 . . . . .	562
<i>A. Marco, I. Negueruela</i>	
Spectroscopic analysis of new-born massive stars in SMC N 81 . . . . .	564
<i>F. Martins, D. Schaerer, M. Heydari-Malayeri</i>	
Metallicity and binarity in WC and WO stars . . . . .	566
<i>L. Norci, V.F. Polcaro, R.F. Viotti</i>	
Synthetic X-ray emission from starburst regions . . . . .	568
<i>L. Norci, E.J.A. Meurs</i>	
Wolf-Rayet populations in starburst galaxies . . . . .	570
<i>R.P.F. Norris, L.J. Smith, P.A. Crowther</i>	
Classification of Wolf-Rayet stars in NGC 595 in M 33 through high-spatial resolution observations . . . . .	572
<i>P. Royer, I. Lundström, J.-M. Vreux</i>	
Hidden star clusters in the starburst galaxy He2-10 . . . . .	574
<i>W.D. Vacca, K.E. Johnson, P.S. Conti</i>	
The impact of close binary evolution on the properties of the WR-bump emission-lines of Wolf-Rayet galaxies . . . . .	576
<i>J. Van Bever, D. Vanbeveren</i>	
A <i>HST</i> imaging survey of a sample of 61 Galactic Wolf-Rayet stars — the WC8-9 subsample . . . . .	578
<i>D.J. Wallace, A.F.J. Moffat, M.M. Shara, D.R. Gies, V.S. Niemela, E. Nelan</i>	
The Local Group census: IC-10 . . . . .	581
<i>S.A. Wright, R. Greimel, D.J. Lennon, R.L.M. Corradi, N.A. Walton</i>	

## Part 4. FEEDBACK FROM MASSIVE STARS

### Section A. Environment of massive stars

*Chair: Allan J. Willis*

- Ring nebulae around massive stars throughout the Hertzsprung-Russell diagram . . . . . 585  
*Y.-H. Chu*
- Radio observations of interstellar bubbles surrounding massive stars . . . 596  
*C.E. Cappa, E.M. Arnal, S. Cichowolski, W.M. Goss, S. Pineault*
- New line-blanketed model atmospheres and their impact on synthesis models . . . . . 604  
*L.J. Smith, R.P.F. Norris, P.A. Crowther*

### Section B. Massive star induced galactic outflows

- Recent progress in understanding the hot and warm gas phases in the halos of star-forming galaxies . . . . . 612  
*D.K. Strickland, T.M. Heckman, E.J.M. Colbert, C.G. Hoopes, K.A. Weaver*
- Dispersal of massive star products and consequences for galactic chemical evolution . . . . . 620  
*M.S. Oey*
- Outflows from ellipticals: the role of supernovae . . . . . 630  
*F. Matteucci, A. Pipino*
- Feedback of massive stars on the ISM: a *XMM-Newton* view of the superbubble N 51D . . . . . 637  
*D.J. Bomans, J. Rossa, K. Weis, K. Dennerl*

### Section C. Understanding unresolved massive star populations

*Chair: Artemio Herrero*

- The massive star Initial Mass function . . . . . 642  
*D. Schaerer*
- Massive stellar populations in the infrared . . . . . 652  
*C. Leitherer*
- Massive stars in low-redshift galaxies . . . . . 663  
*M.-A. Treyer*

### Section D. Massive stars at high redshifts

- Massive star populations in Lyman break galaxies . . . . . 671  
*M. Pettini, S.A. Rix, C.C. Steidel, A.E. Shapley, K.L. Adelberger*



QSO absorption lines, winds, and the high-redshift intergalactic medium	681
<i>R.F. Carswell</i>	
Re-ionization of the IGM — massive stars <i>versus</i> QSOs . . . . .	687
<i>P. Madau</i>	
<b>Section E. Poster papers Part 4</b>	
Integrated photometric and spectroscopic properties of massive stellar clusters in Wolf-Rayet galaxies . . . . .	696
<i>B.A. Buckalew, R.J. Dufour, H.O. Castañeda</i>	
On the ionizing populations in GEHRs: unveiling integrated properties from the analysis of the Wolf-Rayet population . . . . .	698
<i>M. Castellanos, Á.I. Díaz, E. Terlevich</i>	
The interstellar medium local to HD 10125 (O9.7II) . . . . .	700
<i>S. Cichowski, E.M. Arnal, C.E. Cappa, S. Pineault, N. St-Louis</i>	
Abundance ratios in star-forming galaxies: clues to galaxy evolution . .	702
<i>T. Contini, M.-A. Treyer, M. Mouhcine</i>	
Massive stars in galaxies at high redshift: SMM J 14011+0252 . . . . .	704
<i>D.F. de Mello, T. Wiklind, C. Leitherer</i>	
Gamma-rays from massive stars in Cygnus and Orion . . . . .	706
<i>R. Diehl, K. Kretschmer, S. Plüschke, M. Cerviño, D.H. Hartmann</i>	
Evolution of supernovae in the winds of massive stars . . . . .	710
<i>V.V. Dwarkadas</i>	
Mrk 1087: a puzzling suspected Wolf-Rayet galaxy . . . . .	712
<i>C. Esteban, Á.R. López-Sánchez, M. Rodríguez</i>	
The Wolf-Rayet population in the galaxy CTS 1026 . . . . .	714
<i>G. Gräfener, L. Koesterke, W.-R. Hamann</i>	
CFHT F-P 2D spectroscopy in H $\alpha$ of the ejected Wolf-Rayet ring nebula M1-67: universal multifractal analysis and turbulent status . . . .	716
<i>Y. Grosdidier, A.F.J. Moffat, S. Blais-Ouellette, G. Joncas, A. Acker</i>	
An X-ray survey of Wolf-Rayet stars in the Magellanic Clouds . . . . .	718
<i>M.A. Guerrero Roncel, Y.-H. Chu</i>	
A <i>Chandra</i> study of the morphological structure of the Wolf-Rayet dwarf starburst galaxy NGC 4214 . . . . .	720
<i>J.M. Hartwell, I.R. Stevens, D.K. Strickland, T.M. Heckman</i>	
Physical conditions in H II galaxies . . . . .	722
<i>C. Kehrig, E. Telles, F. Cuisinier</i>	
Measuring the evolution of H II and starburst galaxies . . . . .	724
<i>J.R.S. Leão, R.R. Lacerda, R. Cid Fernandes Jr.</i>	

Physical properties of low-luminosity galaxies at $z \approx 2$ . . . . .	726
<i>M. Lemoine-Busserolle, T. Contini, R. Pelló, J.-F. Le Borgne, J.-P. Kneib, C. Lidman</i>	
The ionized gas in and around the Wolf-Rayet galaxy NGC 1741 . . . . .	728
<i>Á.R. López-Sánchez, C. Esteban, M. Rodríguez</i>	
Chemical abundances of the H II regions NGC 5461 and NGC 5471 in M 101, derived from echelle spectrophotometry . . . . .	730
<i>V. Luridiana, C. Esteban, M. Peimbert, A. Peimbert</i>	
Molecular gas around the Wolf-Rayet star WR 18 (WN4) . . . . .	732
<i>A.P. Marston</i>	
Ultraviolet spectra of star-forming galaxies with time-dependent dust obscuration . . . . .	734
<i>L.P. Martins, C. Leitherer, D. Calzetti</i>	
Modeling the strings in the outer regions of $\eta$ Carinae . . . . .	736
<i>M.P. Redman, J. Meaburn, A.J. Holloway</i>	
Interaction between OB stars and the interstellar medium . . . . .	738
<i>M. Relaño Pastor, J.E. Beckman, M. Rozas</i>	
Shocked CO and $^{13}\text{CO}$ around Wolf-Rayet ring nebulae . . . . .	740
<i>J.R. Rizzo, J. Martín-Pintado, J.F. Desmurs</i>	
Complex molecules in Wolf-Rayet ring nebula NGC 2359 . . . . .	742
<i>J.R. Rizzo, J. Martín-Pintado, J.F. Desmurs</i>	
Synthetic high-resolution line spectra of star-forming galaxies below 1200 Å, based on <i>FUSE</i> spectral libraries of hot stars . . . . .	744
<i>C. Robert, A. Pellerin, A. Aloisi, C. Leitherer, C.G. Hoopes, T.M. Heckman</i>	
Towards observations of Population III galaxies . . . . .	747
<i>D. Schaerer, R. Pelló</i>	
A spectroscopic analysis of the Trapezium Cluster stars . . . . .	749
<i>S. Simón-Díaz, A. Herrero, C. Esteban</i>	
<i>Chandra</i> observations of the dwarf starburst and Wolf-Rayet galaxies NGC 4449 and NGC 5253 . . . . .	751
<i>L.K. Summers, I.R. Stevens, D.K. Strickland, T.M. Heckman</i>	
Spectrophotometry of six high-excitation compact H II regions in the Magellanic Clouds . . . . .	753
<i>G. Testor</i>	
The stellar population in the dwarf starburst galaxy NGC 1705 . . . . .	755
<i>G.A. Vázquez, C. Leitherer, D. de Mello, T.M. Heckman, G.R. Meurer, C.L. Martin, K.R. Sembach</i>	
LBV (candidate) nebulae: bipolarity and outflows . . . . .	757
<i>K. Weis</i>	

A high-resolution study of $\eta$ Carinae's outer ejecta . . . . .	759
<i>K. Weis, M.F. Corcoran, K. Davidson, R.M. Humphreys</i>	
 <b>Part 5. ENDING THE SYMPOSIUM</b>	
Summary of the Symposium . . . . .	763
<i>P.S. Conti</i>	
 <b>Part 6. REPORTS ON SPECIAL SESSIONS</b>	
Special session on the masses of the most massive stars and the $\Omega$ limit . . . . .	773
<i>A.F.J. Moffat, J. Puls</i>	
Special session on recent advances in nebular diagnostics . . . . .	777
<i>D. Schaerer, P.A. Crowther, M.S. Oey</i>	
 Author index . . . . .	 781
Object index . . . . .	785