cambridge.org/par

# **Research Article**

Cite this article: Eamsobhana P, Tungtrongchitr A, Yong H-S, Prasartvit A, Wanachiwanawin D, Gan X-X (2021). Sandwich dot-immunogold filtration assay (DIGFA) for specific immunodiagnosis of active neuroangiostrongyliasis. *Parasitology* **148**, 234–239. https://doi.org/10.1017/ S0031182020001894

Received: 7 April 2020 Revised: 20 September 2020 Accepted: 23 September 2020 First published online: 2 October 2020

#### Key words:

Angiostrongylus cantonensis; sandwich dotimmunogold filtration assay; DIGFA; antigen detection; 31-kDa antigen; active angiostrongyliasis

#### Authors for correspondence:

Praphathip Eamsobhana, E-mail: praphathip. eam@mahidol.ac.th; Anchalee Tungtrongchitr, E-mail: anchalee@tun@mahidol.ac.th

© The Author(s) 2020. Published by Cambridge University Press



# Sandwich dot-immunogold filtration assay (DIGFA) for specific immunodiagnosis of active neuroangiostrongyliasis

Praphathip Eamsobhana<sup>1</sup>, Anchalee Tungtrongchitr<sup>1</sup>, Hoi-Sen Yong<sup>2</sup>, Anchana Prasartvit<sup>3</sup>, Darawan Wanachiwanawin<sup>1</sup> and Xiao-Xian Gan<sup>4</sup>

<sup>1</sup>Department of Parasitology, Faculty of Medicine Siriraj Hospital, Mahidol University, Bangkok, Thailand; <sup>2</sup>Institute of Biological Sciences, Faculty of Science, University of Malaya, Kuala Lumpur, Malaysia; <sup>3</sup>Department of Disease Control, Ministry of Public Health, Nonthaburi, Thailand; and <sup>4</sup>Institute of Parasitic Diseases, Zhejiang Academy of Medical Sciences, Hangzhou, Zhejiang, P.R. China

### Abstract

Serological tests may yield false-negative results for specific antibodies detection before or at the early seroconversion phase. Tests that detect circulating antigens of Angiostrongylus cantonensis would therefore be of value in diagnosis to distinguish current or past infection. Here, a quick, easy to perform, portable and inexpensive diagnostic device for detection of 31-kDa A. cantonensis specific antigens had been developed. This sandwich dot-immunogold filtration assay (AcDIGFA<sup>Ag</sup>), for detecting active angiostrongyliasis was produced using anti-A. cantonensis polyclonal antibody dotted on the nitrocellulose membrane as a capture agent and colloidal gold-labelled anti-31 kDa A. cantonensis antibody as a detection agent. A well-defined pink dot, indicating positivity, was seen readily by naked eye within 10-15 min. The AcDIGFA<sup>Ag</sup> detected A. cantonensis-specific antigens in cerebrospinal fluid samples from 4 out of 10 serologically confirmed angiostrongyliasis cases and 2 out of 5 suspected cases with negative anti-A. cantonensis antibodies. Among the 19 patient sera with A. cantonensis infection, 2 showed positive reaction by AcDIGFA<sup>Ag</sup>. No positive AcDIGFA<sup>Ag</sup> reaction was observed in all the serum samples with other parasitic diseases, and the healthy controls. The present 'AcDIGFA<sup>Ag,</sup> enables rapid qualitative detection of the specific 31-kDa antigens of A. cantonensis in clinical samples with potential for application even under resourcelimited settings.

## Introduction

The food-borne zoonotic nematode *Angiostrongylus cantonensis* has been recognized as the most common cause of eosinophilic meningitis and/or eosinophilic meningoencephalitis in humans (Cross and Chen, 2007). Rodents are the definitive host while molluscs are the intermediate host. Humans are accidental host where transmission is through eating infected undercooked snails, or other infected paratenic hosts such as freshwater prawns, crabs, frogs or monitor lizards as well as poorly cleaned contaminated vegetables (Cross and Chen, 2007; Wang *et al.*, 2008, 2012; Eamsobhana, 2015). Typical clinical manifestations of central nervous system (CNS) angiostrongyliasis include severe headache, neck stiffness/nuchal rigidity and paresthesias (Wang *et al.*, 2008; Graeff-Teixeira et al., 2009).

*A. cantonensis* is endemic in Asia and the Pacific islands where most cases of human infection have occurred. In recent years, the parasite has spread from its recognized endemic areas to the American continent including the USA, Brazil and Caribbean islands, and the incidence of human infection has increased rapidly (Wang *et al.*, 2008, 2012; Eamsobhana, 2015; Barratt *et al.*, 2016). Angiostrongyliasis is of an increasing public health risk as globalization contributes to the geographical spread and more international travellers encounter the disease. The rapid global spread of *A. cantonensis* and the emerging occurrence of the infection pose challenges in clinical and laboratory diagnosis.

Suspected cases of *A. cantonensis* infection can only be confirmed by isolation of the nematodes in cerebrospinal fluid (CSF) or eye chamber of the infected individuals, but this finding is rare. A presumptive diagnosis is primarily based on clinical characters, specific eating habits, peripheral blood eosinophilia and serological testing (Wang *et al.*, 2008, 2012; Eamsobhana, 2015). Currently, the immunological diagnosis of human infection to detect specific *A. cantonensis* antibodies/antigens remains problematic because there are no commercially available validated tests. Most laboratories in endemic areas still use domestically prepared tests such as the enzyme-linked immunosorbent assay (ELISA) or immunoblotting. The utilization of immunodiagnostic tests based on enzyme immunoassay format requires long reaction time and involves multiple biochemical reagent steps. Therefore, it has been confined to laboratories equipped with tools and devices for performing the analyses. Development of a more reliable user-friendly test to support the clinical diagnosis of eosinophilic meningitis/meningoencephalitis due to *A. cantonensis* is still needed towards the improvement of laboratory diagnosis for large-scale field application and in clinical laboratories.

The 31-kDa glycoprotein antigen of A. cantonensis has been used in immunoblotting as a diagnostic marker for differential diagnosis of human angiostrongyliasis with very high sensitivity and specificity (Eamsobhana and Yong, 2009; Eamsobhana, 2015). Recently, a more rapid non-enzymatic, dot-immunogold filtration assay (DIGFA), or flow-through immunoassay, using purified 31-kDa antigen to detect specific antibody against A. cantonensis has been developed and applied to detect specific anti-A. cantonensis antibodies from angiostrongyliasis patients, with diagnostic sensitivity and specificity of 100% (Eamsobhana et al., 2014). The test has been proven to be useful for the parasite endemic regions in Thailand (Eamsobhana et al., 2015). Although our current established AcDIGFA for detecting specific A. cantonensis antibodies has the advantages of simplicity, rapidity and without the use of specific/expensive equipment, it cannot confirm/detect active/acute A. cantonensis infection which is very much required for the patient management. False-negative results for specific antibodies detection occur before or at the early seroconversion phase of infection. Therefore, tests that detect circulating antigens of A. cantonensis would be of value in individual diagnosis to distinguish past or current infection. In the present work, a rapid, portable, easy-to-use, and low cost test (based on the vertical flow-through immunoassay), namely 'AcDIGFA<sup>Ag</sup> Test', for detection of 31-kDa A. cantonensis specific antigens was established and assessed in the Parasitology Laboratory at Siriraj Hospital, Bangkok.

#### **Materials and methods**

Rabbit immune sera against crude somatic extracts and purified 31-kDa glycoprotein of A. cantonensis were produced according to the standard protocol (Eamsobhana, 1994; Eamsobhana et al., 1997, 2001). They were aliquoted and kept at -70°C. The hyper-immune sera used in the present study were those collected 2 weeks after the last immunizing dose. Previous immunoblot analysis had shown that the crude A. cantonensis extracts were recognized by both the polyclonal antibodies to A. cantonensis soluble proteins and purified 31-kDa glycoprotein. Anti-A. cantonensis polyclonal antibody reacted with multiple proteins, including the 31-kDa antigenic protein, whereas the anti-31 kDa antibody reacted strongly as a broad, reactive band with a molecular mass of about 31 kDa. Both the anti-A. cantonensis and anti-31 kDa A. cantonensis immune sera were retrieved and purified using Melon IgG Spin Purification Kit (Thermo Scientific, MA) according to the manufacturer's instructions. After purification, the viability of both the purified rabbit antibodies was confirmed to ensure the test performance. From immunoblotting, crude A. cantonensis extracts were recognized by both the purified polyclonal antibodies to crude soluble A. cantonensis proteins and 31-kDa glycoprotein to reveal respective band/s. The purified anti-A. cantonensis IgGs were used as an antigen-captureantibody, while the purified anti-31 kDa A. cantonensis IgGs were used for colloidal gold-labelling as a detection agent.

From CSF specimens submitted to the Parasitology Laboratory, Department of Parasitology, Faculty of Medicine Siriraj Hospital, Bangkok, Thailand, for routine antibody testing (ELISA and/or immunoblot) of tissue-invading parasites, i.e., *Gnathostoma spinigerum, A. cantonensis* and *Taenia solium* metacestodes, 20 CSF samples were used for the present assessment. These CSF specimens were from clinically diagnosed cases with positive immunoblot tests for the presence of a 31-kDa band specific for *A. cantonensis* (n = 10; designated as CSF1–10) and clinically suspected cases with negative immunoblot tests for *A. cantonensis* infection (n = 5; CSF11–15). CSF samples (representing other clinically related parasitic infections) with positive immunoblot tests showing a 24-kDa band specific for *G. spinigerum* (n = 2; CSF16 and CSF17) and with ELISA-positive cases of T. solium neurocysticercosis (n = 3; CSF18–20) were included in the study. The CSF specimens were kept at -70°C after the initial routine immunological investigations. Additionally, a total of 97 sera - 19 samples from clinically diagnosed patients with detectable A. cantonensisspecific antibody in immunoblotting; 43 samples from patients with other parasitic diseases, i.e. gnathostomiasis (n = 13), toxocariasis (n = 2), trichinellosis (n = 2), hookworm infection (n = 4), filariasis (n = 5), cysticercosis (n = 9), paragonimiasis (n = 2), opisthorchiasis (n = 3), and malaria (n = 3); and 35 samples from normal healthy subjects were used for evaluation testing. All these patient sera were from the reference serum stock collected from the left-over clinical samples. This set of archived serum samples kept at  $-70^{\circ}$ C had been retrieved and tested by AcQuick<sup>Dx</sup> to detect the 31-kDa specific antibody against A. cantonensis (Eamsobhana et al., 2018) and was re-tested in this study using AcDIGFA<sup>Ag</sup> to detect the 31-kDa A. cantonensis antigen. The use of stored left-over clinical samples for this study was approved by the Director of Siriraj Hospital, Faculty of Medicine Siriraj Hospital, Mahidol University.

The vertical flow-through test device, designated AcDIGFA<sup>Ag</sup>, to allow rapid antigen-antibody reaction was assembled and used as per the original design of the study group (Institute of Parasitic Diseases, Zhejiang Academy of Medical Sciences, Hangzhou, PR China). The purified polyclonal antibodies against A. cantonensis  $(1.0 \text{ mg mL}^{-1})$  was dotted  $(0.5 \,\mu\text{L dot}^{-1})$  onto a 0.45- $\mu$ m pore size nitrocellulose membrane (NCM) (Bio-Rad Laboratories, Richmond, California). Furthermore, the membrane was blocked with 1% (w/v) bovine serum albumin (BSA) in wash buffer [0.1 M phosphate buffer, pH 6, containing 0.9% (w/v) NaCl and 0.1% (v/v) Tween 20] and incubated at 37°C for 1 h. The dried membrane was laid on the top of water-absorbing pads over the test hole of a flow-through cassette, comprising a rectangular plastic box  $(30 \text{ mm} \times 40 \text{ mm} \times 6 \text{ mm})$  with a test hole (diameter 10 mm) cut into the centre of the lid (Fig. 1).

The colloidal gold-labelled anti-31 kDa *A. cantonensis* polyclonal antibody was prepared according to the standard method by Serve Science Co., Ltd, Bangkok, Thailand. This anti-31 kDa *A. cantonensis* polyclonal antibody-coated colloidal gold probe was stored at 4°C.

The *Ac*DIGFA<sup>Ag</sup> Test was performed at room temperature. At first, one drop (about  $50\,\mu$ L) of 2% BSA in Tris buffer (140 mM NaCl, 10 mM Tris–HCl, pH 7.4) was applied to the centre of the device test hole onto the NCM in the well to activate the membrane. Then,  $25\,\mu$ L of test CSF/serum was dripped slowly into the test hole until completely infiltrated. The membrane was subsequently washed with a drop of Tris buffer. After washing, one drop of the gold-labelled anti-31 kDa *A. cantonensis* polyclonal antibody conjugate was added and allowed to be absorbed through the membrane. This was followed by a final wash with a drop of Tris washing buffer. The appearance of a reddish dot in the hole-opening indicated a positive result (Fig. 2). Each CSF/serum sample was tested twice to confirm the reproducibility of the results.

#### **Results and discussion**

Various circulating antigens of *A. cantonensis* in human angiostrongyliasis sera and CSF (and sera of infected animals) had been demonstrated by sandwich ELISA (Eamsobhana *et al.*, 1995, 1997; Chye *et al.*, 1997; Chen *et al.*, 2011), dot-blot ELISA (Eamsobhana *et al.*, 1997), enzyme-linked fluorescent assay (Shih and Chen, 1991), lateral flow immunoassay (Chen *et al.*, 2016), ELISA and Western blotting (Liang *et al.*, 2005).

In the present study, positive *Ac*DIGFA<sup>Ag</sup> Test with welldefined, positive pink dots was detected in four (CSF2, CSF3,



**Fig. 1.** The configuration of flow-through DIGFA device. (A) Whole device filled with water-absorbing pads and a porous nitrocellulose membrane coated with antibodies laid on the top; (B) support box; (C) box cover with a hole-opening.

CSF5 and CSF7) of the 10 CSF samples from patients showing clinical criteria of eosinophilic meningitis and positive results for a 31-kDa *A. cantonensis*-specific immunoblot band, and two (CSF12 and CSF15) of 5 CSF samples from cases with clinical features of infection, but were negative for *A. cantonensis*-specific antibodies (Fig. 3). The specificity of the *Ac*DIGFA<sup>Ag</sup> Test was demonstrated by the absence of the positive colour dots in the CSF16 and CSF17) and neurocysticercosis (CSF18, CSF19 and CSF16 and CSF17) and neurocysticercosis (CSF18, CSF19 and CSF20). Among 19 patient sera with *A. cantonensis* infection, two (Ac-7 and Ac-15) showed a positive reaction by *Ac*DIGFA<sup>Ag</sup> with visible pale pink dots (Fig. 4). No positive *Ac*DIGFA<sup>Ag</sup> reaction was observed in the other 17 sera with angiostrongyliasis as well as 78 sera with other parasitic diseases, and the healthy control subjects.

In recent years, more and more on-site, gold-based immunological techniques based on vertical flow assay (DIGFA) and lateral flow assay (immunochromatographic test (ICT)) are gaining interest in the area of clinical diagnostics for infectious diseases as a rapid, low-tech robust assay for applications at point-of-care settings, and in remote and/or resource-poor environment (Jiang *et al.*, 2019). In comparison with ICT, DIGFA is more economical to prepare to make its use potentially attractive in developing countries. In this work, DIGFA was chosen instead of ICT because the manufacturing of lateral flow chromatographic strip requires expensive equipment; whereas DIGFA device is cheaper and easier to manufacture by hand compared with ICT devices. DIGFA device consists of only a porous membrane (where specific reagents are immobilized) and an absorbent pad, put together into a plastic cassette (Fig. 1).

Theoretically, monoclonal antibodies (MAbs) with defined specificities can be used as immunodiagnostic reagents for the detection of specific parasite antigens during the active phase of the disease. In our previous work, a specific AW-3C2 MAb was evaluated in sandwich and dot-ELISA with 100% specificity to detect specific A. cantonensis circulating antigen in serum samples of CNS angiostrongyliasis patients (Eamsobhana et al., 1995, 1997). Despite its high specificity, the use of the AW-3C2 MAb did not help to achieve the required sensitivity in real clinical samples and so the developed tests had little practical importance. Recently, a rapid test based on lateral flow immunoassay using 2 specific MAbs (12D5C12 and 21B7B11) has been described with high diagnostic sensitivity (91.1%) and specificity (100%) to detect circulating antigens of A. cantonensis in sera and CSF of patients with eosinophilic meningoencephalitis (Chen et al., 2016). Moreover, the molecular approach that targets genetic sequences of A. cantonensis can also assist an early aetiologic diagnosis. A DNA-based diagnostic technique that relies on polymerase chain reaction (PCR) to amplify and detect specific DNA molecules has been successfully applied to detect A. cantonensis DNA in CSF in 4 out of 10 immunoblot-positive test samples (Eamsobhana et al., 2013). Although detection of parasite DNA



Fig. 2. AcDIGFA<sup>Ag</sup> Test with positive and negative results.

in clinical specimens can provide an early detection of the disease, PCR requires bulky and expensive equipment and trained personnel to operate, as well as time-consuming (Verweij and Stensvold, 2014). Currently, driven by a prospect for more rapid, inexpensive, on-site and portable testing, a sandwich DIGFA (designated '*Ac*DIGFA<sup>Ag'</sup>) to detect circulating 31-kDa *A. cantonensis*-specific antigens was developed in the present work for diagnosis of active/current infection.

The specific 31-kDa glycoprotein antigen has been shown earlier to be specific for angiostrongyliasis cantonensis patients (Eamsobhana and Yong, 2009; Wilkins et al., 2013). It has been suggested to be a potential immunological marker of early infection since this 31-kDa antigen is a component of A. cantonensis excretory/secretory products (Eamsobhana and Dechkum, 2000). Detection of anti-31 kDa A. cantonensis antibody produced in response to the parasite infection could be performed on serum specimens using our earlier developed AcDIGFA Test (Eamsobhana et al., 2014, 2015). Nevertheless, in our preliminary test, the same antibody-positive serum set from this group of patients did not have detectable levels of circulating A. cantonensis antigens using the present established AcDIGFAAg Test - all revealed negative test results (data not shown). The explanation for the discordance is likely to be that this batch of samples might be collected during the late phase of the disease, and that the A. cantonensis antigen levels may be masked by circulating antibodies and/or cleared from the circulation. Detection of antigen has the potential to become positive for the active clinical stage of infection earlier than serology or prior to the antibody development.

In this study using a set of patient sera from the reference stock revealed 2 out of 19 angiostrongyliasis serum samples to be positive by AcDIGFA<sup>Ag</sup> Test. This set of archived serum samples had been successfully tested by AcQuick<sup>Dx</sup> to detect the 31-kDa specific antibody against *A. cantonensis* with 100% sensitivity and 98.72% specificity (Eamsobhana *et al.*, 2018). A tentative explanation of the low sensitivity of AcDIGFA<sup>Ag</sup> in this study could possibly be due to relevant amounts of circulating antigens and antibodies forming antigen–antibody complexes, which may inhibit the detection of antigens in the sera. Nevertheless, all 78 sera from patients with gnathostomiasis, toxocariasis, trichinellosis, hookworm infection, filariasis, cysticercosis, paragonimiasis, opisthorchiasis, malaria, and samples from normal healthy subjects, tested for potential cross-reactions were all AcDIGFA<sup>Ag</sup> negative indicating a high specificity of the AcDIGFA<sup>Ag</sup> Test for detection of circulating *A. cantonensis* antigens.

CSF is a common type of sample available from patients with suspected cerebral angiostrogyliasis. In our previous report using a genus-specific, standard PCR for the detection of parasite DNA followed by sequencing analysis, we found *A. cantonensis* DNA in



**Fig. 3.** The *AcDIGFA<sup>Ag</sup>* detection results of 20 CSF samples from clinically diagnosed cases with positive immunoblot test for the presence of a 31-kDa band specific for *A. cantonensis* (CSF1–10), clinically suspected cases with negative immunoblot test for *A. cantonensis* infection (CSF11–15), and CSF samples with positive immunoblot test showing a 24-kDa band specific for *G. spinigerum* (CSF16 and CSF17), and with ELISA-positive cases of *T. solium* neurocysticercosis (CSF18–20). The pink dot in the centre of the opening indicates a positive sample (CSF2, CSF3, CSF7, CSF12 and CSF15), compared with a negative sample (CSF1, CSF4, CSF6, CSF8–11, CSF13, CSF14 and CSF16–20) without a pink dot.

CSF specimens from 4 out of 10 serologically confirmed CNS angiostrongyliasis cases (Eamsobhana et al., 2013). Since the somatic and metabolic antigens of A. cantonensis are more abundant in human CSF than in the serum, the same batch of these clinical CSF samples was retested to assess the validity of the AcDIGFA<sup>Ag</sup> Test. The two methods agreed well for all the positive-PCR samples analysed. Four out of the 10 CSF samples with serologically confirmed angiostrongyliasis were detected to be both positive by the A. cantonensis PCR amplification and AcDIGFAAg Test. The difference is that AcDIGFA<sup>Ag</sup> could confirm 2 additional positive cases from 5 samples with only clinical criteria of eosinophilic meningitis, but were negative for A. cantonensis-specific antibodies, whereas PCR did not reveal any amplified 280-base pairs reactive/diagnostic band in all the 5 patients (Eamsobhana et al., 2013). These 2 positive samples from eosinophilic meningitis patients might be obtained during the active clinical stage of A. cantonensis infection without the production of antibodies. Based

on our results, the positivity rate to detect *A. cantonensis* antigens by *Ac*DIGFA<sup>Ag</sup> was greater than the detection rate of *A. cantonensis* DNA using a genus-level standard PCR. This is most likely due to a low detection limit of the conventional PCR method. Nevertheless, the present study showed that *Ac*DIGFA<sup>Ag</sup> exhibited a similar diagnostic specificity as the conventional PCR test since no positive test results were observed with CSF samples from other clinically related patients with cerebral gnathostomiasis and neurocysticercosis.

Nonetheless, this study is limited by the fact that neither the *Ac*DIGFA<sup>Ag</sup> Test nor the previously reported PCR–DNA sequencing method (Eamsobhana *et al.*, 2013) could detect circulating *A. cantonensis* antigens/DNA in CSF samples from all 10 patients with serologically confirmed angiostrongyliasis (with a 31-kDa *A. cantonensis*-specific immunoblot band). It should be pointed out that, in the present study, only well-defined coloration dot has been considered as positive. The development of very light



**Fig. 4.** AcDIGFA<sup>Ag</sup> Test results of the two positive serum samples (Ac-7 and Ac-15) for the detection of specific antigens against the 31-kDa antibodies of *A. cantonensis*.

coloration of the dot by AcDIGFA<sup>Ag</sup> has been considered negative; it may, however, suggest the presence of Angiostrongylus antigens in very low quantity. The initial data (not shown) from our laboratory showed that the minimal readable concentration of the A. cantonensis antigens in phosphate-buffered saline was around  $0.01 \,\mu g \,\mathrm{mL}^{-1}$ . Since the method is semi-quantitative, the interpretation of results may be difficult when the antigen concentration of the test sample is close to the cut-off level. Moreover, circulating A. cantonensis antigen has the potential to be present in the acute phase of the disease, prior to the development of antibodies. It is likely that these clinical samples might be obtained in the late phase of infection, and the parasite antigens are degraded and/or cleared from the circulation/CSF. Consequently, additional CSF samples from A. cantonensis-infected patients for whom complete clinical data are available should be evaluated. Likewise, the lack of DNA amplification in 6 out of 10 patients, despite parameters suggesting a high probability of A. cantonensis infection, may represent false-negative results (Eamsobhana et al., 2013). It is possible that the detection rate of parasite DNA in the CSF could be greater using more sensitive PCR-based methods, such as real-time PCR assay (Qvarnstrom et al., 2016). Additionally, data from these studies also support a growing body of evidence that to accurately diagnose CNS angiostrongyliasis, the results of at least two standardized tests with different principles should be coincidently positive. If a discrepancy occurs with a positive and a negative test, a third test should be conducted to confirm or rule out infection.

In conclusion, it is apparent that our developed AcDIGFA<sup>Ag</sup> Test holds considerable promise for the rapid detection of active A. cantonensis infection (circulating antigens in the sera) in humans. The assay does not require any sophisticated/specific instruments and can be applied with ease. It is therefore most adaptable for use in the field. More importantly, the availability/ use of rapid diagnostic test 'AcDIGFA's, that detects circulating A. cantonensis antigen in the patient sera (acute infection phase), together with the earlier reported 'AcDIGFA' (Eamsobhana et al., 2014) for A. cantonensis antibody detection (late infection phase) will render a more accurate diagnosis that substantially improves the quality of care and treatment in an infected patient with A. cantonensis. Nonetheless, due to difficulty in obtaining the confirmed cases at an early stage of Angiostrongylus infection, the present study was based on a rather small number of samples from patients. Therefore, further evaluation with a greater panel of clinical CSF as well as serum samples for its diagnostic value is warranted.

Acknowledgements. The authors thank the Director of the Siriraj Hospital, Faculty of Medicine Siriraj Hospital, Mahidol University for permission to publish this research work. We also thank Nuntiya Monkong and Suphaluck Wankhom for assistance in the retrieval of CSF samples kept at the Department of Parasitology, Siriraj Hospital, and Sudarat Boonyong for her help with antibody purification. The constructive comments and valuable suggestions from the editor and two anonymous reviewers have helped to improve this manuscript.

**Ethical standards.** This study was approved by the Ethics Committee of the Faculty of Medicine Siriraj Hospital, Mahidol University (Si369/2015).

**Financial support.** This study was supported in part by the Department of Disease Control, Ministry of Public Health, Thailand, and the University of Malaya (YHS: grant H-5620009).

**Conflicts of interest.** None of the authors have any conflict of interest in this study.

### References

- Barratt J, Chan D, Sandaradura I, Malik R, Spielman D, Lee R, Marriott D, Harkness J, Ellis J and Stark D (2016) Angiostrongylus cantonensis: a review of its distribution, molecular biology and clinical significance as a human pathogen. Parasitology 143, 1087–1118.
- Chen MX, Wang K, Ai L, Yan WH, Peng L and Zhang RL (2011) Development of a double antibody sandwich ELISA assay for the diagnosis of angiostrongyliasis. *Journal of Parasitolpgy* **97**, 721–724.
- Chen MX, Chen JX, Chen SH, Huang DN, Ai L and Zhang RL (2016) Development of lateral flow immunoassay for antigen detection in human Angiostrongylus cantonensis infection. Korean Journal of Parasitology 54, 375–380.
- Chye SM, Yen CM and Chen ER (1997) Detection of circulating antigen by monoclonal antibodies for immunodiagnosis of angiostrongyliasis. *American Journal of Tropical Medicine and Hygiene* 56, 408–412.
- Cross JH and Chen ER (2007) Angiostrongyliasis. In Black SJ and Seed JR (eds), Food-borne Parasitic Zoonoses. New York: Springer Science, pp. 263–292.
- Eamsobhana P (1994) Immunological studies on the rat lung-worm Angiostrongylus cantonensis (Nematoda: Metastrongylidae). PhD thesis, University of Malaya.
- Eamsobhana P (2015) The Rat Lungworm Angiostrongylus cantonensis: Parasitology, Genetics and Molecular Phylogeny, Revised 2nd Edn. Bangkok: Akson Graphic and Design Publishing House.
- Eamsobhana P and Dechkum N (2000) Recognition of a diagnostic antigen from excretory/secretory products of adult *Parastrongylus cantonensis* by infected human sera. *Tropical Biomedicine* 17, 103–108.
- Eamsobhana P and Yong HS (2009) Immunological diagnosis of human angiostrongyliasis cantonensis. *International Journal of Infectious Diseases* 13, 425–431.
- Eamsobhana P, Mak JW and Yong HS (1995) Detection of circulating antigens of *Parastrongylus cantonensis* in human sera by sandwich ELISA with specific monoclonal antibody. *Southeast Asian Journal of Tropical Medicine* and Public Health 26, 712–715.
- Eamsobhana P, Yong HS, Mak JW and Wattanakulpanich D (1997) Detection of circulating antigens of *Parastrongylus cantonensis* in human sera by dot-blot ELISA and sandwich ELISA using monoclonal antibody. *Southeast Asian Journal of Tropical Medicine and Public Health* **28**, 624– 628.
- Eamsobhana P, Yoolek A, Suvouttho S and Suvuttho S (2001) Purification of a specific immunodiagnostic *Parastrongylus cantonensis* antigen by electroelution from SDS-polyacrylamide gels. *Southeast Asian Journal of Tropical Medicine and Public Health* **32**, 308–313.
- Eamsobhana P, Wanachiwanawin D, Dechkum N, Parsartvit A and Yong HS (2013) Molecular diagnosis of eosinophilic meningitis due to Angiostrongylus cantonensis (Nematoda: Metastrongyloidea) by PCR– DNA sequencing of cerebrospinal fluids of patients. Memórias do Instituto Oswaldo Cruz 108, 116–118.
- Eamsobhana P, Gan XX, Ma A, Wang Y, Wanachiwanawin D and Yong HS (2014) Dot immunogold filtration assay (DIGFA) for the rapid detection of specific antibodies against the rat lungworm *Angiostrongylus cantonensis* (Nematoda: Metastrongyloidea) using purified 31-kDa antigen. *Journal of Helminthology* 88, 396–401.
- Eamsobhana P, Prasartvit A, Gan XX and Yong HS (2015) Evaluation of dot immunogold filtration assay (DIGFA) for rapid serodiagnosis of eosinophilic meningitis due to *Angiostrongylus cantonensis* (Nematoda: Metastrongyloidea). *Tropical Biomedicine* 32, 121–125.

- Eamsobhana P, Tungtrongchitr A, Wanachiwanawin D and Yong HS (2018) Immunochromatographic test for rapid serological diagnosis of human angiostrongyliasis. *International Journal of Infectious Diseases* 73, 69–71.
- Graeff-Teixeira C, da Silva ACA and Yoshimura K (2009) Update on eosinophilic meningoencephalitis and its clinical relevance. *Clinical Microbiology Reviews* 22, 322–348.
- Jiang N, Ahmed R, Damayantharan M, Unal B, Butt H and Yetisen AK (2019) Lateral and vertical flow assays for point-of-care diagnostics. *Advanced Healthcare Materials* 8, 1900244.
- Liang SH, Huang HC, Pan CW and Tan F (2005) Detection of *Angiostrongylus cantonensis* circulating antigen by monoclonal antibodies. *Zhonghua Yi Xue Za Zhi* **85**, 3057–3061, in Chinese.
- Qvarnstrom Y, Xayavong M, da Silva AC, Park SY, Whelen AC, Calimlim PS, Sciulli RH, Honda SA, Higa K, Kitsutani P, Chea N, Heng S, Johnson S, Graeff-Teixeira C, Fox LM and da Silva AJ (2016) Real-time polymerase chain reaction detection of *Angiostrongylus cantonensis* DNA in cerebrospinal fluid from patients with eosinophilic

meningitis. American Journal of Tropical Medicine and Hygiene 94, 176-181.

- Shih HH and Chen SN (1991) Immunodiagnosis of angiostrongyliasis with monoclonal antibodies recognizing a circulating antigen of mol wt 91,000 from Angiostrongylus cantonensis. International Journal of Parasitology 21, 171–177.
- Verweij JJ and Stensvold CR (2014) Molecular testing for clinical diagnosis and epidemiological investigations of intestinal parasitic infections. *Clinical Microbiology Reviews* 27, 371–418.
- Wang QP, Lai DH, Zhu XQ, Chen XG and Lun ZR (2008) Human angiostrongyliasis. Lancet Infectious Disease 8, 621–630.
- Wang QP, Wu ZD, Wei J, Owen RL and Lun ZR (2012) Human Angiostrongylus cantonensis: an update. European Journal of Clinical Microbiology & Infectious Diseases 31, 389–395.
- Wilkins PP, Qvarnstrom Y, Whelen C, Saucier C, da Silva AJ and Eamsobhana P (2013) The current status of laboratory diagnosis of Angiostrongylus cantonensis infections in humans using serologic and molecular methods. Hawai'i Journal of Medicine & Public Health 72, 55–57.