

CORRIGENDUM

Estimation of the proportion of C₃ and C₄ plant species in the diet of animals from the ratio of natural ¹²C and ¹³C isotopes in the faeces

R. J. JONES, M. M. LUDLOW, J. H. TROUGHTON AND C. G. BLUNT

J. agric. Sci., Camb. (1979), **92**, 91–100

The authors regret the following error:

On p. 98, the equation is incorrect and should read:

$$\% \text{ legume} = 100 / \left[\frac{A}{B[(G/(M-L)) - (1/(1-L/M))]} + 1 \right].$$

An alternative equation is:

$$\% \text{ legume} = \frac{100 B(M-G)}{(A(L-G)) - ((M-G)(A-B))}.$$

MENDHAM, N. J., SHIPWAY, P. A. and SCOTT, R. K. The effects of seed size, autumn nitrogen and plant population density on the response to delayed sowing in winter oil-seed rape (<i>Brassica napus</i>)	417
PHILLIP, L. E., BUCHANAN-SMITH, J. G. and GROVUM, W. L. Effects of infusing the rumen with acetic acid and nitrogenous constituents in maize silage extracts on food intake, ruminal osmolality and blood acid-base balance in sheep	429
PHILLIP, L. E., BUCHANAN-SMITH, J. G. and GROVUM, W. L. Food intake and ruminal osmolality in sheep: differentiation of the effect of osmolality from that of the products of maize silage fermentation	439
GHANAVATI, N. A., NAHAVANDI, E. and GHADERI, A. Breeding sunflower for semi-arid regions	447
KHAN, A. A. Effect of leaf position and plant age on the translocation of ¹⁴ C-assimilates in onion	451
GIRI, G. and DE, R. Short-season fodder legume effects on the grain yield and nitrogen economy of barley under dryland conditions	457
MORE, T., RAWAT, P. S. and SAHNI, K. L. Some observations on high- and low-potassium Chokla sheep given water intermittently under semi-arid conditions	463
WICKRAMARATNE, M. RUPA T. Genotype-environment interactions in tea (<i>Camellia sinensis</i> L.) and their implications in tea breeding and selection	471
IVBIJARO, M. F. The resistance of new varieties of maize to post-harvest infestation by <i>Sitophilus zeamais</i> Motsch and <i>Sitophilus oryzae</i> (L.)	479
SHORT NOTES	
SHORROCK, C. A note in the <i>in vitro</i> dry-matter digestibility determination of mixed herbage and browse samples collected with oesophageal fistulated steers	483
LEIBHOLZ, JANE. Effect of adding water to paspalum (<i>Paspalum dilatatum</i>) hay on the feed intake of sheep	487
FARAH, S. M. Response of rice yields to irrigation and drainage at two phases of growth	489
DEGEN, A. A. and YOUNG, B. A. Effect of air temperature and feed intake on live weight and water balance in sheep	493

THE JOURNAL OF AGRICULTURAL SCIENCE

CONTENTS

Vol. 96 Part 2 April 1981

	PAGE
BARRY, T. N., McDONALD, R. C. and REID, T. C. Nutritional evaluation of kale (<i>Brassica oleracea</i>) diets. 1. Growth of grazing lambs as affected by time after introduction to the crop, feed allowance and intraperitoneal amino acid supplementation	257
BARRY, T. N., REID, T. C., MILLAR, K. R. and SADLER, W. A. Nutritional evaluation of kale (<i>Brassica oleracea</i>) diets. 2. Copper deficiency, thyroid function, and selenium status in young cattle and sheep fed kale for prolonged periods	269
PHIPPS, R. H., WELLER, R. F., SMITH, T. and FULFORD, ROSEMARY J. Protein studies on maize silage as a basal ration for dairy cows	283
BRAITHWAITE, G. D. Effect of 1 α -hydroxycholecalciferol on calcium and phosphorus metabolism in sheep given high or low calcium diets	291
KEMPSTER, A. J., CUTHBERTSON, A., JONES, D. W. and OWEN, M. G. Prediction of body composition of live cattle using two ultrasonic machines of differing complexity: a report of four separate trials	301
REINHARDT, V. and REINHARDT, ANNIE. Natural sucking performance and age of weaning in zebu cattle (<i>Bos indicus</i>)	309
GUIRGIS, R. A., AMIN, S. O., GHANEM, Y. S. and EL-SAYED, N. A. Post-natal development, dimensions of the skin follicle population and birthcoat follicular origin in Barki and $\frac{3}{8}$ Merino lambs	313
EISIKOWITCH, D. Some aspects of pollination of oil-seed rape (<i>Brassica napus</i> L.)	321
FARAH, S. M. An examination of the effects of water stress on leaf growth of crops of field beans (<i>Vicia faba</i> L.). 1. Crop growth and yield	327
FARAH, S. M. An examination of the effects of water stress on leaf growth of crops of field beans (<i>Vicia faba</i> L.). 2. Mineral content	337
REYNOLDS, L. Nitrogen metabolism in indigenous Malawi goats	347
GODDEN, PATRICIA M. M. and WEEKES, T. E. C. Insulin, prolactin and thyroxine responses to feeding, and to arginine and insulin injections during growth in lambs	353
BARTHOLOMEW, P. W., McLAUCHLAN, W. and CHESTNUTT, D. M. B. An assessment of the influence on net herbage accumulation, herbage consumption and individual animal performance of two lengths of grazing rotation and three herbage allowances for grazing beef cattle.	363
TAYO, T. O. Studies on the effects of foliar spray of nutrients on the performance of cow peas (<i>Vigna unguiculata</i> (L.) Walp.)	375
MENDHAM, N. J., SHIPWAY, P. A. and SCOTT, R. K. The effects of delayed sowing and weather on growth, development and yield of winter oil-seed rape (<i>Brassica napus</i>)	389

Continued on inside back cover

© Cambridge University Press 1981

SUBSCRIPTIONS. Two volumes of three parts are published annually. All orders must be accompanied by payment. The subscription price of volumes 96 and 97, 1981, is £39.50 net (U.S.A. and Canada US \$117.50) per volume (post free); single parts are available at £15.50 net (U.S.A. and Canada US \$46.00) plus postage. Orders or enquiries may be sent to any bookseller or subscription agent, or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU (U.S.A. and Canada, Cambridge University Press, 32 East 57th Street, New York, N.Y. 10022, U.S.A.).

Printed in Great Britain at the University Press, Cambridge