

---

# Erratum

---

The reference list from the Working Group Report 'Harmonization of methodologies for the assessment of poultry meat quality features' by M. Petracci and E. Baéza, WPSJ Vol. 67(1): 137-151 was not completely printed. Here is the complete reference list.

## References

- ACTON, J.C. and DAWSON, P.L.** (1994) Color as a functional property of proteins, in: HETTIARACHCHY, N.S. & ZIEGLER, R. (Eds) *Protein functionality in Food Systems*, pp. 357-381 (New York, Marcel Dekker Publ.).
- AMSA** (1995) Research guidelines for cookery, sensory evaluation and instrumental tenderness measurements of fresh meat. Am. Meat Sci. Assoc. Chicago, IL.
- AOAC** (1990) Official Method of Analysis (15<sup>th</sup> Ed.). Assoc. Offic. Anal. Chem., Washington, DC.
- BAEZA, E.** (2004) Measuring quality parameters, in: MEAD, G.C. (Eds) *Poultry meat processing and quality*, pp. 305-331 (Cambridge, Woodhead Publishing Limited).
- BARBUT, S.** (2002a) Meat color and Flavor. In: *Poultry products processing. An industry guide*, pp 515-535 (New York, CRC Press).
- BARBUT, S.** (2002b) Measuring sensory and functional properties. In: *Poultry products processing. An industry guide*, pp. 467-513 (New York, CRC Press).
- BERGMAN, I. and LOXLEY, R.** (1963) Two improved and simplified methods for the spectrophotometric determination of hydroxyproline. *Analytical Chemistry* **35**: 1961-1965.
- BIANCHI, M. and FLETCHER, D.L.** (2002) Effects of broiler breast meat thickness and background on color measurements. *Poultry Science* **81**: 1766-1769.
- BOURNE, M.C.** (1978) Texture profile analysis. *Food Technology* **32**: 62-66.
- CIE** (1978) International Commission on Illumination, Recommendations on Uniform Color Spaces, Color Difference Equations, Psychometric Color Terms. Suppl. No. 15 C.I.E. Publication No. 15 (E-1.3.1) 1971/ (TO-1.3). Bureau Central de la C.I.E., Paris, France.
- CAVITT, L.C., YOUM, G.W., MEULLENET, J.F., OWENS, C.M. and XIONG, R.** (2004) Prediction of poultry meat tenderness using razor blade shear, allo-kramer shear, and sarcomere length. *Journal of Food Science* **69**: S11-S15.
- CROSS, H.R., WEST, R.L. and DUTSON, T.R.** (1980) Comparison of methods for measuring sarcomere length in beef semitendinosus muscle. *Meat Science* **5**: 261-266.
- CULIOLI, J., TOURAILLE, C., BORDES, P. and GIRARD, J.P.** (1990) Caractéristiques des carcasses et de la viande du poulet label fermier. *Archiv für Geflügelkunde* **53**: 237-245.
- DRAPER, H.H., SQUIRES, E.J., MAHMOODI, H., WU, J., AGARWAL, S. and HADLEY, M.** (1993) A comparative evaluation of thiobarbituric acid methods for the determination of malondialdehyde in biological materials. *Free radical biology & medicine* **15**: 353-363.
- FLETCHER, D.L.** (2002) Poultry meat quality. *World's Poultry Science Journal* **58**: 131-145.
- FOLCH, J., LEES, M. and SOLANE-STANLEY, G.H.** (1957) A simple method for the isolation and purification of total lipids from animal tissues. *Journal of Biological Chemistry* **226**: 497-509.
- FRONING, G.W.** (1995) Color of poultry meat. *Poultry and Avian Biology Reviews* **6**: 1-11.
- GIF, P., TOURNAYRE, P. and CULIOLI, J.** (1995) Automatisation d'un banc de mesure de la longueur des sarcomères de la viande par diffraction d'une lumière cohérente (laser). *Viandes et Produits Carnés* **16**: 39-45.
- GIL, M., HOURTOS, M. and SARRAGA, C.** (1998) Automatisation d'un banc de mesure de la longueur des sarcomères de la viande par diffraction d'une lumière cohérente (laser). *Viandes et Produits Carnés* **16**: 385-390.
- HILL, F.** (1966) The solubility of intramuscular collagen in meat animals of various ages. *Journal of Food Science* **31**: 161-166.
- HONIKEL, K.O.** (1998) Reference methods for the assessment of physical characteristics of meat. *Meat Science* **49**: 447-457.
- HONIKEL, K.O. and FISCHER, C.** (1977) A rapid method for the detection of PSE and DFD porcine muscles. *Journal of Food Science* **42**: 1633-1636.
- HORNSEY, H.C.** (1956) The colour of cooked cured pork – Estimation of the nitric oxide-haem pigments. *Journal of the Science of Food and Agriculture* **46**: 534-540.

## Erratum

- HUNTER, R.S. (1975) The measurements of appearance (New York, John Wiley and Sons Publ.).
- JEACOCKE, R.E. (1977) Continuous measurement of the pH of beef muscle in intact beef carcasses. *Journal of Food Technology* **12**: 375-386.
- JO, C. and AHN, D.U. (1998) Fluorometric analysis of 2-Thiobarbituric Acid Reactive Substances in turkey. *Poult Science* **77**: 475-480.
- KAUFFMAN, R.G., EIKELEMBOOM, G., VAN DER WAL, P.G. and ZAAR, M. (1986b) A comparison of methods to estimate water-holding capacity in post-rigor porcine muscle. *Meat Science* **18**: 307-322.
- KAUFFMAN, R.G., EIKELEMBOOM, G., VAN DER WAL, P.G., MERKUS, G. and ZAAR, M. (1986a) The use of filter paper to estimate drip loss of porcine musculature. *Meat Science* **18**: 191-200.
- KOLCZAK, T., POSPIECH, E., PALKA, K. and LACKI, J. (2003) Changes in structure of *psaos major* and *minor* and *semitendinosus* muscles of calves, heifers and cows during post-mortem ageing. *Meat Science* **64**: 77-83.
- KOOLMEES, P.A., KORTEKNIE, F. and SMULDERS, F.J.M. (1986) Accuracy and utility of sarcomere length assessment by laser diffraction. *Food Microstructure* **5**: 71-76.
- KORNBURST, D.J. and MAVIS, R.D. (1980) Relative susceptibility of microsomes from lung, heart, liver kidney, brain, tests to lipid peroxidation. *Lipids* **15**: 315-322.
- KUBER, P.S., DUCKETT, S.K., BUSBOOM, J.R., SNOWDER, G.D., DODSON, M.V., VIERCK, J.L. and BAILEY, J.F. (2003) Measuring the effects of phenotype and mechanical restraint on proteolytic degradation and rigor shortening in callipyge lamb longissimus dorsi muscle during extended aging. *Meat Science* **63**: 325-331.
- LETH, T. (2004) Chemical analysis for specific components: major meat components, in: JENSEN, W.K. (Ed.) *Encyclopedia of Meat Sciences*, pp. 185-190 (Oxford, Elsevier Ltd).
- LETH, T. and ERTBJERG, P. (2004) Chemical analysis for specific components: micronutrients and other minor meat components, in: JENSEN, W.K. (Ed.) *Encyclopedia of Meat Sciences*, pp. 190-195 (Oxford, Elsevier Ltd).
- LISTRAT, A., RAKADJIYSKI, N., JURIE, C., PICARD, B., TOURAILLE, C. and GEAY, Y. (1999) Effect of type of diet on muscle characteristics and meat palatability of growing Salers bulls. *Meat Science* **53**: 115-124.
- LIU, A., NISHIMURA, T. and TAKAHASHI, K. (1996) Relationship between structural properties of intramuscular connective tissue and toughness of various chicken skeletal muscles. *Meat Science* **43**: 43-49.
- LOWRY, O.H., ROSEBROUGH, N.J., FARR, A.L. and RANDALL, R.J. (1951) Protein measurement with the folin phenol reagent. *Journal of Biological Chemistry* **193**: 265-275.
- LYNCH, S.M. and FREI, B. (1993) Mechanisms of copper- and iron-dependent oxidative modification of human low-density lipoprotein. *Journal of Lipid Research* **34**: 1745-1751.
- LYON, B.G. and LYON, C.E. (2001) Meat quality: sensory and instrumental evaluation, in: SAMS A.R. (Ed.) *Poultry meat processing*, pp. 97-120 (CRC Press, New York, NY).
- PETRACCI, M. and FLETCHER, D.L. (2002) Broiler skin and meat color changes during storage. *Poultry Science* **81**: 1589-1597.
- SEBRANEK, J.G. (2004) Chemical analysis: raw material composition analysis, in: JENSEN, W.K. (Ed.) *Encyclopedia of Meat Sciences*, pp. 173-179 (Oxford, Elsevier Ltd).
- SILVA, J.A., PATARATA, L. and MARTINS, C. (1999) Influence of ultimate pH on bovine meat tenderness during ageing. *Meat Science* **52**: 453-549.
- SMITH, D.P., FLETCHER, D.L., BUHR, R.J. and BEYER, R.S. (1993) Pecking duckling and broiler chicken pectoralis muscle structure and composition. *Poultry Science* **72**: 202-208.
- STEWART, M.R., ZIPSER, M.W. and WATTS, B.M. (1965) The use of reflectance spectrophotometry for the assay of raw meat pigments. *Journal of Food Science* **30**: 464-469.
- TROUT, G.R. (1988) Techniques for measuring water binding capacity in muscle foods- a review of methodology. *Meat Science* **23**: 235-252.
- VAN DEN OORDS, A.H. and WESDORP, J.J. (1971) Analysis of pigments in intact beef samples. *Journal of Food Technology* **6**: 1-8.
- VAN LAACK, R.L.J.M., LIU, C.-H., SMITH, M.O. and LOVEDAY, H.D. (2000) Characteristics of Pale, Soft, Exudative broiler breast meat. *Poultry Science* **79**: 1057-1061.
- WOESSNER, J.F. (1961) The determination of collagen in tissue and protein samples containing small proportions of amino acid. *Archives of Biochemistry and Biophysics* **93**: 440-448.
- ZHANG, M., MITTAL, G.S. and BARBUT, S. (1993) Optimum conditions to measure water holding capacity of beef products by press method. *Journal of Muscle Food* **4**: 255-8.