

ARTICLE

Proof nets for multiplicative cyclic linear logic and Lambek calculus

V. Michele Abrusci and Roberto Maieli^{*,†}

Department of Mathematics and Physics, "Roma Tre" University, Rome, Italy

*Corresponding author. Email: maieli@uniroma3.it

(Received 1 December 2015; revised 1 September 2017; accepted 3 July 2017; first published online 22 February 2019)

Abstract

This paper presents a simple and intuitive syntax for proof nets of the multiplicative cyclic fragment (McyLL) of linear logic (LL). The main technical achievement of this work is to propose a correctness criterion that allows for sequentialization (recovering a proof from a proof net) for all McyLL proof nets, including those containing cut links. This is achieved by adapting the idea of contractibility (originally introduced by Danos to give a quadratic time procedure for proof nets correctness) to cyclic LL. This paper also gives a characterization of McyLL proof nets for Lambek Calculus and thus a geometrical (i.e., non-inductive) way to parse phrases or sentences by means of Lambek proof nets.

Keywords: Categorical grammars; cyclic orders; Lambek calculus; language parsing; linear logic; noncommutative logic; proof nets; sequent calculus

1. Introduction

Proof nets (PNs) are one of the most innovative inventions of linear logic (LL, Girard 1987); they are used to represent demonstrations in a geometric (i.e., non-inductive) manner, abstracting away from the technical bureaucracy of sequential proofs. PNs quotient classes of derivations are equivalent up to some irrelevant permutations of inference rule instances. Following this spirit, we present a simple syntax for PNs of the multiplicative cyclic fragment of LL (McyLL). In particular, we introduce a new correctness criterion for McyLL PNs which can be considered as the noncommutative counterpart of the famous contraction criterion by (Danos 1990) for PNs of LL. The proposed syntax (i.e., the correctness criterion) is shown to be stable under (i.e., preserved by) cut elimination.

This work marks an important improvement compared to previous works on the same subject by the authors (see, e.g., Abrusci and Ruet 2000; Maieli 2003). The proposed new syntax admits a sequentialization (i.e., a way to associate a sequent proof to each PN) for the full class of McyLL PNs including those ones with cuts.

1.1 The multiplicative cyclic fragment of linear logic (McyLL)

We briefly recall the necessary background of the McyLL fragment without units. We arbitrarily assume literals $a, a^\perp, b, b^\perp, \dots$ with a polarity: *positive* (+) for atoms, a, b, \dots and *negative* (–)

[†]This work contains new original contributions and improvements w.r.t. the contents of a previous paper (Abrusci and Maieli, 2015a) on the same subject presented by the authors at the *22nd Workshop on Logic, Language, Information and Computation (WoLLIC2015)*, held at the Indiana University (Bloomington, USA) from the 20th to the 23rd of July 2015.

$a^\perp, b^\perp \dots$ for their duals. A *formula* is built from literals by means of two groups of *multiplicative connectives*: *negative*, ∇ (“par”) and *positive*, \otimes (“tensor”). For these connectives, we have the following De Morgan laws: $(A \otimes B)^\perp = B^\perp \nabla A^\perp$ and $(A \nabla B)^\perp = B^\perp \otimes A^\perp$. An McyLL proof is any derivation tree built by the following inference rules where sequents Γ, Δ are lists of formulas occurrences endowed with a *total cyclic order* (or *cyclic permutation*) (see the formal Definition 1):

$$\frac{}{\vdash A, A^\perp} id \quad \frac{\vdash \Gamma, A \quad A^\perp \Delta}{\vdash \Gamma, \Delta} cut \quad \frac{\vdash \Gamma, A \quad \vdash B, \Delta}{\vdash \Gamma, A \otimes B, \Delta} \otimes \quad \frac{\vdash \Gamma, A, B}{\vdash \Gamma, A \nabla B} \nabla$$

It is worth noting that the formula $(A \otimes B) \multimap (B \otimes A) \equiv (A \otimes B)^\perp \nabla (B \otimes A)$ is not provable in McyLL: that is the reason why this logic is called “non-commutative.” Negative (or *asynchronous*) connectives correspond to a kind of *true determinism* in the way we apply bottom-up their inference rules (the application of ∇ -rule is completely deterministic). Vice versa, positive (or *synchronous*) connectives corresponds to a kind of *true non-determinism* in the way we apply bottom-up their inference rules (there is no deterministic way to split the context Γ, Δ in the \otimes -rule).

A *total cyclic order* can be thought of as follows: consider a set of points of an oriented circle; the orientation induces a total order on these points as follows: if a, b , and c are three distinct points, then b is either between a and c ($a < b < c$) or between c and a ($c < b < a$). Moreover, $a < b < c$ is equivalent to $b < c < a$ or $c < a < b$.

Definition 1 (total cyclic order). A total cyclic order is a pair (X, σ) , where X is a set and σ is a ternary relation over X satisfying the following properties:

1. $\forall a, b, c \in X, \sigma(a, b, c) \rightarrow \sigma(b, c, a)$ (cyclic),
2. $\forall a, b \in X, \neg \sigma(a, a, b)$ (anti-reflexive),
3. $\forall a, b, c, d \in X, \sigma(a, b, c) \wedge \sigma(c, d, a) \rightarrow \sigma(b, c, d)$ (transitive),
4. $\forall a, b, c \in X, \sigma(a, b, c) \vee \sigma(c, b, a)$ (total).

In the following, we adopt the syntax $\sigma(X)$ to denote a total cyclic order on a set X .

1.2 The quest of satisfactory syntaxes for McyLL proof nets

The most simple and intuitive definition of McyLL PNs is given by Moot and Retoré (2012): “proof nets for the cyclic fragment of MLL are intuitively quite simple graphs (special kinds of MLL proof nets) which can be drawn on a plane without intersecting axioms and keeping the same design and top-down orientation for links. This condition is strictly stronger than being simply planar graphs because we ask for the links to be drawn observing the left-right and up-down orientation as shown in the figures.”


While there are a variety of nice (satisfying, indeed) syntaxes and correctness criteria for the commutative PNs of MLL, this is not the case with PNs of the noncommutative, cyclic, fragment of MLL. Actually, despite the commutative MLL case, the presence of cut links is “quite tricky” in the noncommutative case, since cut links are not equivalent, from a topological point of view, to tensor links: these latter make appear new conclusions that may disrupt the original (i.e., in presence of cut links) conclusions cyclic order.

But, what is supposed to be in general a “satisfactory” correctness criterion for PNs? There is not a so obvious answer. Let us say that a “good” correctness criterion should at least meet the following conditions, according to Moot and Retoré (2012):

- 1 (*de-sequentialization*) every sequent proof should be mapped to a correct proof structure in such a way that each instance of inference rule corresponds to a link; in particular, each proof with cuts (resp. cut-free) should be mapped to a proof structure with the corresponding cut links (resp., to a cut-free proof structure);
- 2 (*sequentialization*) every correct PN should correspond to a sequent proof in such a way that each link corresponds to an instance of inference rule; in particular, each PN with cuts (resp. cut-free) should be mapped to a sequent proof with the corresponding cut rule instances (resp., to a cut-free sequent proof);
- 3 (*canonicity*) sequent proofs which only differ up to permutations of some inference rule instances should be mapped to the same PN;
- 4 (*stability*) the correctness criterion should be preserved by cut elimination.

There currently exist several syntaxes for McyLL PNs, like notably those ones of (Abrusci and Ruet, 2000), (Maieli, 2003) and Melliès (2004). As far as the authors know, only the Melliès’ syntax fully satisfies the four conditions above while both Abrusci–Ruet and Maieli’s syntaxes only fully satisfy conditions 1 and 4 while they only partially satisfy conditions 2 and 3 (only when PNs are cut-free). We find interesting to recall and compare in the following the two previous syntaxes (Abrusci and Ruet 2000) and (Maieli 2003), given by the authors, highlighting the points where they mostly differ.

Definition 2 (concrete proof structure (PS)). A (concrete) proof-structure (PS) of McyLL is an oriented graph π , in which edges are labeled by formulas and nodes are labeled by connectives of McyLL, built by juxtaposing the following special graphs, called links, in which incident (resp., emergent) edges are called premises (resp., conclusions):



In a PS π each premise (resp., conclusion) of a link must be conclusion (resp., premise) of exactly (resp., at most) one link of π . We call conclusion of π any emergent edge that is not premises of any link.

We are interested in those McyLL PSs that correspond to McyLL proofs.


1.2.1 “Trip-based” criterion by Abrusci and Ruet

We recall some basic definitions of Abrusci–Ruet’s syntax (Abrusci and Ruet, 2000). We consider as in (Girard 1987) formulas with decorations: \uparrow (question) or \downarrow (answer). A decorated formula is of the form A^\uparrow or A^\downarrow , where A is an McyLL formula. For each link l we consider two sets of decorated formulas:

- l^{in} is the set of all decorated formulas A^x , where A is a premise of l and x is \downarrow , or A is a conclusion of l and x is \uparrow ;
- l^{out} is the set of all A^x , where A is a premise of l and x is \uparrow , or A is a conclusion of l and x is \downarrow .

Definition 3 (switchings). For each link l we define a set $S(l)$ of (partial) functions from l^{in} to l^{out} , called switching positions of l , as follows (see also next picture):

- if l is an identity (or axiom) link $\overline{A^\perp} \ A$, then $S(l) = \{id\}$ where $id : (A^\perp)^\uparrow \mapsto A^\downarrow, A^\uparrow \mapsto (A^\perp)^\downarrow$;
- if l is a cut link $\overline{A^\perp} \ A$, then $S(l) = \{cut\}$ where $cut : (A^\perp)^\downarrow \mapsto A^\uparrow, A^\downarrow \mapsto (A^\perp)^\uparrow$;
- if l is a \otimes -link $\frac{A \ B}{A \otimes B}$, then $S(l) = \{\otimes R\}$ where $\otimes R : (A \otimes B)^\uparrow \mapsto A^\uparrow, A^\downarrow \mapsto B^\uparrow, B^\downarrow \mapsto (A \otimes B)^\downarrow$;
- if l is a ∇ -link $\frac{A \ B}{A \nabla B}$, then $S(l) = \{\nabla R, \nabla L, \nabla 3\}$ where $\nabla R : (A \nabla B)^\uparrow \mapsto B^\uparrow, A^\downarrow \mapsto A^\uparrow, B^\downarrow \mapsto (A \nabla B)^\downarrow$, $\nabla L : (A \nabla B)^\uparrow \mapsto A^\uparrow, A^\downarrow \mapsto (A \nabla B)^\downarrow, B^\downarrow \mapsto B^\uparrow$, $\nabla 3 : (A \nabla B)^\uparrow \mapsto A^\uparrow, B^\downarrow \mapsto (A \nabla B)^\downarrow$.



A switching for a proof structure π is a function s s.t. for every link l of π , $s(l) \in S(l)$. Given a proof structure π and a switching s for π , the switched proof structure $s(\pi)$ is the oriented graph with the decorated formulas labeling π as vertices and with an oriented edge from A^x to B^y iff either $B^y = s(l)(A^x)$ for some link $l \in \pi$ or $A^x = C^\downarrow$ and $B^y = C^\uparrow$ for some conclusion C of π . Then we call trip any cycle or maximal path in $s(\pi)$. A cycle v in $s(\pi)$ is bilateral if v is not of the form $A^x, \dots, B^y, \dots, A^{\bar{x}}, \dots, B^{\bar{y}}, \dots, A^x$ where A and B are occurrences of formulas in π and $\bar{\uparrow} = \downarrow$ (resp., $\bar{\downarrow} = \uparrow$).

Definition 4 (Abrusci–Ruet’s criterion). A PS π is AR-correct (i.e., it is an McyLL PN by Abrusci and Ruet, 2000) iff for every switching s for (π) :

- 1 there exists exactly one cycle σ in $s(\pi)$,
- 2 σ contains all the conclusions of π ,
- 3 σ is bilateral.

1.2.2 “Seaweed-based” criterion by Maieli

We recall some basic definitions of Maieli’s syntax for PNs as presented in (Maieli 2003).

Definition 5 (switchings & seaweeds). Assume an McyLL PS π with conclusions Γ .

- A Danos–Regnier switching (see Danos and Regnier, 1989) S for π , denoted $S(\pi)$, is the non-oriented graph built on nodes and edges of π with the modification that for each ∇ -node we take only one premise, which is called left or right ∇ -switch.
- Let $S(\pi)$ be an acyclic and connected switching for π ; $S(\pi)$ is the rootless planar tree¹ whose nodes are labeled by \otimes -nodes, and whose leaves X_1, \dots, X_n (with $\Gamma \subseteq X_1, \dots, X_n$) are the terminal, i.e., pending, edges of $S(\pi)$; then $S(\pi)$ is a ternary relation, called seaweed, with support X_1, \dots, X_n ; we say that an ordered triple (X_i, X_j, X_k) belongs to the seaweed $S(\pi)$ iff:
 - the intersection of the three paths $X_i X_j$, $X_j X_k$ and $X_k X_i$ is a node \otimes ;
 - the three paths $X_i \otimes$, $X_j \otimes$ and $X_k \otimes$ are in this cyclic order while moving anticlockwise around the \otimes -nod, like in the leftmost-hand-side picture of Figure 1:
 If A is an edge of the seaweed $S(\pi)$, then $S_i(\pi) \downarrow^A$ is the restriction of the seaweed $S(\pi)$, that is, the sub-graph of $S(\pi)$ is obtained as follows:




Figure 1. Seaweeds and total cyclic orders.

- 1 disconnecting the graph below (w.r.t. the orientation of π) the edge A ;
- 2 deleting the graph not containing A .

The restriction of a seaweed can easily be extended to consider a set of formulas.

Fact 1 (seaweeds as cyclic orders). Any seaweed $S(\pi)$ can be viewed as a cyclic total order (Definition 1) on its support X_1, \dots, X_n ; in other words, if a triple $(X_i, X_j, X_k) \in S(\pi)$, then X_i, X_j, X_k are in this cyclic order $X_i < X_j < X_k$.

Naively, we may contract (“ \sim ”) any seaweed (by associating the \otimes -nodes while preserving the order of the incident edges) until we get a (collapsed) single n -ary \otimes -node with n pending edges (its support), like the rightmost h.s. seaweed of Figure 1.


Definition 6 (Maieli’s criterion). A PS π is M-correct (i.e., it is an M-cyLL PN by Maieli, 2003) iff:

- 1 π is a standard MLL PN, that is, by (Danos and Regnier 1989), any switching $S(\pi)$ is a connected and acyclic graph (therefore, $S(\pi)$ is a seaweed);
- 2 for any ∇ -link $\frac{A \ B}{A \nabla B}$ the triple (A, B, C) must occur with this cyclic order $A < B < C$ in any seaweed $S(\pi)$ restricted to A, B (i.e., $(A, B, C) \in S(\pi) \downarrow^{(A,B)}$) for every conclusion C (if any) in the support of $S(\pi) \downarrow^{(A,B)}$.

1.2.3 Comparing the two previous syntaxes

Abrusci–Ruet’s criterion and Maieli’s criterion are not equivalent; moreover, even though they are both stable under cut reduction, they suffer of the same drawback: they do not allow a direct sequentialization of PNs with cuts; this means that PNs must be normalized (reduced in cut-free normal form) before sequentialization, as shown by the following proof structures:


π_1 is not correct according to Abrusci–Ruet; you can find a switching, like the $s(\pi_1)$ on the right-hand-side picture, containing only two paths, the dotted and the dashed ones: neither of them is a cycle.



On the contrary, π_1 is correct according to Maieli even though it is not directly sequentializable: this proof structure contains only two terminal links, the leftmost \otimes -link and

the (unique) cut link; neither of these links is “splitting” (sequentializable); as soon as you “remove” one of them, you get a sub-proof structure that is not correct. By the way, π_1 can be easily sequentialized once it has been reduced to cut-free form.

π_2 is not correct according to Maieli (assume $B = D = E = F = (A^\perp \otimes A)$): actually,



you can easily find a seaweed $S(\pi_2) \downarrow^{B,D}$, restricted to the premises of the $\frac{B}{B} \frac{D}{D}$ -link, containing a “bad” triple (B, C, D) (follow the anticlockwise intersection of the dotted lines above); on the contrary, π_2 is correct according to Abrusci–Ruet even though it is not directly sequentializable (it can only be sequentialized after cut elimination).

Anyway, as we will see in Section 2, these two proof structures, π_1 and π_2 , are not recognized as correct by our new correctness criterion² (see Definition 9). Following the original Danos terminology (Danos 1990), these proof structures are not *contractible* (i.e., they do not reduce to a collapsed or elementary graph, made by a single node). The new contraction system Σ , for cyclic (abstract) proof structures, is quite simple and natural; it mainly differs from the original one Δ , for MLL (abstract) proof structures, by the following facts: (i) abstract proof structures are enriched with special handling nodes, denoted by “o,” to distinguish the conclusions of a proof structure; (ii) for each node, the set of its incident edges is endowed with a total cyclic order (following the anticlockwise orientation); (iii) contraction steps are performed obeying some “natural” order constraints on the edges occurring in the redex graph. The stability of this new syntax undercut elimination is then proved in Section 2.1 while the direct sequentialization³ of the full class of correct PNs is shown in Section 2.2.

1.3 Lambek calculus and proof nets as parsing structures

McyLL can be considered as a classical extension of Lambek Calculus (LC; see Lambek 1958; Abrusci, 2002; Moot and Retoré, 2012) one of the ancestors of LL. The LC represents the first attempt of the so-called *parsing as deduction*, i.e., parsing of natural language by means of a logical system. Following (Andreoli and Pareschi 1991), in LC parsing is interpreted as type checking in the form of theorem proving of Gentzen sequents. Types (i.e., propositional formulas) are associated with words in the lexicon; when a string $w_1 \dots w_n$ is tested as a sentence, the types t_1, \dots, t_n associated with the words are retrieved from the lexicon and then parsing reduces to proving the derivability of a one-sided sequent of the form $\vdash t_n^\perp, \dots, t_1^\perp, s$, where s is the type associated with sentences. Moreover, forcing constraints on the Exchange rule by allowing only *cyclic permutations* over sequents of formulas gives the required computational control needed to view theorem proving as parsing in Lambek Categorical Grammar style. Anyway, LC parsing presents some syntactical ambiguity problems; actually, there may be:

- 1 *non-canonical proofs*, i.e., more than one cut-free proof for the same sequent;
- 2 *lexical polymorphism*, i.e., more than one type associated with a single word.

Now, multiplicative PNs are commonly considered an elegant solution to the first problem of representing canonical proofs, since they allow to quotient classes of (cut-free) proofs that are

equivalent up to irrelevant permutation of inference rules; in this sense, in Section 3.1, we also give an embedding of pure LC into McyLL PNs. In Section 3.2, we show how McyLL proof structures can be used to parse phrases or sentences; some linguistic examples that can be also found in (Moot 2002).


Unfortunately, there is no an equally brilliant solution to the polymorphism problem mentioned above. However, we think that extending parsing by means of additive PNs (MALL; Girard, 1995; Hughes and van Glabbeek, 2003; Maieli, 2007) could be a step toward a proof-theoretical solution to the problem of lexical polymorphism; technically speaking, the cyclic fragment of MALL PNs allows to manage formulas (types) superposition (polymorphism) by means of the additive connectives & and \oplus (see Appendix A.4).

2. McyLL proof nets

Definition 7 (abstract structure (AS)). An abstract structure (AS) is a non-oriented graph $\pi = \langle V, E \rangle$, equipped with a set $\mathcal{C}(\pi)$ of pairs of coincident edges graphically denoted by a crossing arc (with, possibly, “ ∇ ” written above) close to the base. Edges are labeled by McyLL formulas. Nodes are displayed as bullets (\bullet) except the handling ones (conclusions) displayed as circles (\circ); all edges incident to a node are endowed with an total cyclic order displayed as an anticlockwise oriented dotted arrow around a node. An abstract link is any elementary AS made by a single node together with its incident (possibly paired) edges (premises). The size of an AS π (resp., of a PS) is given by the triple $\langle \#V, \#E, \mathcal{C}(\pi) \rangle$ (resp., by the pair $\langle \#V, \#E \rangle$).

We call abstract proof structure (APS) the AS π^{ab} obtained from a concrete PS π (Definition 2) by means of the abstraction rules of Figure 2: each rule maps a concrete link L of a PS π to an abstract link L^{ab} ($L \mapsto L^{ab}$) of π^{ab} ; moreover, every edge of π labeled by a conclusion C is mapped in π^{ab} to a special handling node, denoted by a circle \circ , with a single incident edge labeled by C , called conclusion abstract link.

Definition 8 (Retraction system Σ for ASs). Given an AS π , a retraction step is a replacement (also, deformation or rewriting) of a subgraph S (called, redex graph) of π with a new graph S' (called, reductum graph), leading to an AS π' according to one of the following rules (of the retraction system Σ), preserving the anticlockwise orientation:



- 1 R_1 (structural) with the conditions that the edge c does not occur in any pair in π and the two displayed vertexes in the redex are distinct;
- 2 R_2 (multiplicative) with the conditions that the two vertexes in the redex are distinct and edges c and d does not occur in any pair except that one displayed in the redex; moreover, c must occur in this anticlockwise cyclic order, $c < d < a$, together with every (if any) edge a (with $a \neq c, d$) incident to the vertex opposite to the base of the pair c, d (as displayed in the figure);




Figure 2. Transforming concrete proof structures into abstract proof structures.


3 R_3 (handling conclusions) with the conditions that every incident edges to the vertex \bullet in the redex belongs to a handling conclusion link (at least one, i.e., $n \geq 1$).

Definition 9 (Σ -correctness by retraction (ΣCC)). Assume an AS π , then π is said:


- one step contractible, if there exists an AS $\pi' \neq \pi$ s.t. $\pi \rightsquigarrow \pi'$ by an instance of one of the retraction rules of Σ , otherwise, π is said terminal;
- collapsed (or elementary), if it consists of a single node \bullet (with no incident edges);
- (full) contractible, if there exists a non-empty sequence of retraction steps starting at π and terminating with a collapsed AS (i.e., $\pi \rightsquigarrow^* \bullet$); we also say that π is quasi-collapsed when it collapses only by means of finite sequences of structural or conclusions retraction rules, R_1 and R_3 (in other words, no multiplicative instances).

A PS π is Σ -correct (ΣCC) so, it is a PN, when its corresponding APS, π^{ab} , is contractible (i.e., it collapses). Equivalently, the end result of the retraction of a PN (i.e., the last collapsed reductum) could be simply be one black node with any number of white nodes, instead of a single black node; this means that the final retraction rule R_3 could be considered redundant.

In the following we give below some instances, π_1, π_2 , and π_3 , of Σ -correct proof structures together with an instance π_4 of an incorrect proof structure.



Observe that the reason why π_2 is correct, but π_4 is not, it is because the sub-proof π_2 is cut against contracts and disappears, so that the edges of the tensor node can be rotated to disentangle the crossed axioms.



The retraction system Σ is a (noncommutative) refinement of the original (Danos's 1990) retraction system Δ ; this latter contains only two retraction rules: the structural R_1 and the multiplicative R_2 , with the proviso that:

- abstract structures contain only standard nodes of type \bullet (no handling nodes \circ);
- the anticlockwise order condition on the incident edges has been relaxed (both in the redex and in the reductum).

Theorem 1 (convergence of Σ). *If π is a contractible AS then every retraction strategy ends up with the collapsed AS (\bullet).*

Proof. The convergence (termination and confluence) of Σ is proven exactly like in the standard commutative case (Danos, 1990). Observe that, like in the MLL case, since π is contractible then there are no pairs of instances of contraction rules that are *critical*⁴. □

Observe that, in general, Σ is not confluent if we consider the full class of ASs including the non-contractible ones. Consider the following AS π on the leftmost-hand side: π may retract, by an instance of structural rules, either to π' or to π'' ; none of these latter is (one step) retractible; moreover, given the different cyclic orders of resp, their incident edges, π' and π'' diverge. Remind that retraction is neither confluent in the general case of MLL non-retractible ASs as illustrated by the rightmost-hand-side AS π° .



Next fact is immediate once: (i) every handling node \circ is replaced by a standard node \bullet and (ii) any instance of conclusions contraction rule R_3 is mapped in to possibly multiple instances of the structural rule R_1 .

Fact 2 (Σ -contraction (ΣCC) \Rightarrow Δ -contraction (ΔCC)). If π collapses by Σ then it also collapses by Δ ; so we say that π is also *weakly* (also, Δ or Danos) *contractible*.


Fact 3 (switching and seaweeds for APSs). The notions of switching and seaweed (resp., restriction of a seaweed) of Definition 5 straightforwardly extended to the image APS π^{ab} of any PN π (since the incident edges of each vertex in π^{ab} are naturally equipped with an anticlockwise strict cyclic order and each pair in π^{ab} can be switched by mutilating one of its paired edges).

Definition 10 (cyclic order conclusions). *We can derive the order on the conclusions of a PN from its structure. Assume π is an McyLL PN with conclusions Γ ; we call order of conclusions of π the cyclic order σ on Γ (denoted by $\sigma(\Gamma)$) induced by an arbitrary seaweed⁵ $S(\pi)$ restricted do Γ (i.e., $S(\pi) \downarrow^\Gamma$).*


2.1 Cut reduction

Definition 11 (cut reduction). *Let L be a cut link in a PN π whose premises A and A^\perp are, resp., conclusions of links L', L'' . Then we define the result π' (called reductum) of reducing this cut in π (called redex), as follows:*

Ax-cut: *if L' (resp., L'') is an axiom link then π' is obtained by removing in π both formulas A and A^\perp (as well as L) and giving to L'' (resp., to L') the other conclusion of L' (resp., L'') as new conclusion.*




(\otimes/∇)-cut: if L' is a \otimes -link with premises B and C and L'' is a ∇ -link with premises C^\perp and B^\perp , then π' is obtained by removing in π the formulas A and A^\perp as well as the cut link L with L' and L'' and by adding two new cut links with, resp., premises B, B^\perp and C, C^\perp , as follows (this is also called logical cut):




Theorem 2 (stability of correctness undercut reduction). *If π is a PN that reduces to π' by one step of cut reduction, $\pi \mapsto \pi'$, then π' still a PN.*

Proof. The case when π reduces to π' by an instance of axiom-cut reduction is trivial since an axiom-cut reduction step corresponds to an instance of structural rule R_1 , $\pi^{ab} \rightsquigarrow_{R_1} \pi'^{ab}$. So assume that in π there are only logical cuts. π^{ab} is Σ -contractible and so, by Fact 2, π is also Δ -contractible; therefore, by stability of Δ (Danos, 1990), also the reductum π'^{ab} is Δ -contractible. Assume by absurdum that π^{ab} is Σ -contractible while π'^{ab} is only weakly contractible (π'^{ab} is not Σ -contractible). By convergence of Δ , π'^{ab} can be contracted following a strategy s that delays all the structural instances of R_1 contracting handling conclusion nodes \circ (trivially, in Δ any instance of structural rule R_1 that contracts a handling conclusion node \circ does not prevent the application of any other contraction rule, so this latter can be performed before the former one). Now, observe that each retraction step of this “delayed” strategy s can be mimicked (i.e., it can be performed as well) in Σ except in the case when this step consists of an instance of multiplicative retraction R_2 whose redex does not meet the (anticlockwise) cyclic order condition on the incident edges, as follows:



This means that if we restore in π'^{ab} the just reduced logical cut, then by eventually exploiting the convergence of Σ (i.e., by permuting some instances of retraction rule, if necessary, by Theorem 1), π^{ab} will contain one of the two sub structures; this means that in both cases π^{ab} is not Σ -contractible, contradicting the assumption:



□

Lemma 1 (stability of order conclusions undercut reduction). *If π is a PN, with conclusions $\sigma(\Gamma)$, that reduces in one step of cut reduction to π' , then π' has conclusions $\sigma(\Gamma)$ too.*


Proof. See (Maieli 2003).

□

Theorem 3 (convergence of cut reduction). *Cut reduction is convergent (i.e., terminating and confluent).*

Proof. Easy, almost like in the standard MLL case (Danos, 1990). □

Example 1. *Below, the PN π_2 reduces to a proof structure π'_2 that is correct: we use indexed formulas $B_1, B_2,$ and B_3 to distinguish several occurrences of B .*




2.2 Sequentialization via splitting lemma

In this section, we show a correspondence, also known in the literature as *sequentialization*, between McyLL PNs and sequential proofs. A first sequentialization result, only for cut free noncommutative (McyLL) PNs, can be found in (Retoré 1996). Similarly to the standard (commutative) MLL case, the crucial point of the sequentialization procedure is given by the *Splitting Lemma 5*. Actually, as observed in Bagnol et al. (2015) in the MLL case, there exists an alternative way (straightforward, indeed, that skips the Splitting Lemma) to sequentialize McyLL PNs, based on the following “contraction as parsing” strategy: if an APS is contractible, then by convergence of Σ , there exists a “contraction strategy” which starts by contracting the axioms links and whose retraction steps can be interpreted as instances of inference rules of a (possibly open) sequential proof; in the case of success, the retraction sequence ends up with a collapsed graph (as usual, a \bullet -node) labeled by a closed sequent proof (see details in the Appendix A.2).

In order to simplify the syntax and when it is clear from the context, we sometimes denote simply π (resp., L) instead of π^{ab} (resp., L^{ab}) the APS (resp., the abstract link) corresponding to a concrete PS π (resp., to a concrete link L). Moreover, since we are going to reason on abstract structures that are immediate abstraction of concrete proof structures, it will be natural to use notions like “terminal links,” “splitting links” and “cut-reduction steps” directly defined on these APSs.

Definition 12 (terminal and splitting link). *An abstract tensor (resp., axiom or par) link L is terminal when its conclusion edge also belongs to a handling conclusion link \circ (see next picture). Given a contractible APS π , a terminal tensor link L is said splitting link (resp., weakly splitting) when (i) we can delete its handling conclusion link labeled by C (ii) disconnect the premises, A and B of L , and (iii) get still two contractible (resp., weakly contractible) APSs, π_A and π_B , as follows (similarly, we define a splitting cut link):*



We say that π is splitting (resp., weakly splitting) when it contains at least a terminal tensor link or a cut link that is splitting (resp. weakly splitting). Finally, we say that π is in splitting condition when (i) it is not reduced to an axiom link, (ii) it does not contain any terminal par link and (iii) it contains at least a terminal tensor link or a cut-link.

Lemma 2 (APS splitting under weakly contraction). *Let π^{ab} be the abstraction of a concrete PS π ; assume π^{ab} is Σ -contractible and in splitting condition, then there exists at least one terminal tensor link (or a cut link) L^{ab} that is weakly splitting.*


Proof. By Fact 2, π^{ab} is Δ -contractible; so by the well-known equivalence “Danos’s MLL correctness \Leftrightarrow Girard’s MLL correctness” (see Danos, 1990) π is also a standard MLL PN by Girard, and so by the MLL Splitting Lemma of (Girard 1987), we conclude that π is weakly splitting at a terminal tensor link (or cut link) L in two components, π_1 and π_2 whose abstractions, π_1^{ab} resp., π_2^{ab} , are clearly weakly contractible. \square

Lemma 3 (splitting tensor link). *If π is a contractible APS that is weakly splitting at a tensor terminal link $L \frac{A}{A} \frac{B}{B}$, then π is also splitting at L , i.e., removing L splits π in two Σ -contractible APSs, π_A and π_B .*

Proof. Immediate. \square

Proposition 1 (terminal pair link). *Let π be a Σ -contractible AS:*

- 1 *assume π contains a terminal pair link L then π' , obtained by replacing L with two handling o-links, a_1 and a_2 , like in Case 1, is still contractible;*
- 2 *assume π contains a terminal pair link L then π' obtained by replacing L with an elementary \bullet -link a_1 and a handling o-link a_2 , like in Case 2, is still contractible;*
- 3 *assume π contains a link L with an incident pair and assume a Σ -contractible AS π' obtained by replacing, in π , L with an elementary \bullet -link and a handling link C' , like in Case 3; then π^o obtained by adding the handling link C' to π is still contractible.*




Proof. By induction of the size of π . \square

Proposition 2 (handling links). *Assume π is a Σ -contractible AS consisting of two disjoint components, π_1 and π_2 , which are only connected through an edge e ; then:*

- 1 *assume π_1 does not contain any conclusion and π contracts by Σ to π'^* like in the middle figure below, then π_1^o and π_2^o (on the rightmost-hand side) are both Σ -contractible:*



- 2 *assume π_1 contains at least a conclusion of π and assume π Σ -contracts to π'^* like in the middle figure below, then π_1^o and π_2^o (on the rightmost h. s.) are both Σ -contractible.*



Proof. By induction on the size of π_1 . \square




Figure 3. (Weakly) splitting cut link.


Proposition 3 (weakly splitting cut link). *Let π be a Σ -contractible APS that is only weakly splitting and let L be cut link $\frac{A \ A^\perp}{\text{cut}}$ weakly splitting, like in Figure 3, then:*

- 1 π is Σ -contractible by a sequence of retraction steps that contracts π_{A^\perp} (resp., π_A) to a (quasi-)collapsed APS before starting with contracting π_A (resp., π_{A^\perp}); moreover,
- 2 either $\pi_{A^\perp}^o$ is a Σ -contractible APS not containing any conclusion of π , where $\pi_{A^\perp}^o$ is obtained by adding to π_{A^\perp} the handling \circ -link, labeled by A^\perp , like in Figure 3, and $\pi_{A^\perp}^o$ has A^\perp as single conclusion;
- 3 or π_A^o is a Σ -contractible APS not containing any conclusion of π , where π_A^o is obtained by adding to π_A the handling \circ -link, labeled by A , like in Figure 3, and π_A^o has A as single conclusion.


Proof. Since π is contractible and weakly splitting, it is always possible, by convergence of Σ (Theorem 1) to commute the order of the retraction steps in such a way that those ones involving (i.e., whose redex belongs to) π_A (resp., π_{A^\perp}) are performed before (i.e., independently from) those ones involving π_{A^\perp} (resp., π_A); this strategy can be pursued until the retraction has turned π_A into an AS π_A^* that is (there are two cases for π_A^*):

- 1 either in quasi-collapsed form (see Definition 9),
- 2 or in non-retractible form (different from the quasi-collapsed one).

In Case 1, we trivially proved statement 1. Moreover, observe that in this case, the quasi-collapsed π_A^* cannot contain any handling conclusion of π , otherwise by Proposition 2(1), both π_A^o and $\pi_{A^\perp}^o$ will be Σ -contractible, contradicting the assumption that π is only weakly splitting at L . Thus, by Proposition 2(1), π_A^o with A as single conclusion is contractible (this proves statement 3). Case 2 (i.e., π_A^* is non-contractible but not quasi-collapsed) implies that π is retractible by means of a retraction sequence that starts by contracting π_{A^\perp} to a quasi-collapsed $\pi_{A^\perp}^*$, before starting with contracting π_A , like below:



Now observe that $\pi_{A^\perp}^*$ cannot contain any handling conclusion link of π , otherwise, since $\pi_{A^\perp}^*$ is in a non-retractible terminal form (it is not quasi-collapsed), we will conclude that π is not contractible, like illustrated below (a contradiction).




Thus, we proved statements 1 and 2 (this latter, by Proposition 2(1)). The remaining case, when π contracts by a sequence starting with contracting π_{A^\perp} to a (quasi-)collapsed $\pi_{A^\perp}^*$ before contracting π_A , is symmetric to the previous one and so omitted. \square

Lemma 4 (splitting of Σ -contractible APSs). *Let π be a Σ -contractible APS in splitting condition; assume π is only weakly splitting (i.e., π only contains terminal tensor links or cut links that are only weakly splitting), then there exists a splitting tensor link or a splitting cut link L .*


Proof. Assume, by absurdum, there exists such an APS π that it is only weakly splitting. By Lemma 3, π cannot contain any terminal tensor link that is only weakly splitting. Therefore, let π be a minimal APS (w.r.t. the size) containing only weakly splitting cut links and let L be a weakly splitting cut link like in Figure 3.

By Proposition 3, either $\pi_{A^\perp}^o$ (case 2) or π_A^o (case 3) must be Σ -contractible with a single conclusion A^\perp , resp., A . Assume $\pi_{A^\perp}^o$ is Σ contractible (case 2), therefore π_A^o must be only weakly retractible. We reason on link L_1 of π_A .


- 1 If L_1 is not (weakly) splitting, then we can reduce the cut link L of π and get a PN π' (by Theorem 2) with two reduced cut links, L' and L'' : since neither of these new cuts is weakly splitting and since all the other cut links (as well as the terminal tensor links) of π' remain not splitting, we found an APS π' , strictly smaller than π , that is not splitting, contradicting the assumption of minimality of π .



- 2 Otherwise, assume L_1 is weakly splitting, like in the next left-hand-side picture; then, as before, we can reduce the cut link L and get (by Theorem 2) an APS π' with two reduced cut links, L' and L'' like in the r.h.s. picture below:




Now observe that, in the reductum π' neither L' nor L'' is splitting; otherwise:
 (a) assume that L'' is splitting, then after splitting π' we get two separated components like in the leftmost-hand-side case below:



now, by assumption $\pi_{A^\perp}^o$ is contractible, then by Proposition 1 (Case 2), also π_{A^\perp}' (enclosed in the dotted line above) will be so; this means that, both π_A^1 and π_A^2 are contractible (with abuse of notation “(•, •)” in the figure above), and so also π_A^o (Figure 3) is contractible contradicting the assumption L is only weakly splitting;

- (b) assume that L' is splitting, then splitting π' produces two separated components like below; so, we get a contradiction by a similar argument to the case (2a).




Now observe that, in π' :

- (i) none terminal tensor link is (weakly) splitting; otherwise, assume by absurdum there exists a terminal tensor link L_s that is weakly splitting in π' ; now, since cut-reduction did not introduce new ones, all terminal tensor links in π' were already occurring in π ; moreover, by Proposition 3(2), $\pi_{A^\perp}^o$ does not contain any terminal link, except L_2 ; thus L_s must occur in π_A ; this means (simply, by reasoning on MLL APSs) that L_s was already weakly splitting in π , contradicting the assumption that (by minimality) π was not containing weakly splitting terminal tensor links;
- (ii) none cut link is splitting; in particular, by 2a and 2b, L' and L'' are both not splitting; the remaining cut links in π' are not splitting for similar reasons seen in the previous case (i).

Therefore, we have found a non-splitting π' , strictly smaller than π , contradicting the assumption that π was a minimal non-splitting APS.

In the other case, when by Proposition 3(3), π_A^o is Σ contractible with A as single conclusion, we proceed like before except for the fact that, in order to get a contradiction in the analogous of the subcase 2a, we reason as follows:

- since by assumption π and π_A^o are both contractible, we deduce that the AS (enclosed in a dotted line) on left-hand side of next picture is Σ -contractible, where π_A^* denotes the collapsed form of π_A ; obviously, if π_A^o is contractible then also π_A (without its single handling node) is contractible (it contracts exactly to π_A^*);
- since by assumption L'' is splitting, then after splitting π' we get two separated Σ -contractible components, like those ones in the middle side below;
- this means that, by Case 3 of Proposition 1 (applied to the ASs below enclosed in dotted rectangle frames, after a structural step), $\pi_{A^\perp}^o$ is contractible, contradicting the assumption the L in π is not splitting.



□

Lemma 5 (McyLL PN splitting). *Let π be an McyLL PN in splitting condition (π is not reduced to an axiom link, it contains at least a \otimes -link (resp., a cut-link) and it does not contain any ∇ -conclusion), then there must exist a \otimes -link $\frac{A \ B}{A \otimes B}$ (resp., a cut-link $\frac{A \ A^\perp}{A}$) that splits π in two McyLL PNs, π_A and π_B (resp., π_A and π_{A^\perp}).*


Proof. If π is an McyLL PN in splitting condition, then by Lemma 4, its abstraction π^{ab} is splitting. Assume π^{ab} splits at the abstract terminal tensor link $L^{ab} : \frac{A \ B}{A \otimes B}$ in two contractible π_A^{ab} and π_B^{ab} ; clearly removing L in π produces two correct PNs π_A and π_B . The case when π^{ab} is splitting at a cut link is similar. \square

Lemma 6 (conclusions order of a PN). *Let π be an McyLL PN with conclusions Γ , then all seaweeds $S_i(\pi) \downarrow^\Gamma$, restricted to Γ , induce the same cyclic order σ on Γ ($\sigma(\Gamma)$).*

Proof. By induction on the size of π . If π is reduced to an axiom link, then obvious, otherwise we reason as follows:

- 1 If π contains at least a conclusion $A \nabla B$, then $\Gamma = \Gamma', A \nabla B$; by hypothesis of induction the sub-PN π' with conclusion Γ', A, B has cyclic order $\sigma(\Gamma', A, B)$, and so, by condition 2 of Definition 6 applied to π , we know that each restricted seaweed $S_i(\pi) \downarrow^{(\Gamma', A, B)}$ induces the same cyclic order $\sigma(\Gamma', A, B)$; finally, by substituting $[A/A \nabla B]$ (resp., $[B/A \nabla B]$) in the restriction $S_i(\pi) \downarrow^{(\Gamma', A)}$ (resp., $S_i(\pi) \downarrow^{(\Gamma', B)}$), we get that each seaweed $S_i(\pi) \downarrow^{(\Gamma', A \nabla B)}$ induces the same cyclic order $\sigma(\Gamma', A \nabla B)$.
- 2 Otherwise π must contain a terminal splitting \otimes -link or cut-link. Assume π contains a splitting \otimes -link, $\frac{A \ B}{A \otimes B}$, and assume by absurdum that π is such a minimal (w.r.t. the size) PN with at least two seaweeds $S_i(\pi)$ and $S_j(\pi)$ s.t. $(X, Y, Z) \in S_i(\pi)$ and $(X, Y, Z) \notin S_j(\pi)$. We follow two subcases:
 - (a) It cannot be the case $X = B, Y = A$ and $Z = C$ otherwise, by definition of seaweeds, $S_i(\pi)$ and $S_j(\pi)$ will appear as follows:

$$S_i(\pi) \downarrow^{(\Gamma_1, A \otimes B, \Gamma_2)} = S_i(\pi_A) \downarrow^{(\Gamma_1, A)} \otimes S_i(\pi_B) \downarrow^{(B, \Gamma_2)}, \quad S_j(\pi) \downarrow^{(\Gamma_1, A \otimes B, \Gamma_2)} = S_j(\pi_A) \downarrow^{(\Gamma_1, A)} \otimes S_j(\pi_B) \downarrow^{(B, \Gamma_2)}$$




Now, by hypothesis of induction, all seaweeds on π_A (resp., all seaweeds on π_B) induce the same order on Γ_1, A (resp., Γ_2, B), then in particular,

$$S_i(\pi_A) \downarrow^{(\Gamma_1, A)} = S_j(\pi_A) \downarrow^{(\Gamma_1, A)} \quad \text{and} \quad S_i(\pi_B) \downarrow^{(B, \Gamma_2)} = S_j(\pi_B) \downarrow^{(B, \Gamma_2)}$$

but this implies $S_i(\pi) \downarrow^{(\Gamma_1, A \otimes B, \Gamma_2)} = S_j(\pi) \downarrow^{(\Gamma_1, A \otimes B, \Gamma_2)}$.


- (b) Assume both X and Y belong to π_A (resp., π_B) and Z belongs to π_B (resp., π_A); moreover, assume for some i, j , $(X, Y, Z) \in S_i(\pi) \downarrow^{(\Gamma_1, A \otimes B, \Gamma_2)}$ and $(X, Y, Z) \notin S_j(\pi) \downarrow^{(\Gamma_1, A \otimes B, \Gamma_2)}$; by Splitting Lemma 5, each seaweeds for π , $S_i(\pi)$ and $S_j(\pi)$, must appear as follows:



so, by restriction, $(X, Y, A) \in S_i(\pi_A) \downarrow^{\Gamma_1, A}$ and $(X, Y, A) \notin S_j(\pi_A) \downarrow^{\Gamma_1, A}$, contradicting the assumption (by minimality) that π_A is a correct PN with a cyclic order on its conclusions $\Gamma'_1, X, Y, A = \Gamma_1, A$.

The remaining case, when π contains a splitting cut, is similar and so omitted. □


Lemma 7 (contractible pair). *If π is a contractible APS, then there does not exist a pair (A, B) (an abstract link $A \nabla B$) in π and a seaweed $S(\pi)$ s.t. the three paths AC, BC and AB intersect in a \bullet -node with the anticlockwise order, for a conclusion C , as follows:*



Proof. By induction of the size of π . □

Fact 4 (seaweed splitting). Assume π is a PN in splitting condition with order conclusions $\sigma(\Gamma) = \Gamma_1 < A \otimes B < \Gamma_2$; assume π splits at a tensor (resp., cut) link $L: \frac{A \ B}{A \otimes B}$ (resp., $L: \frac{A \ A^\perp}{A}$), then, after splitting, the PN π_A has order conclusions $\sigma(\Gamma) \downarrow^{\Gamma_1, A} = \Gamma_1 < A$ and the PN π_B (resp., π_{A^\perp}) has order conclusions $\sigma(\Gamma) \downarrow^{\Gamma_2, B} = \Gamma_2 < B$ (resp., $\sigma(\Gamma) \downarrow^{\Gamma_2, A^\perp} = \Gamma_2 < A^\perp$).

Proof. By Definition 10 of order conclusions $\sigma(\Gamma)$ of a PN and by Lemma 6, each seaweed $S_i(\pi) \downarrow^\Gamma$ is given by the composition $S_i(\pi) \downarrow^{\Gamma_1} < A \otimes B < S_i(\pi) \downarrow^{\Gamma_2}$ like below:




then, by restriction and substitution, each seaweed for π_A (resp., for π_B) will be given by $S_i(\pi_A) \downarrow^{\Gamma_1, A}$ (resp., $S_i(\pi_B) \downarrow^{\Gamma_2, B}$), that is, the order conclusions of π_A (resp., π_B) will be $\sigma \downarrow^{\Gamma_1, A} = \Gamma_1 < A$ (resp., $\sigma \downarrow^{\Gamma_2, B} = \Gamma_2 < B$). □

Theorem 4 ((de-)sequentialization). *If π is an McyLL PN with conclusion $\sigma(\Gamma)$ then it sequentializes into a sequent proof with same conclusion $\sigma(\Gamma)$ and vice versa.*

Proof. The sequentialization part is proved by induction on the size of a PN π with conclusions order $\sigma(\Gamma)$. The case when π is reduced to an axiom link is immediate, otherwise we reason as follows.

- 1 Assume π contains a terminal ∇ -link $L: \frac{A \ B}{A \nabla B}$, so π has conclusions $\sigma(\Gamma) = \Gamma' < A \nabla B$, then we can remove L and consider the proof structure π' with conclusions Γ', A, B which is correct since its abstract image π'^{ab} is contractible by Proposition 1 (case 1) and therefore it is sequentializable into a proof of $\vdash \sigma'(\Gamma', A, B)$. It remains to show that $\sigma'(\Gamma', A, B) = \Gamma' < A < B = \sigma(\Gamma)[A \nabla B / A < B] = \Gamma' < A \nabla B$. Assume there exists a conclusion C in $S(\pi')$ s.t. $(A < B < C) \notin S(\pi')$, like in the next picture



that is absurdum, by Lemma 7. Therefore, π sequentializes as follows:

$$\frac{\Pi' \quad \vdash \Gamma' < A < B = \sigma'(\Gamma', A, B)}{\vdash \Gamma' < A \nabla B = \sigma(\Gamma' < A \nabla B)}$$

- 2 Otherwise, π must be splitting at some link L , by splitting Lemma 5. Assume L is a terminal splitting \otimes -link $L: \frac{A \ B}{A \otimes B}$ and π has conclusions $\sigma(\Gamma) = \Gamma' < A \otimes B$; then by hypothesis of induction on the size of π , $\pi_{\Gamma_1, A}^1$ and $\pi_{\Gamma_2, B}^2$ are correct PNs that sequentialize into a proof of $\sigma'_1(\Gamma_1, A) = \Gamma_1 < A$, resp., $\sigma'_2(\Gamma_2, B) = \Gamma_2 < B$, from which we can conclude, by Fact 4, with the following sequentialization of π , where $\sigma(\Gamma) = \Gamma_1 < A \otimes B < \Gamma_2$ with $\Gamma' = \Gamma_2 < \Gamma_1$:

$$\frac{\frac{\Pi_1 \quad \vdash \Gamma_1 < A}{\vdash \Gamma_1 < A} \quad \frac{\Pi_2 \quad \vdash \Gamma_2 < B}{\vdash \Gamma_2 < B}}{\vdash \Gamma_1 < A \otimes B < \Gamma_2} \otimes$$

The case when π is splitting at a cut link is similar and so omitted.

Finally, the adequacy-part (the fact the PN syntax is adequate to represent sequent proofs) is proved by induction on the height of the given sequent proof. \square

3. Lambek Calculus and McyLL PNs as parsing structures

3.1 Proof nets for Lambek calculus

In this section, we characterize those McyLL PNs that correspond to Lambek proofs. The first (sound) notion of Lambek cut-free PN, without sequentialization, was given in (Roorda 1992); see also (Retoré 1996) and (Moot and Retoré 2012) for an original discussion on the embedding of LC into PNs.

Definition 13 ((pure-)Lambek formulas and sequents of McyLL). Assume A and S are, respectively, a formula and a sequent of McyLL .

- 1 A is a (pure) Lambek formula (pLF) if it is an McyLL formula recursively built according to this grammar: $A := \text{positive atoms} \mid A \otimes A \mid A^\perp \nabla A \mid A \nabla A^\perp$.
- 2 S is a Lambek sequent of McyLL iff $S = (\Gamma)^\perp, A$ where A is a non-void pLF and $(\Gamma)^\perp$ is a possibly empty finite sequence of negations of pLFs (i.e., $(\Gamma)^\perp$ is obtained by taking the negation of each pLF in Γ).
- 3 A (pure) Lambek proof is any derivation built by means of the McyLL inference rules in which premise(s) and the conclusions are Lambek sequents.

Definition 14 (Lambek McyLL PN). We call Lambek McyLL PN any McyLL PN whose edges are labeled by pure LFs or negation of pure LFs and whose conclusions form a Lambek sequent.

Corollary 1. Any Lambek McyLL PN π is stable under cut reduction, i.e., if π reduces in one step to π' , then π' is a Lambek McyLL PN too.

Proof. Consequence of Theorem 2. Any reduction step preserves the property that each edge (resp., the conclusion) of the reductum is labeled by a Lambek formula or by a negation of a Lambek formula (resp., by a Lambek sequent). □


Theorem 5 (adequacy of Lambek PNs). Any Lambek proof of a sequent $\vdash \sigma(\Gamma^\perp, A)$ can be de-sequentialized into a Lambek PN with same order conclusions $\sigma(\Gamma^\perp, A)$.

Proof. By induction on the height of the given sequent proof. □

Theorem 6 (sequentialization of Lambek PNs). Any Lambek McyLL PN of $\sigma(\Gamma^\perp, A)$ sequentializes into a Lambek McyLL proof of the sequent $\vdash \sigma(\Gamma^\perp, A)$.


Proof. Assume by absurdum there exists a pure Lambek McyLL PN π that does not sequentialize into a Lambek McyLL proof. We can chose π minimal w.r.t. the size. Clearly, π cannot be reduced to an axiom link; moreover, π contains neither a negative conclusion of type $A^\perp \nabla B^\perp$ nor a positive conclusion of type $A^\perp \nabla B$ (resp., $A \nabla B^\perp$); otherwise, we could remove this terminal ∇ -link and get a strictly smaller (than π) PN π' that is sequentializable, by minimality of π ; this implies that also π is sequentializable (last inference rule of the sequent proof will be an instance of ∇ -rule) contradicting the assumption. For same reasons (minimality), the unique positive conclusion (e.g., $A \otimes B$) of π cannot be splitting. Therefore, since π is not an axiom link $\frac{A^\perp}{A}$, by Lemmas 5 and 6, there must exist either a (negative) splitting \otimes -link (Case 1) or a splitting cut-link (Case 2).

Case 1. Assume a negative splitting conclusion $A^\perp \otimes B$ (resp., $A \otimes B^\perp$). By minimality, π must split like in the next left-hand-side picture (we use A^+ , resp. A^- , to denote positive, resp., negative, LF and Γ^- for sequence of negative LFs):




Now, let us reason on π_1 (reasoning on π_2 is symmetric): by minimality of π , π_1 cannot be reduced to an axiom link (otherwise Γ_1^- would not be negative); moreover, none of Γ_1^- is a (negative) splitting link, like, e.g., $C \otimes D^\perp$, otherwise we could easily restrict to consider the sub-PN π' , obtained by erasing from π the sub-PN π''_1 (with conclusions $\Gamma_1''^-$, C) together with the $C^\perp \otimes D^\perp$ -link, like the graph enclosed in the dashed line above. Clearly, π' would be a non-sequentializable Lambek PN strictly smaller than π . In addition, π_1 must be cut-free, otherwise by minimality, after a cut-step reduction we could easily build a non-sequentializable reductum PN π' , strictly smaller than π , (π' will have same conclusions of π). Therefore, there are only two subcases:

- 1 either $A^\perp = C^\perp \nabla D^\perp$, then from the PN π on the l.h.s. of the next figure, we can easily get the non-sequentializable PN π' (on the r.h.s.); π' is strictly smaller than π , contradicting the minimality assumption:




2 or $A^\perp = C^\perp \otimes D$, then this $C^\perp \otimes D$ -link must split by Lemma 5, since π_1 is a cut-free PN in splitting condition without other \otimes -splitting conclusion in Γ_1^- ; so from π on the l.h.s., we can easily get the non-sequentializable PN π' on r.h.s.; π' is strictly smaller of π , contradicting the minimality assumption:




Case 2. Assume π contains a splitting cut link, like the leftmost-hand-side picture below, then we proceed like in Case 1. We reason on π_1 with two subcases:

1 either $A^\perp = C^\perp \nabla D^\perp$, then we can easily get, starting from the PN π on the middle side below, a non-sequentializable PN π' , like the rightmost-hand-side picture; π' is strictly smaller than π , contradicting the minimality assumption:



2 or $A^\perp = C^\perp \otimes D$, then this A^\perp -link must be splitting by Lemma 5, since π_1 is a cut-free PN in splitting condition without any other \otimes -splitting conclusion in Γ_1^- ; so, we can easily get, starting from the PN π on the l.h.s., a non-sequentializable PN π' that is strictly smaller than π (on the r.h.s.), contradicting the minimality assumption.



□

3.2 McyLL PNs as parsing structures

In this section, we reformulate, in our syntax, some examples of linguistic parsing (some of them suggested by Richard Moot in his PhD thesis; Moot, 2002). We use *s*, *np*, and *n* as the types expressing, respectively, a *sentence*, a *noun phrase* and a *common noun*. According to the “parsing as

deduction style,” when a string $w_1...w_n$ is tested for grammaticality, the types t_1, \dots, t_n associated with the words are retrieved from the lexicon and then parsing reduces to proving the derivability of a two-sided sequent of the form $t_1, \dots, t_n \vdash s$. Remind that proving a two-sided Lambek derivation $t_1, \dots, t_n \vdash s$ is equivalent to prove the one-sided sequent $\vdash t_n^\perp, \dots, t_1^\perp, s$ where t_i^\perp is the dual (i.e., linear negation) of type t_i . Any phrase or sentence should be read like in a mirror (with opposite direction).

Assume the following lexicon, where *linear implication* \multimap (resp., \multimap) is traditionally used for expressing types in two-sided sequent parsing:

- 1 *Sollozzo, Vito* = np ;
- 2 *trusts* = $np \multimap (s \multimap np)$ \equiv $np^\perp \nabla (s \nabla np^\perp)$
 = $(np \multimap s) \multimap np$ \equiv $(np^\perp \nabla s) \nabla np^\perp$;
- 3 *him* = $(s \multimap np) \multimap s$ \equiv $(s \nabla np^\perp)^\perp \nabla s$ \equiv $(np \otimes s^\perp) \nabla s$;

Cases of lexical ambiguity follow to words with several possible formulas A and B assigned it. For example, a verb like *to believe* can express a relation between two persons, np 's in our interpretation, or between a person and a statement, interpreted as s , as in the following examples:


- (1) *Sollozzo believes Vito.*
- (2) *Sollozzo believes Vito trusts him.*

We can express this verb ambiguity by two lexical assignments as follows:

- 4 *believes* = $(np \multimap s) \multimap np$ \equiv $(np^\perp \nabla s) \nabla np^\perp$;
- 5 *believes* = $(np \multimap s) \multimap s$ $(np^\perp \nabla s) \nabla s^\perp$.


In order to parse sentence (1), *Sollozzo believes Vito*, we may proceed in two ways:

- *via the sequent calculus*, building (bottom-up) a derivation tree in the sequent calculus;
- *via proof structure*, by matching pairs of dual literals (i.e., linking) occurring in the top border of the syntactical trees of the types assigned to the lexical items, including the extra type for sentence s . Actually, there are two ways of linking dual pairs of literals (np, np^\perp), both of them leading to correct PNs:
 - the one in the middle side, with cyclic order conclusions “ $s < Vito < believes < Sollozzo$,” which sequentializes into the l.h.s. sequent proof, parsing of sentence 3.2;
 - the one in the rightmost-hand side, with cyclic order conclusions $s < Sollozzo < believes < Vito$, corresponding to the parsing of sentence *Vito believes Sollozzo*.



Remind that, since we only consider one-side Lambek sequent proofs (PNs), phrases or sentences should be read “like in a mirror” (following the dashed arrow below the conclusions), i.e., by inverting the “anticlockwise orientation” of the cyclic order conclusions.

Similarly, the parsing of sentence (2), *Sollozzo believes Vito trusts him* can be interpreted either by deriving (bottom-up) a Lambek proof or by constructing, like below, a (bottom-up) a Lambek PN (given together with its corresponding contractible APS):



Further examples can be found in Appendix A.3.

4. Conclusions and further works

In this paper, we presented a correctness criterion for cyclic pure multiplicative (McyLL) PN's satisfying a sequentialization for the full class of PN's, including those ones with cut links. As shown in Abrusci and Maieli (2015b), the contraction criterion can be extended to consider the multiplicative and additive cyclic fragment of linear logic (MAcyLL), thereby allowing to parse superposition of phrases with lexical ambiguity (finite polymorphism). Intuitively it is enough to add an additive “box-like” contraction rule to the Σ system, with the proviso that the syntax of (abstract) proof structure has been enriched with links for the additive connectives $\&$ (with) and \oplus (plus) together with extra (possibly n -ary) links for contraction (see Appendix A.4).

Retraction systems represent a useful computational tool for:

- *proof search*, since we can chose special retraction strategies, e.g., *parsing*, that are “optimal” w.r.t., e.g., complexity of search space, backtracking, etc. (see Maieli, 2014);
- classifying *the complexity class* of correctness criteria; concerning the pure multiplicative fragment of LL, at this moment we know that deciding:
 - the correctness of an MLL proof structure is *linear* in the size of the input proof structure (Guerrini, 2011) and *NL-complete* (de Naurois and Mogbil, 2007);
 - correctness of McyLL proof structures, restricted to those ones that only allow a cut-free sequentialization (e.g., Maieli, 2003), is *quadratic* in the size of the input proof structure (Mogbil, 2001).

As future work we aim at classifying the complexity class of the proposed new correctness criterion.

Notes

- 1 In any switching we can consider as a simple edge every axiom, cut and ∇ -link that remains after the mutilation of one of the two premises.
- 2 Indeed, π_1 and π_2 are neither correct according to Melliès’ criterion. Comparison with Melliès’s condition is out of the scope of this work as it needs the introduction of some topological notions requiring more space than the one allowed here. By the way, we briefly recall the criterion in the Appendix A.1 and we postpone to a future work the precise correspondence between topological condition and retraction.
- 3 In Appendix A.2, we also discuss an alternative sequentialization procedure based on the parsing of abstract paired graphs labeled by possibly “open” sequent proofs.
- 4 A pair of retraction rule instances, R_i and R_j , is called *critical pair* when the application of R_i prevents the application of R_j and the application of R_j prevents the application of R_i .
- 5 We will see that, by Lemma 6, in a proof net π with conclusion Γ , the order of conclusion $\sigma(\Gamma)$ as defined in Definition 10 is independent indeed from the choice of the seaweed $S(\pi)$.

References

- Abrusci, V. M. (2002). Classical conservative extensions of Lambek calculus. *Studia Logica* 71 (3) 277–314 .
- Abrusci, V. M. and Maieli, R. (2015a). Cyclic multiplicative proof nets of linear logic with an application to language parsing. In: *Proceedings of the Conference WoLLIC 2015*, LNCS, vol. 9160, Bloomington, USA, 53–68.
- Abrusci, V. M. and Maieli, R. (2015b). Cyclic multiplicative and additive proof nets of linear logic with an application to language parsing. In: *Proceedings of the Conference FG 2015*, LNCS, vol. 9804, Barcelona, Springer, Heidelberg, 43–59.
- Abrusci, V. M. and Ruet, P. (2000). Noncommutative logic I: the multiplicative fragment. *Annals of Pure and Applied Logic* 101 (1) 29–64.
- Andreoli, J.-M. and Pareschi, R. (1991). From Lambek Calculus to word-based parsing. In: *Proceedings of Workshop on Substructural Logic and Categorical Grammar*, CIS Munchen, Germany.
- Bagnol, M., Doumane, A. and Saurin, A. (2015). On the dependencies of logical rules. In: *Proceedings of the 18th International Conference, FoSSaCS 2015*, London, UK, 436–450.
- Danos, V. and Regnier, L. (1989). The structure of multiplicatives. *AML* 28 181–203.
- Danos, V. (1990). La Logique Linéaire appliquée à l'étude de divers processus de normalisation (principalement du λ -calcul). Phd Thesis, Univ. Paris VII.
- de Naurois, P.J. and Mogbil, V. (2007). Correctness of multiplicative (and exponential) proof structures is NL-complete. In: *Proceedings of CSL 2007*, LNCS, vol. 4646, 435–450.
- Girard, J.-Y. (1987). Linear logic. *Theoretical Computer Science* 50 1–102.
- Girard, J.-Y. (1995). Proof nets: the parallel syntax for proof theory. In: Ursini, Agliano (eds.) *Logic and Algebra*, New York, M. Dekker.
- Guerrini, S. (2011). A linear algorithm for MLL proof net correctness and sequentialization. *Theoretical Computer Science* 412 (20) 1958–1978.
- Hughes, D. and van Glabbeek, R. (2003). Proof nets for unit-free multiplicative-additive linear logic. In: *Proceedings of the 18th IEEE Logic in Computer Science*, Los Alamitos.
- Lambek, J. (1958). The mathematics of sentence structure. *The American Mathematical Monthly* 65 (3) 154–170.
- Maieli, R. (2003). A new correctness criterion for multiplicative non-commutative proof-nets. In: *Archive for Mathematical Logic*, vol. 42, Berlin Heidelberg, Springer-Verlag, 205–220.
- Maieli, R. (2007). Retractable proof nets of the purely multiplicative and additive fragment of linear logic. In: *Proceedings of the 14th International Conference LPAR*, LNAI, vol. 4790, Berlin Heidelberg, Springer-Verlag, 363–377.
- Maieli, R. (2014). Construction of retractile proof structures. In: Dowek, G. (ed.) *Proceedings of the International Joint Conference RTA-TLCA, Vienna*, LNCS, vol. 8560, Switzerland, Springer International Publishing, 319–333.
- Melliès, P.-A. (2004). A topological correctness criterion for multiplicative non-commutative logic. In: Ehrhard, T., Girard, J.-Y., Ruet, P. and Scott, P. (eds.) *Linear Logic in Computer Science*, London Mathematical Society Lecture Note, vol. 316, chapter 8, UK, Cambridge University Press, 283–321.
- Mogbil, V. (2001). Quadratic correctness criterion for noncommutative logic. In: *Proceedings of CSL 2001, Paris, France*, LNCS, vol. 2142, Berlin Heidelberg, Springer-Verlag, 69–83.
- Moot, R. and Retoré, Ch. (2012). *The Logic of Categorical Grammars: A Deductive Account of Natural Language Syntax and Semantics*, LNCS, vol. 6850, Berlin Heidelberg, Springer-Verlag.
- Moot, R. (2002). Proof Nets for Linguistic Analysis. Phd thesis, Utrecht University.
- Retoré, C. (1996). Calcul de Lambek et logique linéaire. *Traitement Automatique des Langues* 37 (2) 39–70.
- Roorda, D. (1992). Proof nets for Lambek calculus. *Journal of Logic and Computation* 2 (2) 21–233.

Appendix A

A.1 Melliès' topological criterion

Definitions and examples of this section can be founded in Melliès (2004).

Definition 15 (Melliès' correctness criterion). An *McyLL* (concrete) proof-structure π (Definition 2) is a PN iff:

- 1 its commutative translation π^* is an MLL PN;
- 2 its surface **ribbon**(π) is planar with a unique external border σ ;
- 3 σ contains all the conclusions of π .

The commutative translation π^* of an *McyLL* proof-structure π is the MLL proof-structure obtained as the result of replacing every \odot and ∇ link by \otimes and \wp , respectively, where according





Figure A.1. Examples of surface ribbons of proof structures.

to Melliès’ syntax “ \odot ” denotes the non-commutative tensor (denoted in the rest of the paper by the usual “ \otimes ”).

The second part of the criterion requires “planarity” of π , or more precisely planarity of the (orientable) surface **ribbon**(π) obtained by replacing every $\{\odot, \nabla, axiom, cut\}$ -link and conclusion C in π by the associated ribbon diagram as follows:



The criterion rejects the proof structure π of conclusion $\vdash (B \odot A) \multimap (A \odot B)$ because **ribbon**(π) in leftmost-hand side of Figure A.1 it is not planar. The crucial point is that planarity of **ribbon**(π) is not sufficient to characterize McyLL proofs among McyLL proof-structures. Typically, the McyLL proof-structure π of conclusion $\vdash (A^\perp \nabla B^\perp), (A \odot B)$, in the middle side ribbon of Figure A.1 is not sequentializable in McyLL, but its surface **ribbon**(π) is planar. One possible solution is to require that all conclusions of π lie on the same border of **ribbon**(π). Unfortunately, this criterion would be too weak to characterize proofs with cuts, as witnessed by the example of a non-sequentializable McyLL proof-structure, with a unique conclusion in the rightmost-hand side of Figure A.1. These (counter-)examples suggest to reinforce conditions 1 and 2 of Definition 15 by adding extra information (condition 3) concerning the ∇ -link occurring in the border of **ribbon**(π). More precisely, given an McyLL proof structure π and a border σ of **ribbon**(π), we shall count the number of ∇ -links visited by the border σ on their “thick side” displayed below:



We call this number the *index* of σ . A border of index 0 is called *external* and a border of index more than 1 is called *internal*. So, the criterion of Definition 15 rejects the two proof-structures on the right-hand side of Figure A.1 because one of their conclusions lies on an internal border. For similar reasons, proof structures π_1 and π_2 of Section 1.2.3 are non-correct according to Definition 15.

A.2 Sequentialization as parsing

In spite of other syntaxes based on correction graphs (set of tests) like “switchings” or “trips,” retraction gives a direct (simpler, indeed) sequentialization procedure of correct PNs without passing through a Splitting Lemma. The genuine idea (Bagnol *et al.*, 2015) is that each retraction step represents itself an inference of a possibly open sequent proof. For this purpose we adopt the intermediate syntax of *labeled abstract proof structures* (LAPs) (a “medium” between abstract proof structures and sequent proofs):


- nodes of abstract paired graphs are labeled with *open proofs* containing *context variables* $\Gamma^?$;
- *open proofs* correspond to *partial sequentializations*, which become larger and larger as contraction progresses, until reaching a full (complete, closed) McyLL proof;
- open proofs are constructed on (i) cyclic ordered sequents S (i.e., S is endowed with a total cyclic order σ) with context variables, generated by the following syntax, where F is an McyLL formula and $\Gamma^?$ is a context variable:

$$S := \emptyset \mid S, F \mid S, \Gamma^?$$

(ii) by the following inference rules:


$$\frac{}{\vdash A < A^\perp} id \quad \vdash S \quad \frac{\vdash S_1 < A \quad A^\perp < S_2}{\vdash S_1 < S_2} cut \quad \frac{\vdash S_1 < A \quad \vdash B < S_2}{\vdash S_1 < A \otimes B < S_2} \otimes \quad \frac{\vdash S < A < B}{\vdash S < A \nabla B} \nabla$$

Given a concrete proof structure (CPS) π , the *labeled paired graph* π^{lab} is a paired graph whose vertexes are labeled by open proofs (displayed inside rectangles) whose edges are labeled by formulas and obtained by applying the following *transformation rules*, from CPSs to labeled paired graphs, also called LAPs:



(transformation rules: CPSs \rightarrow LAPs)

Definition 16 (labelled retraction system Σ_1). The following rewriting or contraction rules are applied with (partial) substitution of context variables, where Π, Φ, Θ stay for possibly open sub-proofs and $\Phi[\Gamma / \Gamma_F^?]$ denotes the substitution of a context variable $\Gamma_F^?$ by a (closed) sequent Γ along an open proof Φ :




Definition 17 (Σ_1 -correctness criterion (Σ_1CC)). A CPS π is Σ_1 -correct when the corresponding LAPS π^{lab} collapses by Σ_1 in to a single node labeled by a closed sequent proof Π (derived from only logical axioms, *id*).


Theorem 7 ($\Sigma CC \equiv \Sigma_1 CC$). A CPS π is Σ -correct (ΣCC , Definition 9) iff it is Σ_1 -correct (Σ_1CC); moreover, π and the (closed) sequent proof Π , labeling the collapsed graph (resulting from the Σ_1 -contraction of π^{lab}), have the same conclusions Γ endowed by the same cyclic order $\sigma(\Gamma)$.

Proof. By induction on π . □


Example 2. Assume the following CPS π_1 :




In order to check Σ_1 -correctness of π , we first transform it into the LAPS π^{lab} below:




then, after a couple instances of R_1 (with substitution $[A/\Gamma_{A^⊥}^?]$ resp., $[A^⊥/\Gamma_A^?]$) and one instance of R_2 (with substitution $[\emptyset/\Gamma_{A^⊥∇A}^?]$) we get the following LAPS:




from which, after an instance of R_1 (with substitution $[\emptyset / \Gamma_{A^\perp \nabla A}^?]$) we get next structure:




then, by another instance of R_1 (with substitution $[(A^\perp < A) / \Gamma_{A^\perp \otimes A}^?]$) we get




from which, finally, after an instance of R_2 (with substitution $[\emptyset / \Gamma_{A^\perp \nabla A}^?]$) we get a collapsed LAPS (a single node) labeled by the following closed proof Π (a sequentialization of π):




Example 3. Assume we want to test for correctness the following (incorrect indeed) proof structure π_2 :



first, let us transform π_2 into the labeled proof structure below:



then, after a couple instances of R_1 , one instance of R_2 and one more instance of R_1 (with the same substitutions seen before for π_1) we get the structure below which is not contractible anymore:




observe that the only possible substitution $[(A^\perp \otimes A) \otimes (A^\perp \nabla A) / \Gamma_{A \nabla A^\perp}^\perp]$ does not led to a cut-free derivable proof of the sequent $\vdash (A^\perp \otimes A) \otimes (A^\perp \nabla A) < A \nabla A^\perp$ as follows:

$$\frac{\frac{\frac{\overline{\vdash A < A^\perp} \quad \overline{\vdash A < A^\perp}}{\vdash A < A^\perp \otimes A < A^\perp} \quad \overline{\vdash A^\perp < A}}{\vdash (A^\perp \otimes A) \otimes (A^\perp \nabla A) < A^\perp < A}}{\vdash (A^\perp \otimes A) \otimes (A^\perp \nabla A) < A \nabla A^\perp}$$


non (cut-free) derivable!

A.3 Examples of parsing via Lambek McyLL PNs


In order to better understand how the contraction criterion checks the incorrectness of wrong parsing of Lambek proof structure, we consider in the following a couple of incorrect parsing structures of sentence (2): the first one results from a wrong choice of linking (by axioms) some pairs of literal s, s^\perp



while the second one results from an incorrect linkings of some pairs of literals np, np^\perp



PNs are modular objects, that is, you can always replace in a PN a portion (also called “module”) with another graph with same “behavior” (in term of local correction) and get still a correct PN. For instance, consider the two alternative parsing structures for sentence (2): they only differ for the module enclosed within dashed lines: two different syntactical types (even though logically equivalent!) for the same lexical item “trusts” = $np \multimap (s \multimap np) = np^\perp \nabla (s \nabla np^\perp)$.




A.4 Further work: parsing via Lambek MAcyLL PNs

Additive connectives, $\&$ and \oplus , allow superpositions of types (lexical ambiguity); in particular, we may collapse the previous assignment items 4 and 5 of Section 3.2 for the lexical entry *believes* into a single additive assignment as follows:

$$6 \text{ believes} = ((np \multimap os) \multimap np) \& ((np \multimap os) \multimap s) = ((np^\perp \nabla s) \nabla np^\perp) \& ((np^\perp \nabla s) \nabla s^\perp).$$

Then, as parsing structure of the superposition of sentences (1) and (2) we may build:

- 1 either a MAcyLL PN with “minimal superposition of links”; this PN is very close to the “sequent style” parsing since it makes use of “additive-boxes”:



2 or a more abstract PN (with “maximal superposition of links”), which exploits a more compact lexical entry (due to the *distributivity law* of negative connectives)

$$\begin{aligned} \text{believes} &= ((np - \circ s) \circ - np) \& ((np - \circ s) \circ - s) \equiv ((np^\perp \nabla s) \nabla np^\perp) \& ((np^\perp \nabla s) \nabla s^\perp) \\ &= ((np - \circ s) \circ - (s \oplus nps)) = ((np^\perp \nabla s) \nabla (np^\perp \& s^\perp)). \end{aligned}$$

