

MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

*of the
Cambridge Philosophical Society*

VOLUME 154



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS

The Edinburgh Building, Cambridge CB2 8RU, United Kingdom
32 Avenue of the Americas, New York, NY 10013–2473, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/Orense, 4, planta 13, 28020 Madrid, Spain
Lower Ground Floor, Nautica Building, The Water Club, Beach Road,
Granger Bay, Cape Town 8005, South Africa

© Cambridge Philosophical Society 2013

Printed in the United Kingdom by MPG Books Ltd

INDEX FOR VOLUME 154

	PAGE
Albers, P., Fis, J. W., Frauenfelder, U. & Koert, O. V. The Conley–Zehnder indices of the rotating Kepler problem	243
Bilu, Y., Masser, D. & Zannier, U. An effective “Theorem of André” for CM -points on a plane curve	145
Boore, G. C. & Falconer, K. J. Attractors of directed graph IFSs that are not standard IFS attractors and their Hausdorff measure	325
Bowditch, B. H. Invariance of coarse median spaces under relative hyperbolicity	85
Bowman, C. Bases of quasi-hereditary covers of diagram algebras	393
Breuillard, E., Cornulier, Y., Lubotzky, A. & Meiri, C. On conjugacy growth of linear groups	261
Drappeau, S. Sur les solutions friables de l’équation $a + b = c$	439
Echterhoff, S. & Laca, M. The primitive ideal space of the C^* -algebra of the affine semigroup of algebraic integers	119
Evertse, J.-H. & Györy, K. Effective results for unit equations over finitely generated integral domains	351
Fässler, K. & Orponen, T. Constancy results for special families of projections	549
Feng, D.-J., Käenmäki, A. & Suomala, V. Local conical dimensions for measures	465
Galazka, P. Hausdorff dimension of the set of elliptic functions with critical values approaching infinity	97
Gambino, N & Kock, J. Polynomial functors and polynomial monads	153
Goldmakher, L. & Louvel, B. A quadratic large sieve inequality over number fields	193
Hryniewicz, U. L. & Salomão, P. A. S. Global properties of tight Reeb flows with applications to Finsler geodesic flows on S^2	1
Hussain, M. & Yusupova, T. On weighted inhomogeneous Diophantine approximation on planar curves	225
James, K. & Smith, E. Average Frobenius distribution for the degree two primes of a number field	499
Jung, J. & Oliver, R. J. L. Pretentiously detecting power cancellation	481
Kodani, Y. A new bridge index for links with trivial knot components	279
Kurdachenko, L. A. & Shumyatsky, P. The ranks of central factor and commutator groups	63
Lee, C.-Y. Non-commutative Iwasawa theory of elliptic curves at primes of multiplicative reduction	303
Malicki, M. Rooted trees, strong cofinality and ample generics	213
Măntoiu, M. On the essential spectrum of phase-space anisotropic pseudodifferential operators	29
Meierfrankenfeld, U., Stroth, G. & Weiss, R. M. Local identification of spherical buildings and finite simple groups of Lie type	527
Mineyama, R. & Miyachi, H. A characterization of biholomorphic automorphisms of Teichmüller space	71
Monden, N. Generating the mapping class group by torsion elements of small order	41
Petridis, G. The L^1 -norm of exponential sums in Z^d	381
Randal-Williams, O. The space of immersed surfaces in a manifold	419
Suzuki, S. On the universal sl_2 invariant of Brunnian bottom tangles	127
Szymik, M. The chromatic filtration of the Burnside category	287

INSTRUCTIONS TO AUTHORS

1. Preparation of Manuscripts

A paper should be submitted electronically to mpeditor@hermes.cam.ac.uk in pdf form only. Authors are encouraged to prepare their manuscripts in LaTeX 2e using the PSP class file. The class file, together with a guide, `PSP2egui.tex`, and sample pages, `PSP2esam.tex`, can be downloaded from <ftp://ftp.cambridge.org/pub/texarchive/journals/latex/pspscls> in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas, *Some applications of a theorem of G. H. Hardy* would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance n sub k is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like:

$$\exp\{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.
The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ϵ , k , κ , k .

Footnotes should be avoided.
Please use typewriter font for all addresses and email addresses.

Omit \square from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (eg. (i) the absolute value . . .)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

Figure 1 here

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. *A basis for . . .*

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

Heading for tables should be shown in the following way:

Table 1. *A basis for . . .*

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann of Math.* (2) **72** (1960), 20-104.

[2] M. P. FOURAM and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves* Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.

[3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).

[4] F. W. LAWVERE. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

6. Submission of papers accepted for publication

When a paper has been accepted for publication the relevant TeX files of the final version, accompanied by a pdf file, should be sent to the Editor by e-mail.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

MATHEMATICAL PROCEEDINGS

*of the
Cambridge Philosophical Society*

VOLUME 154 PART 3, pages 381–568, May 2013

CONTENTS

PETRIDIS, G. The L^1 -norm of exponential sums in \mathbb{Z}^d	381
BOWMAN, C. Bases of quasi-hereditary covers of diagram algebras	393
RANDAL-WILLIAMS, O. The space of immersed surfaces in a manifold.	419
DRAPPEAU, S. Sur les solutions friables de l'équation $a + b = c$	439
FENG, D.-J., KÄENMÄKI, A. & SUOMALA, V. Local conical dimensions for measures	465
JUNG, J. & OLIVER, R. J. L. Pretentiously detecting power cancellation	481
JAMES, K. & SMITH, E. Average Frobenius distribution for the degree two primes of a number field	499
MEIERFRANKENFELD, U., STROTH, G. & WEISS, R. M. Local identification of spherical buildings and finite simple groups of Lie type	527
FÄSSLER, K. & ORPONEN, T. Constancy results for special families of projections	549

© The Cambridge Philosophical Society 2013

Cambridge Journals Online
For further information about this journal
please go to the journal website at:
journals.cambridge.org/psp



MIX
Paper from
responsible sources
FSC® C018575

CAMBRIDGE
UNIVERSITY PRESS