

# **The Canadian Entomologist**

**Index for Volume 139 (2007) / Index pour le volume 139 (2007)**



**Entomological Society of Canada /  
Société d'entomologie du Canada**

© 2007 Entomological Society of Canada

- Ahn K-J. See Jeon and Ahn, 189
- Anderson RS. See Zeran *et al.*, 118  
 See Majka *et al.*, 378  
 See Majka *et al.*, 397
- Arnason JT. See Scott *et al.*, 513
- Assing V. See Klimaszewski *et al.*, 54
- Athanassiou CG. See Tomanović *et al.*, 297
- Bajerlein D. See Majka *et al.*, 690
- Barreto M. See Mironov *et al.*, 757
- Baur H. See Muller *et al.*, 643
- Behan-Pelletier V. See Majka *et al.*, 690
- Bellerose S, Chouinard G, Roy M. Occurrence of *Grapholita molesta* (Lepidoptera: Tortricidae) in major apple-growing areas of southern Quebec, 292
- Benjamin MC. See Elliott *et al.*, 534
- Bennett RG. See Gries *et al.*, 685
- Beres B. See Cárcamo *et al.*, 658
- Bernasconi G, Ward PI, Hellriegel B. Repeatability of sperm size in outbred and inbred *Scathophaga stercoraria* (Diptera: Scathophagidae), 228
- Błoszyk J. See Majka *et al.*, 690
- Bo T, Fenoglio S, Malacarne G. Diet of *Dinocras cephalotes* and *Perla marginata* (Plecoptera: Perlidae) in an Apennine stream (northwestern Italy), 358
- Borkent CJ, Harder LD. Flies (Diptera) as pollinators of two dioecious plants: behaviour and implications for plant mating, 235
- Borys RR. See Fettig *et al.*, 141
- Brauner AM, de Groot P. Response of *Pityophthorus puberulus* (Coleoptera: Curculionidae: Scolytinae) to pheromones and terpenes, 742
- Brodeur J. See Rhainds *et al.*, 728
- Burian SK. See Giberson *et al.*, 628
- Cárcamo H, Olfert O, Dosedall L, Herle C, Beres B, Soroka J. Resistance to cabbage seedpod weevil among selected Brassicaceae germplasm, 658
- Carter N. See Régnière *et al.*, 365
- Catling PM. Variation of hind-wing colour and length in *Sympetrum internum* (Odonata: Libellulidae) from the Canadian prairie provinces, 872
- Chandler DS. See Klimaszewski *et al.*, 793
- Chouinard G. See Bellerose *et al.*, 292
- Cicchino A. See del Carmen Castro and Cicchino, 472
- Cook J. See Peck and Cook, 87
- Coppens MD. See Grant *et al.*, 564
- Crabo L. See Landolt *et al.*, 278
- Ćurčić BPM, Makarov SE, Tomić VT, Mitić BM. Global review of some Anthroleucosomatidae (Diplopoda: Chordeumatida) with description of a new millipede genus from the Balkan Peninsula, 478
- Currie CR. See Mangone and Currie, 841
- Currie RW. See Underwood and Currie, 881
- Dabney CP. See Fettig *et al.*, 141
- Daigle G. See Rhainds *et al.*, 728
- Danks HV. The elements of seasonal adaptations in insects, 1  
 How aquatic insects live in cold climates, 443
- de Groot P. See Brauner and de Groot, 742
- Dedes J. See van Frankenhuyzen *et al.*, 834
- del Carmen Castro D, Cicchino A. Two remarkable species of *Phthiropoios* (Phthiraptera: Gyropidae) from Tucumán Province, Argentina, 472
- Dosedall L. See Cárcamo *et al.*, 658
- Dupont A. See Régnière *et al.*, 365
- Ebling P. See van Frankenhuyzen *et al.*, 834
- Elliott RH, Benjamin MC, Gillott C. Laboratory studies of the toxicity of spinosad and deltamethrin to *Phyllotreta cruciferae* (Coleoptera: Chrysomelidae), 534
- Fenoglio S. See Bo *et al.*, 358
- Ferris CD, Mironov VG. Replacement name for *Eupithecia deserticola* (Lepidoptera: Geometridae: Eupitheciini), 131
- Fettig CJ, McKelvey SR, Dabney CP, Borys RR. The response of *Dendroctonus valens* and *Temnochila chlorodia* to *Ips paraconfusus* pheromone components and verbenone, 141
- Finlay H. See Scott *et al.*, 513

- Floate KD. See Noronha *et al.*, 748
- Frerot B. See Nemer *et al.*, 713
- Galloway TD. See Pilgrim and Galloway, 489
- Gatti Liguori P, Zerba E, Gonzalez Audino P. New trap for emergent *Megaplatus mutatus*, 894
- Giberson DJ. See Purcell and Giberson, 523
- Giberson DJ, Burian SK, Shouldice M. Life history of the northern mayfly *Baetis bundyae* in Rankin Inlet, Nunavut, Canada, with updates to the list of mayflies of Nunavut, 628
- Gibson GAP. See Muller *et al.*, 643  
See Noronha *et al.*, 748
- Gillott C. See Elliott *et al.*, 534
- Gonzalez Audino P. See Gatti Liguori *et al.*, 894
- Goodfellow SA. See Hallett *et al.*, 700
- Gordon TR. See Sakamoto *et al.*, 864
- Grant GG, Guo J, MacDonald L, Coppens MD. Oviposition response of spruce budworm (Lepidoptera: Tortricidae) to host terpenes and green-leaf volatiles, 564
- Green D. See Landolt *et al.*, 278
- Gries G. See Gries *et al.*, 685
- Gries R, Bennett RG, Khaskin G, Gries G. Attraction of male *Mayetiola thujae* (Diptera: Cecidomyiidae) to the sex-pheromone blend of (2*S*,12*S*)-, (2*S*,13*S*)-, and (2*S*,14*S*)-diacetoxyheptadecane is reduced in the presence of the *SR*- or *RR*-stereoisomers, 685
- Guo J. See Grant *et al.*, 564
- Hagerty A. See Landolt *et al.*, 278
- Hajek AE, Kalb DM. Suitability of *Acer saccharum* and *Acer pensylvanicum* (Aceraceae) for rearing *Anoplophora glabripennis* (Coleoptera: Cerambycidae), 751
- Hallett RH, Goodfellow SA, Heal JD. Monitoring and detection of the swede midge (Diptera: Cecidomyiidae), 700
- Harder LD. See Borkent and Harder, 235
- Heal JD. See Hallett *et al.*, 700
- Hellriegel B. See Bernasconi *et al.*, 228
- Helson BV. See Scott *et al.*, 513
- Herle C. See Cárcamo *et al.*, 658
- Jeon M-J, Ahn K-J. Revision of the seashore genus *Salinamexus* (Coleoptera: Staphylinidae: Aleocharinae) with a description of *Salinamexus koreanus* sp. nov. from Korea, 189
- Kalb DM. See Hajek and Kalb, 751
- Kavallieratos NG. See Tomanović *et al.*, 297
- Kawar NS. See Nemer *et al.*, 713
- Kfoury L. See Nemer *et al.*, 713
- Khaskin G. See Gries *et al.*, 685
- King BH. The effect of exposure to conspecifics on restlessness in the parasitoid wasp *Nasonia vitripennis* (Hymenoptera: Pteromalidae), 678
- Klimaszewski J, Majka CG. Two new *Atheta* species (Coleoptera: Staphylinidae: Aleocharinae) from eastern Canada: taxonomy, bionomics, and distribution, 45  
*Euwira micmac*, a new species (Coleoptera: Staphylinidae: Aleocharinae), and first record of the genus in Canada, 147
- Klimaszewski J, Assing V, Majka CG, Pelletier G, Webster RP, Langor D. Records of adventive aleocharine beetles (Coleoptera: Staphylinidae: Aleocharinae) found in Canada, 54
- Klimaszewski J, Langor D, Savard K, Pelletier G, Chandler DS, Sweeney J. Rove beetles (Coleoptera: Staphylinidae) in yellow birch-dominated stands of southeastern Quebec, Canada: Diversity, abundance, and description of a new species, 793
- Kok LT. See Lamb *et al.*, 576
- Krantz GW. See Majka *et al.*, 690
- Kuhlmann U. See Muller *et al.*, 643
- Laffin RD. See Zhang *et al.*, 308
- Lafontaine JD. See Troubridge and Lafontaine, 209
- Lamb AB, Salom SM, Kok LT. Factors influencing aestivation in *Laricobius nigrinus* (Coleoptera: Derodontidae), a predator of *Adelges tsugae* (Hemiptera: Adelgidae), 576
- Lamb RJ. See Smith *et al.*, 133  
See Migui and Lamb, 850
- Landolt PJ, Pantoja A, Hagerty A, Crabo L, Green D. Moths trapped in Alaska with feeding attractant lures and the seasonal flight patterns of potential agricultural pests, 278
- Landry B. See Schmitz and Landry, 201
- Landry J-F. Taxonomic review of the leek moth genus *Acrolepiopsis* (Lepidoptera: Acrolepiidae) in North America, 319

- Langor D. See Klimaszewski *et al.*, 54  
 See Klimaszewski *et al.*, 793
- Langor DW. See Lu *et al.* 179  
 See Zhang *et al.*, 308  
 See MacQuarrie *et al.*, 545
- Lavigne D. See Régnière *et al.*, 365
- Li Z. See Zhang *et al.*, 308
- Lonsdale O, Marshall SA. Revision of the genus *Phylloclusia* (Diptera: Clusiidae: Clusiinae), 778
- Lourenço-de-Oliveira R. See Motta *et al.*, 591
- Lu X, Zhang R, Langor DW. Two new species of *Pissodes* (Coleoptera: Curculionidae) from China, with notes on Palearctic species, 179
- Lucas Z. See Majka *et al.*, 690
- Lyons DB. See Scott *et al.*, 513
- MacDonald L. See Grant *et al.*, 564
- MacQuarrie CJK, Langor DW, Sperling FAH. Mitochondrial DNA variation in two invasive birch leaf-mining sawflies in North America, 545
- Majka CG. See Klimaszewski and Majka, 45  
 See Klimaszewski *et al.*, 54  
 See Klimaszewski and Majka, 147
- Majka CG, Anderson RS, McAlpine DF, Webster RP. The weevils (Coleoptera: Curculionoidea) of the Maritime Provinces of Canada, I: New records from New Brunswick, 378
- Majka CG, Anderson RS, McCorquodale DB. The weevils (Coleoptera: Curculionoidea) of the Maritime Provinces of Canada, II: New records from Nova Scotia and Prince Edward Island and regional zoogeography, 397
- Majka CG, Behan-Pelletier V, Bajerlein D, Błoszyk J, Krantz GW, Lucas Z, O'Connor B, Smith IM. New records of mites (Arachnida: Acari) from Sable Island, Nova Scotia, Canada, 690
- Majka CG, McCorquodale DB, Smith ME. The Cerambycidae (Coleoptera) of Prince Edward Island: new records and further lessons in biodiversity, 258
- Makarov SE. See Čurčić *et al.*, 478
- Malacarne G. See Bo *et al.*, 358
- Mangone DM, Currie CR. Garden substrate preparation behaviours in fungus-growing ants, 841
- Marshall SA. See Lonsdale and Marshall, 778
- Mason PG. See Muller *et al.*, 643
- Mattila HR, Otis GW. Manipulating pollen supply in honey bee colonies during the fall does not affect the performance of winter bees, 554
- McAlpine DF. See Majka *et al.*, 378
- McCorquodale DB. See Majka *et al.*, 258  
 See Majka *et al.*, 397
- McKelvey SR. See Fettig *et al.*, 141
- Mier Durante MP. See Nieto Nafría *et al.*, 154
- Migui SM, Lamb RJ. Trophic interactions between three species of cereal aphid (Hemiptera: Aphididae) and spring wheat (Poaceae): implications for pest management, 850
- Mironov SV, Proctor HC, Barreto M, Zimmerman G. New genera and species of feather mites of the family Gabuciniidae (Astigmata: Pterolichoidea) from New World raptors (Aves: Falconiformes), 757
- Mironov VG. See Ferris and Mironov, 131
- Mitić BM. See Čurčić *et al.*, 478
- Morón M-A. See Pardo-Locarno and Morón, 80
- Motta MA, Lourenço-de-Oliveira R, Sallum MAM. Phylogeny of genus *Wyeomyia* (Diptera: Culicidae) inferred from morphological and allozyme data, 591
- Moya-Raygoza G. Native parasitoids of *Dalbulus elimatus* and *Dalbulus maidis* (Hemiptera: Cicadellidae) in winter crops of central Mexico, 722
- Muller FJ, Baur H, Gibson GAP, Mason PG, Kuhlmann U. Review of the species of *Trichomalus* (Chalcidoidea: Pteromalidae) associated with *Ceutorhynchus* (Coleoptera: Curculionidae) host species of European origin, 643
- Nakamura T. See Sueyoshi *et al.*, 247
- Nemer N, Kawar NS, Kfoury L, Frerot B. Evidence of sexual attraction by pheromone in the cedar web-spinning sawfly, 713
- Niedbala W. A new species of ptyctimous mite (Acari: Oribatida) from the Nearctic Region, 510  
 New records of ptyctimous mites (Acari: Oribatida) from the Nearctic Region, 587
- Nieto Nafría JM, Mier Durante MP, Ortego J, Seco Fernández MV. The genus *Uroleucon* (Hemiptera: Aphididae: Macrosiphini) in Argentina, with descriptions of five new species, 154

- Noronha C, Gibson GAP, Floate KD. Hymenopterous parasitoids of house fly and stable fly puparia in Prince Edward Island and New Brunswick, Canada, 748
- Novelo-Gutiérrez R. The larva of *Aeshna williamsoniana* (Odonata: Anisoptera: Aeshnidae), 195
- O'Connor B. See Majka *et al.*, 690
- Okabe K. See Sueyoshi *et al.*, 247
- Olfert O. See Cárcamo *et al.*, 658
- Ortego J. See Nieto Nafria *et al.*, 154
- Otis GW. See Mattila and Otis, 554
- Pantoja A. See Landolt *et al.*, 278
- Pardo-Locarno LC, Morón M-A. Larva and pupa of *Chrysophora chrysochlora* (Coleoptera: Scarabaeidae: Rutelinae: Rutelini), 80
- Peck SB, Cook J. Systematics, distributions, and bionomics of the *Neoeocatops* **gen. nov.** and *Nemadus* of North America (Coleoptera: Leiodidae: Cholevinae: Anemadini), 87
- Pelletier G. See Klimaszewski *et al.*, 54  
See Klimaszewski *et al.*, 793
- Peterson RKD. See Schat *et al.*, 354  
See Schat *et al.*, 756
- Philogène BJR. See Scott *et al.*, 513
- Pilgrim RLC, Galloway TD. Descriptions of flea larvae (Siphonaptera: Hystrichopsyllidae, Ctenophthalmidae, Leptopsyllidae) of the specific parasites of the mountain beaver (Rodentia: Aplodontidae) in North America, 489
- Pitt D. See van Frankenhuyzen *et al.*, 834
- Poveda L. See Scott *et al.*, 513
- Proctor HC. See Mironov *et al.*, 757
- Purcell LA, Giberson DJ. Effects of an azinphos-methyl runoff event on macroinvertebrates in the Wilmot River, Prince Edward Island, Canada, 523
- Rakhshani E. See Tomanović *et al.*, 297
- Régnière J, Lavigne D, Dupont A, Carter N. Predicting the seasonal development of the yellowheaded spruce sawfly (Hymenoptera: Tenthredinidae) in eastern Canada, 365
- Rhainds M, Roy M, Daigle G, Brodeur J. Toward management guidelines for the soybean aphid in Quebec. I. Feeding damage in relationship to seasonality of infestation and incidence of native predators, 728
- Rosati JY, VanLaerhoven SL. New record of *Chrysomya rufifacies* (Diptera: Calliphoridae) in Canada: predicted range expansion and potential effects on native species, 670
- Roy M. See Bellerose *et al.*, 292  
See Rhainds *et al.*, 728
- Sakamoto JM, Gordon TR, Storer AJ, Wood DL. The role of *Pityophthorus* spp. as vectors of pitch canker affecting *Pinus radiata*, 864
- Sallum MAM. See Motta *et al.*, 591
- Salom SM. See Lamb *et al.*, 576
- Sánchez-Vindas PE. See Scott *et al.*, 513
- Savard K. See Klimaszewski *et al.*, 793
- Schat M, Sing SE, Peterson RKD. External rostral characters for differentiation of sexes in the biological control agent *Mecinus janthinus* (Coleoptera: Curculionidae), 354  
Erratum: External rostral characters for differentiation of sexes in the biological control agent *Mecinus janthinus* (Coleoptera: Curculionidae), 756
- Schmitz P, Landry B. Immature stages of *Galagete protozona* (Lepidoptera: Gelechioidea: Autostichidae) from the Galapagos Islands: description and notes on biology, 201
- Scott IM, Helson BV, Strunz GM, Finlay H, Sánchez-Vindas PE, Poveda L, Lyons DB, Philogène BJR, Arnason JT. Efficacy of *Piper nigrum* (Piperaceae) extract for control of insect defoliators of forest and ornamental trees, 513
- Seco Fernández MV. See Nieto Nafria *et al.*, 154
- Shouldice M. See Giberson *et al.*, 628
- Sing SE. See Schat *et al.*, 354  
See Schat *et al.*, 756
- Smith IM. See Majka *et al.*, 690
- Smith MAH, Wise IL, Lamb RJ. Survival of *Sitodiplosis mosellana* (Diptera: Cecidomyiidae) on wheat (Poaceae) with antibiosis resistance: implication for the evolution of virulence, 133
- Smith ME. See Majka *et al.*, 258
- Soroka J. See Cárcamo *et al.*, 658
- Sperling FAH. See MacQuarrie *et al.*, 545
- Stanisavljević LŽ. See Tomanović *et al.*, 297
- Starý P. See Tomanović *et al.*, 297

- Storer AJ. See Sakamoto *et al.*, 864  
Strunz GM. See Scott *et al.*, 513  
Sueyoshi M, Okabe K, Nakamura T. Host abundance of crane flies (Diptera: Limoniidae) and their role as phoronts of Acari (Arachnida) inhabiting fungal sporophores, 247  
Sweeney J. See Klimaszewski *et al.*, 793  
Tomanović Ž, Rakhshani E, Starý P, Kavallieratos NG, Stanislavljević LŽ, Žikić V, Athanassiou CG. Phylogenetic relationships between the genera *Aphidius* and *Lysaphidus* (Hymenoptera: Braconidae: Aphidiinae) with description of *Aphidius iranicus* sp. nov., 297  
Tomić VT. See Čurčić *et al.*, 478  
Troubridge JT, Lafontaine JD. A revision of the North American species of *Brachylomia* (Lepidoptera: Noctuidae: Xyleninae) with descriptions of four new species, 209  
Underwood RM, Currie RW. Effects of release pattern and room ventilation on survival of varroa mites and queens during indoor winter fumigation of honey bee colonies with formic acid, 881  
van Frankenhuyzen K, Ebling P, Dedes J, Pitt D. Effects of diapause duration on postdiapause performance of spruce budworm (Lepidoptera: Tortricidae) during mass rearing on artificial diet, 834  
VanLaerhoven SL. See Rosati and VanLaerhoven, 670  
Ward PI. See Bernasconi *et al.*, 228  
Webster RP. See Klimaszewski *et al.*, 54  
See Majka *et al.*, 378  
Wheeler TA. See Zeran *et al.*, 118  
Williams DJ. Biology of the spiny ash sawfly, *Eupareophora parca* (Hymenoptera: Tenthredinidae: Blennocampinae), in Edmonton, Alberta, 269  
Wise IL. See Smith *et al.*, 133  
Wood DL. See Sakamoto *et al.*, 864  
Ye H. See Zhang *et al.*, 308  
Zeran RM, Anderson RS, Wheeler TA. Effect of small-scale forest management on fungivorous Coleoptera in old-growth forest fragments in southeastern Ontario, Canada, 118  
Zerba E. See Gatti Liguori *et al.*, 894  
Zhang H, Langor DW, Ye H, Li Z, Laffin RD. Genetic divergence among populations of *Pissodes yunnanensis* (Coleoptera: Curculionidae) in southwestern China, 308  
Zhang R. See Lu *et al.*, 179  
Žikić V. See Tomanović *et al.*, 297  
Zimmerman G. See Mironov *et al.*, 757