

Rumination in Adolescence: the Distinctive Impact of Brooding and Reflection on Psychopathology

Ana Xavier¹, Marina Cunha² and José Pinto-Gouveia¹

¹ Universidade de Coimbra (Portugal)

² Instituto Superior Miguel Torga (Portugal)

Abstract. Rumination has a crucial role in the onset, severity and maintenance of depression in adolescent and adult populations. The Ruminative Responses Scale (RRS) is the most widely self-report instrument used to assess individual differences in the tendency to engage in ruminative responses style. This paper aims to test the factor structure of the 10-item RRS and the gender-based measurement invariance, in a community sample of adolescents, using a Confirmatory Factor Analysis. Participants were 542 adolescents (53% females) with a mean age of 14 years old ($SD = 1.75$) from middle and secondary schools (years of education's mean = 9.46, $SD = 1.60$) in Portugal. Results confirm the two-factor structure of the RRS composed by brooding and reflection dimensions (GFI = .93, CFI = .90, TLI = .87, SRMR = .05, RMSEA = .11, 90% C.I. [0.092 to 0.121]) and the invariance across gender (GFI = .91, CFI = .89, TLI = .85, RMSEA = .08, 90% C.I. [0.069 to 0.090], $p < .001$). RRS and their dimensions presented a good internal reliability (Brooding: $\alpha = .80$; Reflection: $\alpha = .75$; RRS total: $\alpha = .85$). Brooding and reflection dimensions revealed moderate correlations with depression, anxiety and stress symptoms ($p < .001$). Multiple Regression Analysis through Structural Equation Modelling (SEM) showed that brooding is significantly and strongly associated with internalizing symptoms ($p < .001$). Female adolescents reported more levels of rumination than male adolescents. Overall, these findings support the usefulness of the Portuguese version of RRS and suggest that this short version is an economical, valid and reliable measure to assess ruminative response styles in adolescence.

Received 19 May 2015; Revised 1 June 2016; Accepted 2 June 2016

Keywords: adolescence, brooding, confirmatory factor analysis, reflection, rumination.

In literature, rumination has been widely studied in the domain of cognitive vulnerability styles for depression. According to Nolen-Hoeksema (1991) rumination is a relatively stable maladaptive coping strategy that consists of “repetitively focusing on the symptoms of depression and on the causes, meanings, and consequences of those symptoms” (p. 569). The Response Styles Theory (RST; Nolen-Hoeksema, 1991, 2000) has strong empirical support, showing evidence that ruminative response style prolongs sad or dysphoric mood and has a negative impact on the engagement in pleasant or distracting activities and on effective problem solving in face of distress circumstances (Nolen-Hoeksema, Wisco, & Lyubomirsky, 2008). A large body of empirical research shows that rumination predicts the onset, severity and maintenance of depression (Nolen-Hoeksema, 1991, 2000; Nolen-Hoeksema, Stice, Wade, & Bohon, 2007; Nolen-Hoeksema et al., 2008).

Based on the RST (Nolen-Hoeksema, 1991), Nolen-Hoeksema and Morrow (2001) develop the

“Ruminative Responses Scale”, the most commonly self-report instrument used to assess individual differences in the tendency to engage in ruminative thoughts and behaviors. This scale was initially composed by 22 items, but 12 items on the scale seem to overlap with the item content on scales measuring depressive symptoms, and consequently, were removed (Treyner, Gonzalez, & Nolen-Hoeksema, 2003). As a result, Treyner et al. (2003) found ten candidate items to tap ruminative response style. They performed a Principal Component Analysis that revealed two-factor solution, reflection (5 items) and brooding (5 items), which accounted for 50.5% of the total variance. The *reflection* factor includes items that tap an active and “a purposeful turning inward to engage in cognitive problem solving to alleviate one’s depressive symptoms” (Treyner et al., 2003, p. 256). The *brooding* factor reflects “a passive comparison of one’s current situation with some unachieved standard” (Treyner et al., 2003, p. 256). Regarding reliability analysis, both components revealed adequate internal consistency (with α of .72 for reflection and α of .77 for brooding) and satisfactory temporal stability ($r = .60$ for reflection and $r = .62$ for brooding) (Treyner et al., 2003). The authors (Treyner et al., 2003) found a differential association between these two factors and depressive symptoms.

Correspondence concerning this article should be addressed to Ana Xavier. CINEICC. Faculdade de Psicologia e Ciências da Educação. Rua do Colégio Novo. 3000-115. Coimbra (Portugal).
Phone: +351-239851464.

E-mail: ana.mj.xavier@gmail.com

That is, the reflection factor was correlated with more current depressive symptoms and with lower levels of depressive symptoms over time. On the contrary, the brooding factor of rumination not only showed a strong correlation with currently depressive symptoms but was also associated with increasing depressive symptoms one year later.

Additionally, gender differences were found in both dimensions, with women scoring higher than men on both the reflection and brooding factors; but it is only when rumination style takes the form of brooding is it linked to greater levels of depression concurrently and longitudinally in women compared to men. For these reasons, brooding has been considered the maladaptive component of rumination (Treyner et al., 2003).

However, there is no consensus among authors with regard to the construct validity of brooding and reflection dimensions. While some studies found significant correlations between reflection component and psychopathology, others do not (Jormann, Dkane, & Gotlib, 2006; Rude, Maestas, & Neff, 2007). For instance, Whitmer and Gotlib (2011) demonstrate a distinction between brooding and reflection in two groups of currently non-depressed individuals, but not in a clinical depressed group.

Moreover, the content of RRS's items does not help to clarify the differences between the two rumination dimensions. Not only items from brooding subscale but also some items from reflection subscale involve self-focus attention centered on negative evaluations of the situation or emotional reactions (Rude et al., 2007). Specifically for reflection component, Whitmer and Gotlib (2011) conducted an exploratory factor analysis (EFA) and suggested that the item "write down what you are thinking and analyze it" (item 5) should be removed or replaced, because it had a small initial communality in three adult samples (i.e., currently depressed, formerly depressed and never depressed individuals) and did not load on either factor (in clinically depressed individuals), which means that it does not measure the same latent variable as the other items. Similarly, the psychometric study of the Portuguese version of RRS (Dinis, Pinto-Gouveia, Duarte, & Castro, 2011), conducted in a sample of 893 non-clinical adult sample (undergraduate students and general population), showed adequate internal consistency for both dimensions (.75 for reflection and .76 for brooding) and a low communality in item 5, which also suggests its elimination. On the contrary, in a community sample of adolescents, Burwell and Shirk (2007) conducted an EFA of the 22-item RRS and results showed a two factor-structure and an adequate factor loading of item "write down what you are thinking and analyze it" (.43) on the reflection factor. Clearly, these

studies found mixed results and future research confirming the factor structure of the RRS appears warranted.

In line with adult research on rumination, results from cross-sectional and prospective studies in adolescents support the role of rumination in the onset, maintenance and exacerbation of depressive symptoms (Abela & Hankin, 2011; Abela, Vanderbilt, & Rochon, 2004; Burwell & Shirk, 2007; Nolen-Hoeksema et al., 2007; Rood, Roelofs, Bogels, Nolen-Hoeksema, & Schouten, 2009). For instance, Muris, Roelofs, Meesters, and Boomsma (2004) examined the contribution of rumination, worry and negative attributional style to the prediction of depressive and anxiety symptoms in a large sample of non-clinical adolescents, and found significant associations between rumination (measured by the Children's Response Style Scale) and depression ($r = .34$) and anxiety ($r = .46$). Papadakis, Prince, Jones, and Strauman (2006) analyzed the influence of the two rumination components (i.e., brooding and reflection measured by the Response Styles Questionnaire developed by Nolen-Hoeksema & Morrow, 1991) on depressive symptoms among adolescent girls from middle and high schools and found that both brooding and reflection correlated significantly with depressive symptoms ($r = .51$ and $r = .20$, respectively). In turn, Burwell and Shirk (2007) conducted a short-term longitudinal study in a community sample of adolescents and found that both brooding and reflection were associated concurrently with depressive symptoms ($r = .69$, $r = .17$, respectively), but only brooding predicted the development of depressive symptoms over time, particularly for girls. Moreover, brooding (but not reflection) seems to play a moderator role in the relationship between stress (interpersonal stress) and depressive symptoms (Cox, Funasaki, Smith, & Mezulis, 2012), specially for girls with high levels of co-rumination (Bastin, Mezulis, Ahles, Raes, & Bijttebier, 2014). Although rumination is consistently considered in relation to depression, several studies have demonstrated associations between rumination and various internalizing symptoms, such as anxiety, worry, trauma-related symptoms and levels of stress (Nolen-Hoeksema et al., 2008). As a result, rumination is generally conceptualized as a maladaptive thought process with impact on several aspects of both mental and physical health (Smith & Alloy, 2009).

Overall, research in adults, adolescents and children support that rumination is a multifaceted or multidimensional construct, with brooding and reflection as distinct components (Burwell & Shirk, 2007; Cox et al., 2012; Lopez, Driscoll, & Kistner, 2009; Smith & Alloy, 2009; Verstraeten, Vasey, Raes, & Bijttebier, 2010). Furthermore, brooding has been consistently associated with depressive symptoms, whereas the impact

of reflection component in relation to depressive symptoms is not clear (Cox et al., 2012; Verstraeten et al., 2010).

Nolen-Hoeksema and Girgus (1994), based on RST, stated that the emergence of gender differences in depression during the transition from pre-adolescence to adolescence might be partially explained by ruminative tendencies in dealing with external stressors or stressful life events. Child and adolescent literature found mixed results (Rood et al., 2009). While the majority of studies have found that girls ruminate more than boys (Bastin et al., 2014; Lopez et al., 2009; Muris et al., 2004; Ziegert & Kistner, 2002), some studies reported that girls scored higher on reflection dimension than boys (Burwell & Shirk, 2007; Mezulis, Simonson, McCauley, & Stoep, 2011; Verstraeten et al., 2010), and other studies shown no gender differences (Abela & Hankin, 2011; Abela et al., 2004). Although multiple studies have examined mean levels differences in rumination between genders, there is no study, as far as we know, that has analyzed the invariance of the factor structure of the RRS across gender. The analysis of the factor structure invariance is a much needed statistical procedure in order to assure that the same construct is being assessed in each group and to use accurately RRS in different groups or samples (Chen, Souza, & West, 2005; Meredith, 1993).

Taken together, these findings emphasize the key value of rumination in the aetiology and maintenance of a range of psychological difficulties. The 10-item Ruminative Responses Scale (Treyner et al., 2003), as a brief and economical measure, has been widely used in both adult and adolescent populations, as well as adapted and validated in other countries, such as Turkey (Erdur-Baker & Bugay, 2010) or Spain (Extremera & Fernández-Berrocal, 2006). This scale was validated for the Portuguese adult population (Dinis et al., 2011) and also adapted to adolescents (Cunha et al., 2015). In the Portuguese study of the RRS for adolescents, an Exploratory Factor Analysis was conducted and results revealed a two-factor solution accounting for 51% of the total variance. Likewise studies in adult population (Dinis et al., 2011; Whitmer & Gotlib, 2011), this preliminary study among adolescents showed that the item 5 had a low communality and factor loading. Overall, the Portuguese version in adolescents demonstrated adequate internal reliability ($\alpha = .71$ and $\alpha = .73$ for brooding and reflection, respectively; Cunha et al., 2015). Thus, RRS seems to be a promising tool to facilitate the assessment of rumination among adolescents.

Although the large evidence of the relevance of rumination for several mental health difficulties, as well as the widespread use of the RRS for its assessment, there are few studies going beyond the RRS's

exploratory and mean level differences analyses. Furthermore, the prior research on rumination has mainly been conducted among adult populations in the USA, suggesting the importance of gaining insight into components of rumination in other countries and populations. Some past studies have found good psychometric properties for the two-factor structure of the RRS (e.g., Burwell & Shirk, 2007), while others suggested the elimination of item 5 from reflection factor (e.g., Whitmer & Gotlib, 2011). Thus, it seems important to test how item 5 fared in other populations, to confirm the factorial structure of the RRS and to analyze the factor structure invariance across gender.

Therefore, using a Confirmatory Factor Analysis approach, the present paper aims to test the factor structure of the Ruminative Responses Scale (10-item version; Treyner et al., 2003) and the gender-based measurement invariance of the model, in a sample of adolescents. This study also aims to examine the psychometric properties of the RRS, specifically item's analysis, internal consistency and convergent validity, by comparing the RRS with measures of depression, anxiety and stress symptoms. Finally, the last goal is to analyze the distinctive contribution of brooding and reflection to explain emotional negative states among adolescents.

Method

Participants

The sample consists of 542 adolescents, with 255 males (47%) and 287 females (53%). This adolescents aged between 12 and 18 years old ($M = 14.90$, $SD = 1.75$) and attended between 7th and 12th grade ($M = 9.46$, $SD = 1.60$) from middle and secondary schools from Portugal. No gender differences were found regarding age, $t(540) = 0.543$, $p = .587$, and years of education, $t(540) = 1.818$, $p = .070$.

Instruments

The Ruminative Responses Scale – short version (RRS; Treyner et al., 2003; Portuguese version for adolescents by Amado, 2014) is a 10-item scale that measures the individuals' tendency to ruminate when in a sad or depressed mood. This scale comprises two subscales: brooding (5 items) and reflection (5 items). To the statement "what you generally do, not what you think you should do when feel down, sad or depressed" respondents rated each item on a 4 point scale (1 = "almost never" to 4 = "almost always"). Thus, scores may range between 10 and 40, with higher scores indicating higher levels of ruminative responses styles.

The Depression Anxiety and Stress Scales (DASS-21; Lovibond & Lovibond, 1995; Portuguese version by

Pais-Ribeiro, Honrado, & Leal, 2004) is a self-report measure composed of 21 items and designed to assess three affective states of depression, anxiety and stress. The items indicate negative emotional symptoms and are rated on a 4-point scale (0–3). On the original version, Lovibond and Lovibond (1995) found the subscales to have high internal consistency (Depression subscale $\alpha = .91$; Anxiety subscale $\alpha = .84$; Stress subscale $\alpha = .90$). The concurrent validity was confirmed with two other measures of depression and anxiety (Beck Depression and Anxiety Inventories), ranging between moderate and high magnitude correlations. All three scales evidenced favourable temporal stability across some studies (ranging between $r = .71$ and $r = .81$). In the Portuguese version (Pais-Ribeiro et al., 2004), the subscales have Cronbach's alphas of .85 for depression, .74 for anxiety, and .81 for stress. In this study, the Cronbach's alpha for subscales were .91 for depression, .85 for anxiety and .88 for stress.

Procedures

This adolescents' sample was collected from five public schools in the district of Coimbra, Portugal. These schools were selected in accordance with convenience and accessibility of researchers. Previous to the administration of the questionnaires, ethical approvals were obtained by the Ministry of Education and the National Commission for Data Protection from Portugal. Then, the head teacher of the schools and parents were informed about the goals of the research and gave their consent. Adolescents were informed about the purpose of the study, aspects of confidentiality and consent. They voluntarily participated and filled out the questionnaires in the classroom. The teacher and researcher were present to provide clarification if necessary and to ensure confidential and independent responding.

Data Analysis

Statistical analyses were carried out using PASW Software (Predictive Analytics Software, version 18, SPSS, Chicago, IL, USA) and Amos Software (Analysis of Moment Structures, version 18, Amos Development Corporation, Crawfordville, FL, USA). Descriptive statistics were computed to explore demographic variables and independent sample t tests were performed when conducting between-group analyses (Field, 2013). In the reliability analysis the Cronbach's alpha with a cut-off of .70 was considered suitable and the item-total correlations equal or above .42 was considered appropriate (Field, 2013). We also assessed the Composite Reliability that estimates the internal reliability of each construct and indicates the degree to which the individual indicators are all consistent with their common latent construct. Composite Reliability' values equal

or higher than .70 are considered acceptable reliability (Hair, Anderson, Tatham, & Black, 1998). Another measure of reliability is the Variance Extracted Measure (VEM), which reflects the overall amount of variance in the indicators accounted for by the latent construct. The VEM values should be equal or higher than .50 (Hair et al., 1998). Pearson product-moment correlation coefficients were performed to analyze the relationship between RRS and their subscales and depression, anxiety and stress symptoms (measured by DASS-21).

A Confirmatory Factorial Analysis (CFA) was performed in order to test the factor structure of the RRS. This CFA method from Structural Equation Modeling (SEM) family aims to analyze the relationship between observed indicators and latent factors (Kline, 2005). Since CFA has a theory-driven nature and empirical studies support the two-factor structure of the RRS, we chose the CFA approach to test the factorial validity of the RRS among Portuguese adolescents. A Maximum Likelihood (ML) parameter estimation was chosen over other estimation methods because ML has been found to be relatively robust and efficient if the sample size is sufficiently large (Kline, 2005; Schermelleh-Engel, Moosbrugger, & Müller, 2003) and because it is one of most frequently used estimation methods in this statistical procedure (Kline, 2005).

In the evaluation of the model, we used the chi-square goodness-of-fit, which measures the discrepancy between the predicted model and the data (Kline, 2005) and which smaller values were required. However, since this index is very sensitive to sample size (Schermelleh-Engel et al., 2003), we used simultaneously other global fit indices. The following goodness-of-fit indices and recommended cut-points were used to evaluate overall model fit: *Goodness of Fit Index* ($GFI \geq .90$, good, and $\geq .95$, desirable; Hu & Bentler, 1998), *Comparative Fit Index* ($CFI \geq .90$, acceptable, and $\geq .95$, desirable; Hu & Bentler, 1998), *Tucker-Lewis Index* ($TLI \geq .90$, acceptable, and $\geq .95$, desirable; Hu & Bentler, 1998), *Root Mean Square Error of Approximation* ($RMSEA \leq .05$, good fit; $\leq .08$, acceptable fit; $\geq .10$, poor fit; Hu & Bentler, 1998), *Standardized Root Mean Square Residual* ($SRMR \leq .08$, good fit; $= 0$, perfect fit; Hu & Bentler, 1998).

Chi-square difference test was used to compare both models (original model *versus* parsimony or simplified model) and statistically significant difference ($\chi^2 0.95$) indicates better models. Additionally, some indexes were used to compare alternative models (Schermelleh-Engel et al., 2003), such as Akaike Information Criterion (AIC) and Expected Cross-Validation Index (ECVI), with smaller AIC and ECVI values indicating superior models and more stable model for population under study (Kline, 2005).

In regard to local adjustment of the model, the adequacy of any model can also be judge by investigating the factor loadings. Therefore, we analyzed items' factor loadings (λ) of the observed variables, which represent the strength of the association between the latent variable and the observed variable. All factor loadings should be significant ($p < .05$) and the standardized factor loadings for each item should present values of $\lambda \geq 0.50$. We also considered the Squared Multiple Correlations of the factor loadings ($R^2 \geq 0.25$), which provides the amount of variance in the observed variable that the underlying construct is able to explain (Hair et al., 1998).

Furthermore, measurement invariance across gender was assessed through a multiple-group CFA approach using Amos software. The statistically significance was assessed by chi-square difference test (Meredith, 1993).

Finally, a Multiple Regression Analysis through Structural Equation Modeling (SEM) approach was performed in order to estimate the presumed causal relations among latent constructs and test theoretical relationships on the basis of covariation and correlations among variables (Kline, 2005). A ML method was used to evaluate the regression coefficients significance. Effects with $p < .05$ were considered statistically significant. The invariance of the structural model for genders was tested through the chi-square difference test and the critical ratios for differences among all parameter estimates (Byrne, 2010).

Preliminary Data Analyses

The assumptions of univariate and multivariate normality were examined and all items showed acceptable values of asymmetry and kurtosis ($Sk < |3|$ and $Ku < |8| - |10|$; Kline, 2005). The presence of multivariate outliers were screened for all variables by using Mahalanobis Distance statistic (D^2) (Kline, 2005). Although, some cases presented D^2 values indicating possible outliers, these were retained since their elimination did not alter the results and excluding those cases would decrease factor's variability. The presence

of multicollinearity was screened through the Variance Inflation Factor ($VIF > 5.0$) and no variable violated this assumption (Kline, 2005). Missing data completely at random were minimal (less than 5% of cases) and a single imputation method through mean substitution was used. The mean substitution is a most common approach and involved the replacement of a missing value with the overall sample average (Tabachnick & Fidell, 2007). All analyses were performed with the completed data from the participants.

Results

Confirmatory Factor Analysis

Based on theoretical framework (Treyner et al., 2003) and preliminary results in adolescents (Cunha et al., 2015), in this study we tested two CFA models: (i) Model 1: two-factor oblique (i.e. allows the inter-correlation among factors), composed by brooding dimension (5 items) and reflection dimension (5 items); (ii) Model 2: two-factor oblique, composed by brooding dimension (5 items) and reflection dimension without item 5 ("write down what you are thinking and analyze it").

As can be seen in Table 1, in **Model 1** the overall goodness of fit indicates a poor fit to the data. In addition, results from local adjustment showed that the item 5 ("write down what you are thinking and analyze it") has the lowest standardized regression weight or factor loading ($\lambda = .323$) and the lowest squared multiple correlation ($R^2 = .104$) and therefore, acting as an item without the essential qualities for being kept in the scale structure of the Portuguese version of RRS for adolescents. Then, we conducted a CFA model without this item ("write down what you are thinking and analyze it") and the overall goodness of fit in **Model 2** showed a slightly increase in cut-off indexes in comparison with **Model 1** (cf. Table 1). The elimination of item 5 allowed a reduction to some extent on the Chi-square value, although it remains statistically significant. As noted earlier, the Chi-Square is highly

Table 1. Goodness-of-fit statistics for comparative models of the Ruminative Responses Scale for adolescents ($N = 542$)

Models	χ^2	df	GFI	CFI	TLI	SRMR	RMSEA (90% C.I.)	AIC	ECVI
Model 1: two-factor oblique	208.46***	34	.93	.89	.87	.05	.097*** (.087 to .110)	250.46	.463
Model 2: two-factor oblique without item 5 respecified	185.65***	26	.93	.90	.87	.05	.107*** (.092 to .121)	223.65	.413

Note: *** $p < .001$. df = degrees of freedom; GFI = Goodness-of-fit index; CFI = Comparative Fit Index; TLI = Tucker-Lewis Index; RMSEA = Root Mean Error of Approximation; C.I. = Confidence Interval; AIC = Akaike Information Criterion; ECVI = Expected Cross-Validation Index; SRMR = Standardized Root Mean Square Residual.

sensitive to sample sizes. Although some relative fit indices (TLI; RMSEA) are marginally closed to the recommended cut points, others fit indices are satisfactory, including GFI = .93, CFI = .90 and SRMR = .05, which give some support to the adequacy of the model to the data. Additionally, this respecified model was statistically superior to the original model in our sample (chi-square difference test: $\chi^2_{diff} = 22.808 > \chi^2_{0.95; (8)} = 15.507$) and has smaller values of comparison indexes (AIC and ECVI; cf. Table 1) than the original model. This model 2 (without item 5) is reinforced by previous data analysis that showed that item 5 was poor in terms of psychometric properties (e.g., internal consistency). Furthermore, other empirical studies (Cunha et al., 2015; Dinis et al., 2011; Whitmer & Gotlib, 2011) also found this pattern.

Moreover, in local adjustment, the standardized factor loadings ranged from .532 (item 6) to .793 (item 4) and all factor loadings were statistically significant ($p \leq .001$). Additionally, all items showed Squared Multiple Correlations ranging between .283 (item 6) and .629 (item 4) (Figure 1). On the whole, the

respecified model showed a good local adjustment. The correlation between brooding dimension and reflection dimension was $r = .76$. Given the high correlation between both types of ruminative responses styles, the similarity in the content of items and the empirical inconsistency of the results regarding the distinction between both components, we also tested a one-factor structure of the RRS through CFA and the results showed a quite weak fit to the data ($\chi^2_{(35)} = 308.723$, $p < .001$, GFI = .894, CFI = .841, TLI = .796, RMSEA = .120, CI 95% [.118 to .133], $p < .001$, AIC = 348.723, ECVI = .645). In conclusion, the model 2 is considered a favorable model because it satisfies in terms of overall goodness of fit and strength of parameter estimates.

Multiple-Group Analysis for gender invariance

Since gender may influence the psychometric properties of psychological trait or affect-related measures and empirical evidence shows the role of gender in tendencies for engage in rumination, it seems important to assess whether the underlying factor structure




Figure 1. Confirmatory Factor Analysis of the two-factor of the RRS for adolescents ($N = 542$). Standardized coefficients are shown; all paths are statistically significant ($p < .001$).

of the RRS is equivalent for gender (Meredith, 1993). A measure is invariant when its measurement properties are structurally equivalent in all groups of interest (Meredith, 1993).

In this study a multiple-group CFA for gender invariance of the RRS (model without item 5) was assessed through the comparison between the unconstrained model (i.e., less restrictive model where parameters were freely estimated across groups) and the constrained model, by constraining various parameters across both groups. The first step is to test for configural invariance, that is, to fit a baseline model for each group separately (Meredith, 1993). The factorial model presented a reasonable fit to the data for both males and females adolescents: GFI = .911, CFI = .889, TLI = .846, RMSEA = .079, C.I. 90% [0.069 to 0.090], $p < .001$. The second step involves metric invariance, meaning that equal factor loadings across groups are required to ensure equivalent relationships between latent factor and its indicators (items) in the factorial model (Meredith, 1993). Results confirm the invariance of measurement across gender for measurement weights (i.e., equal factor loadings) ($\chi^2_{\text{dif}(7)} = 3.720$, $p = .811 < \chi^2_{0.95,(7)} = 14.067$).

Descriptive Statistics and Reliability Analysis

Table 2 displays means, standard deviations, corrected item-total correlation, Cronbach's alpha if item deleted and Cronbach's alpha for total score (9 items) and subscales of the Ruminative Responses Scale in adolescents' sample. Results showed high item-total correlations, ranging between .47 (item 6) and .67 (item 8), which confirm the adequacy of the items to the measure and its internal consistency (Tabachnick & Fidell, 2007). The Cronbach's alpha obtained for the

total score of the RRS was very good ($\alpha = .85$) and for its components was adequate, with $\alpha = .80$ for brooding and $\alpha = .75$ for reflection (Table 2). Additionally, all items positively contributed to the internal consistency of the Portuguese version of the RRS for adolescents, since the reliability would not improve if any item was deleted (Table 2).

The Composite Reliability obtained for brooding dimension was .87 and for reflection dimension was .84. The variance extracted measure value for brooding and reflection dimensions was .57, respectively, suggesting that individual indicators are truly representative of the latent construct.

Descriptive data for sex, age and grade in school

To evaluate the influence of demographic variables in RRS, we performed Pearson product-moment correlations for age and years of education. In this sample, there were no correlations between RRS and its dimensions and age and years of education. Regarding sex, the means, standard deviations and t-test differences for the total score of RRS and for the two dimensions are presented in Table 3. The total and subscale scores are computed by calculating the mean of item responses. Results showed that females reported higher levels of brooding, reflection and rumination (total score) than males (Table 3). According with Cohen's guidelines (1988 cited in Tabachnick & Fidell, 2007), the magnitude of the differences in the means presented a moderate effect (Table 3).

Convergent Validity

To evaluate convergent validity of the overall score of RRS and their dimensions, Pearson product-moment

Table 2. Means (M), standard deviations (SD), corrected item-total correlations, Cronbach's alpha and Cronbach's alpha if item deleted for Ruminative Responses Scale (RRS) and its dimensions in adolescents' sample (N = 542)

Items	M	SD	Corrected item-total r	Cronbach's alpha
Brooding dimension	12.52	3.62		.80
1.Think "What am I doing to deserve this?"	2.50	0.96	.619	.75
3.Think "Why do I always react this way?"	2.37	0.94	.504	.78
6.Think about a recent situation, wishing it had gone better.	2.80	0.92	.474	.79
7.Think "Why do I have problems other people don't have?"	2.35	1.08	.632	.74
8.Think "Why can't I handle things better?"	2.51	0.98	.665	.73
Reflection dimension	9.38	2.94		.75
2.Analyze recent events to try to understand why you are depressed.	2.41	0.84	.494	.73
4.Go away by yourself and think about why you feel this way.	2.30	0.99	.652	.64
9.Analyze your personality to try to understand why you are depressed.	2.25	0.95	.529	.71
10.Go someplace alone to think about your feelings.	2.42	1.09	.540	.71
RRS total score	21.90	5.91		.85

Table 3. Means (*M*), standard deviations (*SD*), *t*-test differences and eta-squared for effect size by sex for Ruminative Responses Scale (RRS) and their dimensions in adolescents' sample (*N* = 542)

	Males (<i>n</i> = 255)		Females (<i>n</i> = 287)		<i>t</i> (<i>df</i>)	<i>p</i>	η^2
	<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>			
Brooding (5 items)	2.34	0.69	2.65	0.72	5.060 (540)	< .001	0.06
Reflection (4 items)	2.16	0.71	2.50	0.72	5.496 (540)	< .001	0.07
RRS total score (9 items)	2.26	0.64	2.58	0.64	5.869 (540)	< .001	0.10

correlations were computed between RRS (total and subscales) and depression, anxiety and stress symptoms (measured by DASS-21). Results showed that RRS total score was significantly and positively correlated with depression ($r = .56, p < .001$), anxiety ($r = .51, p < .001$) and stress symptoms ($r = .60, p < .001$). There were positive and moderate correlations between brooding dimension and depression ($r = .57, p < .001$), anxiety ($r = .49, p < .001$) and stress symptoms ($r = .58, p < .001$). There were positive and moderate correlations between reflection dimension and depression ($r = .43, p < .001$), anxiety ($r = .43, p < .001$) and stress symptoms ($r = .50, p < .001$).

The contribution of brooding and reflection to explain depressive, anxiety and stress symptoms

In this study we conducted a Multiple Regression Analysis through SEM approach in order to analyze the significance of each path analysis of the predictor variables (with multiple dependent variables) and the variance explained of the model (i.e., observed correlations or covariances) (Kline, 2005). In the theoretical model, brooding and reflection dimensions are exogenous variables and depression, anxiety and stress are endogenous variables. This is a saturated or just-identified model (i.e., with zero degrees of freedom), resulting in a perfect fit to the data: GFI = 1.000, CFI = 1.000, TLI = 1.000, SRMR = 0.000, RMSEA = .523 [.501, .546]. Figure 2 displays the multiple regression analysis through SEM with the standardized path coefficients, the squared multiple correlations (R^2) and

the measurement error correlations among dependent variables. Results show that all paths are statistically significant ($p < .001$). Both brooding and reflection accounted for 37% of stress, 33% of depression and 26% of anxiety total variances. The paths from brooding to depression had a medium effect ($b = 3.400, SE_b = .314, Z = 10.843, p < .001, \beta = .49$), to anxiety had a medium effect ($b = 2.196, SE_b = .287, Z = 7.648, p < .001, \beta = .36$), and to stress had a medium effect ($b = 2.997, SE_b = .293, Z = 10.232, p < .001, \beta = .45$). The paths from reflection to depression had a small effect ($b = .918, SE_b = .309, Z = 2.973, p = .003, \beta = .13$), to anxiety had a small effect ($b = 1.256, SE_b = .283, Z = 4.444, p < .001, \beta = .21$), and to stress had a small effect ($b = 1.465, SE_b = .288, Z = 5.081, p < .001, \beta = .22$). The correlations between exogenous variables and between dependent variables are statistically significant (Figure 2).

Then, this model was tested by a multi-group approach to analyse gender differences in the relationships among rumination factors and depression, anxiety and stress. This multiple group analysis will allow us to test whether path coefficients in the model are equal or invariant for groups (i.e., males vs. females) (Byrne, 2010). The comparison between the unconstrained model (i.e., with free structural parameter coefficients) and the equality constrained model (i.e., where the parameters are constrained equal across groups) was analyzed (Byrne, 2010). Results from the Chi-square difference test showed the invariance of the model for both genders, $\chi^2_{dif(6)} = 7.903, p = .245$. Finally, the critical ratio difference method




Figure 2. Multiple Regression Analysis Model (SEM) with brooding and reflection (exogenous variables) to predict depressive, anxiety and stress symptoms (endogenous variables) in an adolescents' sample (*N* = 542). Standardized coefficients are presented; all paths are statistically significant ($p < .001$).

provided by Amos software was calculated to test for differences between male and female adolescents among all parameter estimates and critical ratio values larger than 1.96 indicated a significant difference between genders on the corresponding parameter (Byrne, 2010). Results indicated no significant differences on parameters coefficients in all paths (Z values < 1.96).

Discussion

The main purpose of this paper was to examine the factor structure of the 10-item version of the Ruminative Responses Scale (RRS; Treynor et al., 2003) in an adolescents' sample. Two alternative models were tested using a CFA approach, as suggested by previous studies concerning the structure of RRS in adults (Dinis et al., 2011; Treynor et al., 2003; Whitmer & Gotlib, 2011) and in adolescents (Cunha et al., 2015). In accordance to these previous studies, results showed that item 5 (*"write down what you are thinking and analyze it"*) was not able to explain the variance of the underlying latent factor (reflection) as it presented low factor loading and squared multiple correlation (Kline, 2005). Thus, the item 5 was removed. Results showed that the two-factor structure of the RRS composed by brooding and reflection dimensions had a significantly better fit to the data and an adequate local adjustment than the model 1. These results support the distinction between brooding and reflection in adolescents, which is in accordance with previous studies in this age group (Burwell & Shirk, 2007; Cunha et al., 2015; Erdur-Baker & Bugay, 2010). Moreover, the two-factor structure of RRS in adolescents' sample revealed equivalent for both males and females, supporting the invariance of measurement across gender.

Regarding internal reliability of the RRS in this adolescents' sample, results revealed a good internal consistency for the overall score of the RRS and an adequate internal consistency for both dimensions of rumination. These findings are very similar to those obtained among adult (Dinis et al., 2011; Treynor et al., 2003) and adolescent populations (Burwell & Shirk, 2007; Cox et al., 2012; Cunha et al., 2015).

Concerning sex differences, the data revealed that girls tend to ruminate more than boys, reporting higher levels of both brooding and reflection dimensions. This finding is in line with previous research on adolescents, demonstrating that girls are more likely than boys to engage in ruminative responses style (Bastin et al., 2014; Burwell & Shirk, 2007; Lopez et al., 2009; Mezulis et al., 2011; Muris et al., 2004; Rood et al., 2009; Verstraeten et al., 2010; Ziegert & Kistner, 2002).

The present results also suggest that the brooding factor demonstrated significant and moderate relationships with depression, anxiety and stress symptoms

whereas reflection factor had low associations. This differential association pattern between the two dimensions and internalizing symptoms was also found in several empirical studies (Cox et al., 2012; Verstraeten et al., 2010). Moreover, results from multiple regression analysis through SEM demonstrate that brooding dimension is strongly linked to depressive, anxiety and stress symptoms than reflection dimension. Although reflection dimension had a significant and independent effect on these symptoms, its effect was of small magnitude. To sum up, these findings indicate that adolescents who brood about their own depressive or dysphoric emotions tend to present higher levels of depressive, anxiety and stress symptoms. These results are in accordance with empirical research in adolescent and adult populations. Indeed, it has been suggested that brooding is the most maladaptive and toxic component of rumination (Dinis et al., 2011; Nolen-Hoeksema et al., 2008; Smith & Alloy, 2009; Treynor et al., 2003; Whitmer & Gotlib, 2011). In adolescence, studies have also shown that brooding consistently predicts increased levels of depression (Bastin et al., 2014; Burwell & Shirk, 2007; Cox et al., 2012).

On the contrary to theoretical framework, reflection dimension is still significantly associated with psychopathology. Moreover, our results from CFA showed a high correlation between both dimensions ($r = .76$) but the one-factor structure had a poor fit to the data. There are two possible explanations for these results. Firstly, the semantic construction of the items (*"Think"* and *"Analyze or Go away"*) may lead to obtaining two factors and not one. Secondly, the content of the items are similar because it tends to centre on negative evaluations of the situation or emotional reactions to it, which may result in high correlation between both components. Thus, these two dimensions are not so different which can, at least partially, explain the significant association between reflection and psychopathology. As some studies have noted, when reflection is used in the context of perceived failure in problem solving it may trigger judgmental evaluations about one's feelings and reactions, which, in turn, might lead to self-perpetuating cycles of negative cognition and negative affect (Joormann et al., 2006; Rude et al., 2007).

Some limitations should be considered when interpreting our findings. Firstly, the use of cross-sectional design precludes the establishment of causal directions. In the future, longitudinal studies should carry out to improve the understanding on the causal relationships between variables. Secondly, although other studies have already suggested that item 5 (*"write down what you are thinking and analyze it"*) should be removed or replaced because of its low factor loading (Cunha et al., 2015; Dinis et al., 2011; Whitmer & Gotlib, 2011), this issue might be due to cultural

or language differences as well as other differences in the population (e.g., community versus clinical samples). Therefore, future studies should seek to confirm the factor structure and the relevance of removing or replacing or retaining this item in other samples. Thirdly, the nature of the sample used constrains the generalizability of our results to a clinical adolescent's sample. Additionally, the non-clinical sample, limits the study of the RRS sensitivity to discriminate between respondents from general population and those with psychopathology where rumination is thought to constitute a central and transdiagnostic feature. Moreover, the convenience nature of the sample constrains the generalization of the data. Lastly, our data are constrained by the limitations linked to the exclusive use of self-report measures and therefore other assessment methodologies (e.g., face-to-face interviews, ecological momentary assessment) are required in future research.

Despite of the aforementioned methodological constraints, our findings support that rumination is a multidimensional construct, composed by two distinct dimensions, namely brooding and reflection. As in adult populations, among adolescents brooding is consistently linked to depressive symptoms, whereas reflection shows a low association with depression. In addition, this study demonstrates that brooding had a highly contribution to explain depressive, anxiety and stress symptoms, than reflection. Overall, the present study supports that the RRS allows for a brief, time-efficient and reliable assessment of rumination among adolescents.

The key contribution of this study relies on the understanding of subtypes of rumination measured by the Ruminative Responses Scale in a Portuguese sample of adolescents, whereas much of the prior research on rumination has been conducted among adults in USA. Additionally, the current study offers relevant data on gender invariance in RRS's factor structure that goes beyond examination of mean level differences reported in previous studies.

References

- Abela J. R. Z., & Hankin B. L.** (2011). Rumination as a vulnerability factor to depression during the transition from early to middle adolescence: A multiwave longitudinal study. *Journal of Abnormal Psychology, 120*, 259–271. <http://dx.doi.org/10.1037/a0022796>
- Abela J. R. Z., Vanderbilt E., & Rochon A.** (2004). A test of the integration of the response styles and social support theories of depression in third and seventh grade children. *Journal of Social and Clinical Psychology, 23*, 653–674. <http://dx.doi.org/10.1521/jscp.23.5.653.50752>
- Amado R.** (2014). *Avaliação das respostas ruminativas em adolescentes: Qualidades psicométricas da ERR-10-A*. [Assessment of ruminative responses styles in adolescents: Psychometric properties of the RRS]. (Unpublished master's thesis). Coimbra, Portugal: Instituto Superior Miguel Torga.
- Bastin M., Mezulis A. H., Ahles J., Raes F., & Bijttebier P.** (2015). Moderating effects of brooding and co-rumination on the relationship between stress and depressive symptoms in early adolescence: A multi-wave study. *Journal of Abnormal Child Psychology, 43*, 607–618. <http://dx.doi.org/10.1007/s10802-014-9912-7>
- Burwell R. A., & Shirk S. R.** (2007). Subtypes of rumination in adolescence: Associations between brooding, reflection, depressive symptoms, and coping. *Journal of Clinical Child and Adolescent Psychology, 36*, 56–65. <http://dx.doi.org/10.1080/15374410709336568>
- Byrne B.** (2010). *Structural equation modeling with AMOS: Basic concepts, applications, and programming* (2nd Ed.). New York, NY: Routledge, Taylor & Francis Group.
- Chen F. F., Sousa K. H., & West S. G.** (2005). Testing measurement invariance of second-order factor models. *Structural Equation Modeling, 12*, 471–492. http://dx.doi.org/10.1207/s15328007sem1203_7
- Cox S., Funasaki K., Smith L., & Mezulis A. H.** (2012). A prospective study of brooding and reflection as moderators of the relationship between stress and depressive symptoms in adolescence. *Cognitive Therapy and Research, 36*, 290–299. <http://dx.doi.org/10.1007/s10608-011-9373-z>
- Cunha M., Amado R., Xavier A., Couto M., Galhardo A., & Massano-Cardoso I.** (2015, March). Assessment of ruminative responses in Portuguese adolescents: Psychometric properties of the Ruminative Responses Scale (RRS-10). *Poster presented at the meeting of the 23rd European Congress of Psychiatry*. Vienna, Austria.
- Dinis A., Gouveia J. P., Duarte C., & Castro T.** (2011). Estudo de validação da versão portuguesa da Escala de Respostas Ruminativas–Versão Reduzida [Validation study of the Portuguese version of the Ruminative Responses Scale – short form]. *Psychologica, 54*, 175–201.
- Erdur-Baker Ö., & Bugay A.** (2010). The short version of Ruminative Response Scale: Reliability, validity and its relation to psychological symptoms. *Procedia-Social and Behavioral Sciences, 5*, 2178–2181. <http://dx.doi.org/10.1016/j.sbspro.2010.07.433>
- Extremera N., & Fernández-Berrocal P.** (2006). Validity and reliability of Spanish versions of the Ruminative Responses Scale-short form and the Distraction Responses Scale in a sample of Spanish high school and college students. *Psychological Reports, 98*, 141–150.
- Field A.** (2013). *Discovering statistics using IBM SPSS Statistics* (4th Ed.). London, UK: SAGE Publication Ltd.
- Hair J. F., Anderson R. E., Tatham R. L., & Black W. C.** (1998). *Multivariate Data Analysis* (5th Ed.). New Jersey, NJ: Prentice-Hall, Inc.
- Hu L. T., & Bentler P. M.** (1998). Fit indices in covariance structure modeling: Sensitivity to underparameterized model misspecification. *Psychological Methods, 3*, 424–453. <http://dx.doi.org/10.1037/1082-989X.3.4.424>
- Joormann J., Dkane M., & Gotlib I. H.** (2006). Adaptive and maladaptive components of rumination? Diagnostic

- specificity and relation to depressive biases. *Behavior Therapy*, 37, 269–280. <http://dx.doi.org/10.1016/j.beth.2006.01.002>
- Kline R.** (2005). *Principles and practice of structural equation modeling* (2nd Ed.). New York, NY: The Guilford Press.
- Lopez C. M., Driscoll K. A., & Kistner J. A.** (2009). Sex differences and response styles: Subtypes of rumination and associations with depressive symptoms. *Journal of Clinical Child & Adolescent Psychology*, 38, 27–35. <http://dx.doi.org/10.1080/15374410802575412>
- Lovibond P. F., & Lovibond S. H.** (1995). The structure of negative emotional states: Comparison of the Depression Anxiety Stress Scales (DASS) with the Beck Depression and Anxiety Inventories. *Behaviour Research and Therapy*, 33, 335–343. [http://dx.doi.org/10.1016/0005-7967\(94\)00075-U](http://dx.doi.org/10.1016/0005-7967(94)00075-U)
- Meredith W.** (1993). Measurement invariance, factor analysis and factorial invariance. *Psychometrika*, 58, 525–543. <http://dx.doi.org/10.1007/BF02294825>
- Mezulis A., Simonson J., McCauley E., & Stoep A. V.** (2011). The association between temperament and depressive symptoms in adolescence: Brooding and reflection as potential mediators. *Cognition and Emotion*, 25, 1460–1470. <http://dx.doi.org/10.1080/02699931.2010.543642>
- Muris P., Roelofs J., Meesters C., & Boomsma P.** (2004). Rumination and worry in nonclinical adolescents. *Cognitive Therapy and Research*, 28, 539–554. <http://dx.doi.org/10.1023/B:COTR.0000045563.66060.3e>
- Nolen-Hoeksema S.** (1991). Responses to depression and their effects on the duration of depressive episodes. *Journal of Abnormal Psychology*, 100, 569–582. <http://dx.doi.org/10.1037/0021-843X.100.4.569>
- Nolen-Hoeksema S.** (2000). The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *Journal of Abnormal Psychology*, 109, 504–511. <http://dx.doi.org/10.1037/0021-843X.109.3.504>
- Nolen-Hoeksema S., & Girgus J. S.** (1994). The emergence of gender differences in depression during adolescence. *Psychological Bulletin*, 115, 424–443. <http://dx.doi.org/10.1037/0033-2909.115.3.424>
- Nolen-Hoeksema S., & Morrow J.** (1991). A prospective study of depression and posttraumatic stress symptoms after a natural disaster: The 1989 Loma Prieta earthquake. *Journal of Personality and Social Psychology*, 61, 115–121. <http://dx.doi.org/10.1037/0022-3514.61.1.115>
- Nolen-Hoeksema S., Stice E., Wade E., & Bohon C.** (2007). Reciprocal relations between rumination and bulimic, substance abuse, and depressive symptoms in female adolescents. *Journal of Abnormal Psychology*, 116, 198–207. <http://dx.doi.org/10.1037/0021-843X.116.1.198>
- Nolen-Hoeksema S., Wisco B. E., & Lyubomirsky S.** (2008). Rethinking rumination. *Perspectives on Psychological Science*, 3, 400–424. <http://dx.doi.org/10.1111/j.1745-6924.2008.00088.x>
- Pais-Ribeiro J. L., Honrado A., & Leal I.** (2004). Contribuição para o estudo da adaptação portuguesa das Escalas de Ansiedade, Depressão e Stress (EADS) de 21 itens de Lovibond e Lovibond. [Contribution to the Adaptation study of the Portuguese Adaptation of the Lovibond and Lovibond Depression Anxiety Stress Scales (EADS) with 21 items]. *Psicologia, Saúde & Doenças*, 5, 229–239.
- Papadakis A. A., Prince R. P., Jones N. P., & Strauman T. J.** (2006). Self-regulation, rumination, and vulnerability to depression in adolescent girls. *Development and Psychopathology*, 18, 815–829. <http://dx.doi.org/10.1017/S0954579406060408>
- Rood L., Roelofs J., Bögels S. M., Nolen-Hoeksema S., & Schouten E.** (2009). The influence of emotion-focused rumination and distraction on depressive symptoms in non-clinical youth: A meta-analytic review. *Clinical Psychology Review*, 29, 607–616. <http://dx.doi.org/10.1016/j.cpr.2009.07.001>
- Rude S. S., Little Maestas K., & Neff K.** (2007). Paying attention to distress: What's wrong with rumination?. *Cognition and Emotion*, 21, 843–864. <http://dx.doi.org/10.1080/02699930601056732>
- Schermelleh-Engel K., Moosbrugger H., & Müller H.** (2003). Evaluating the fit of structural equation models: Tests of significance and descriptive goodness-of-fit measures. *Methods of Psychological Research Online*, 8, 23–74.
- Smith J. M., & Alloy L. B.** (2009). A roadmap to rumination: A review of the definition, assessment, and conceptualization of this multifaceted construct. *Clinical Psychology Review*, 29, 116–128. <http://dx.doi.org/10.1016/j.cpr.2008.10.003>
- Tabachnick B. G., & Fidell L. S.** (2007). *Using multivariate statistics* (5th Ed.). Boston, MA: Allyn and Bacon.
- Treynor W., Gonzalez R., & Nolen-Hoeksema S.** (2003). Rumination reconsidered: A psychometric analysis. *Cognitive Therapy and Research*, 27, 247–259.
- Verstraeten K., Vasey M. W., Raes F., & Bijttebier P.** (2010). Brooding and reflection as components of rumination in late childhood. *Personality and Individual Differences*, 48, 367–372. <http://dx.doi.org/10.1016/j.paid.2009.11.001>
- Whitmer A., & Gotlib I. H.** (2011). Brooding and reflection reconsidered: A factor analytic examination of rumination in currently depressed, formerly depressed, and never depressed individuals. *Cognitive Therapy and Research*, 35, 99–107. <http://dx.doi.org/10.1007/s10608-011-9361-3>
- Ziegert D. I., & Kistner J. A.** (2002). Response styles theory: Downward extension to children. *Journal of Clinical Child and Adolescent Psychology*, 31, 325–334. http://dx.doi.org/10.1207/S15374424JCCP3103_04