

VOLUME 111 SUPPLEMENT 1995


Parasitology

Supplement to Parasitology 1995

Ecology of wildlife host–parasite interactions

EDITED BY **B. T. GRENFELL**

CO-ORDINATING EDITOR **L. H. CHAPPELL**



CAMBRIDGE UNIVERSITY PRESS

Subscriptions may be sent to any bookseller or subscription agent or direct to the publisher: Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU. Subscriptions in the USA, Canada and Mexico should be sent to Cambridge University Press, Journals Department, 40 West 20th Street, New York, NY 10011-4211. All orders must be accompanied by payment. The subscription price (excluding VAT) of volumes 110 and 111, 1995 is £258 (US \$478 in the USA, Canada and Mexico), payable in advance, for ten parts plus supplements; separate parts cost £23 or US \$42 each (plus postage). EU subscribers (outside the UK) who are not registered for VAT should add VAT at their country's rate. VAT registered subscribers should provide their VAT registration number. Japanese prices for institutions (including ASP delivery) are available from Kinokuniya Company Ltd, P.O. Box 55, Chitose, Tokyo 156, Japan. Second class postage paid at New York, NY and at additional mailing offices. POSTMASTER: send address changes in USA, Canada and Mexico to *Parasitology*, Cambridge University Press, 110 Midland Avenue, Port Chester, New York, NY 10573-4930.

ISBN 0 521 56744 0

Front cover illustration: 'A recently emerged nematode, *Parasitodiplogaster obtusinema*, and its fig wasp host, *Pegoscapus hoffmeyer*.' Photograph by Edward Allen Herre.

© Cambridge University Press 1995

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge

Parasitology

Volume 111 *Supplement 1995*

Ecology of wildlife host-parasite interactions

EDITED BY
B. T. GRENFELL

CO-ORDINATING EDITOR
L. H. CHAPPELL



CAMBRIDGE
UNIVERSITY PRESS

Contents

<i>List of contributions</i>	S1	Atypical rabies infections	S42
		Rabies serology	S42
		Atypical infections and rabies dynamics	S44
Introduction: Ecological impact of parasitism on wildlife host populations	S3	Implications for control	S44
Introduction	S3	Acknowledgements	S45
Impact of parasitism on natural host populations	S3	References	S45
Evidence for the impact of parasitism on host dynamics	S5	Persistence and transmission of tick-borne viruses: <i>Ixodes ricinus</i> and louping-ill virus in red grouse populations	S49
Prospectus for this special issue	S9	Summary	S49
Acknowledgements	S9	Introduction	S49
References	S9	Louping-ill system	S50
Evolutionary pressures in the spread and persistence of infectious agents in vertebrate populations	S15	Host-vector ratios (N_2/N_1)	S51
Summary	S15	Seasonal variation in vector and susceptible host abundance	S51
Introduction	S15	Availability of susceptible hosts: population sinks	S52
The demographic impact of infection	S16	Host-behaviour	S52
Microparasites	S16	Alternative hosts for vector and virus	S53
Macroparasites	S19	Host infectious period ($1/\gamma_1$)	S55
Measuring the impact of infection	S20	Non-viraemic transmission through co-feeding	S55
Evolution of virulence	S21	Consumption of vectors	S56
Genetic variation in helminth parasites of vertebrates	S25	Latency in vertebrates	S56
Discussion	S28	Tick infectious period ($1/\gamma_2$)	S56
References	S29	Vertical transmission	S56
Maintenance of a microparasite infecting several host species: rabies in the Serengeti	S33	Tick survival	S56
Summary	S33	Discussion	S56
Introduction	S33	Acknowledgements	S57
Materials and methods	S35	References	S57
Study areas	S35	Wildlife disease and conservation in Hawaii: Pathogenicity of avian malaria (<i>Plasmodium relictum</i>) in experimentally infected Iiwi (<i>Vestiaria coccinea</i>)	S59
Rabies surveillance, diagnosis and virus characterization	S35	Summary	S59
Rabies serology	S35	Introduction	S59
Dog demography	S35	Materials and methods	S60
Mathematical models of dog rabies	S37	Capture and care of experimental hosts	S60
Results and discussion	S38	Diagnosis of malarial infections	S60
Reservoir hosts in the Serengeti	S38	Experimental infections	S61
Evidence for maintenance in dogs	S38	Necropsy techniques	S62
Evidence for maintenance in wildlife	S38	Rechallenge of survivors	S62
Sequence of epidemics in dogs and wildlife	S39	Data analysis	S62
One host – one virus	S40	Results	S63
Control	S40	Parasitaemia and mortality	S63
Mechanisms of maintenance	S41	Food consumption and weight	S63
Threshold population density – dogs	S41	Gross and microscopic pathology	S64
– wildlife	S41	Discussion	S65

Pathogenicity	S65	Acknowledgements	S105
Coevolution and conservation	S67	References	S105
Acknowledgements	S68		
References	S68		
Models of intermediate complexity in insect-pathogen interactions: population dynamics of the microsporidian pathogen, <i>Nosema pyrausta</i>, of the European corn borer, <i>Ostrinia nubilalis</i>	S71	Patterns of macroparasite abundance and aggregation in wildlife populations: a quantitative review	S111
Summary	S71	Summary	S111
Introduction	S71	Introduction	S111
Age structure and seasonality	S72	Methods	S112
<i>Ostrinia</i> and <i>Nosema</i> natural history	S73	Characterization of parasite data	S112
Existing tactical models	S74	Statistical analysis of parasite burdens	S112
A new model of intermediate complexity	S75	Mean parasite burden	S112
Model structure	S75	Prevalence-mean analysis	S112
Parameter estimates	S78	Variance/mean analysis	S113
Results: within-season dynamics	S79	Tree-based statistical models	S113
Results: long-term dynamics	S82	The database	S114
Discussion	S85	Ecological and physiological processes involved in infection	S114
Acknowledgements	S87	Results	S117
References	S87	Overall comparative patterns	S117
		Mean parasite burden	S117
Evolutionary ecology of vertically transmitted parasites: transovarial transmission of a microsporidian sex ratio distorter in <i>Gammarus duebeni</i>	S91	Prevalence of infection and mean parasite burden	S117
Summary	S91	Dispersion patterns of parasites between hosts	S117
Introduction	S91	The variance/mean relationship for parasite burden	S118
General introduction	S91	Estimates of the negative binomial parameter, <i>k</i>	S118
General review	S92	Patterns of abundance and aggregation associated with specific host-parasite systems	S119
Strategies involving manipulation of host fitness	S92	Patterns in log mean parasite burden	S119
Cytoplasmic incompatibility (CI)	S93	Tree-based model of log mean parasite burden	S120
Parthenogenesis	S93	Patterns in aggregation	S121
Sex ratio distortion	S93	Discussion and conclusions	S121
Case studies: feminization	S95	Patterns of abundance and aggregation	S122
Mechanisms of transovarial transmission	S97	Acknowledgements	S122
Materials and methods	S99	References	S122
Laboratory investigations	S99	Appendix	S122
Models	S99		
Distribution independent of host cell lineage	S99	Modelling patterns of parasite aggregation in natural populations: trichostrongylid nematode–ruminant interactions as a case study	S135
Lineage-dependent distribution: unbiased segregation to daughter cells	S99	Summary	S135
Results	S100	Introduction	S135
Transmission efficiency to eggs	S101	Modelling parasite aggregation	S135
Parasite growth rate	S101	Ecological consequences of parasite aggregation	S135
Parasite distribution within embryos	S101	Causes of parasite aggregation	S136
Frequency of uninfected cells	S101	Interpreting observed aggregation patterns	S136
Distribution independent of host cell lineage	S102	Data sets and models	S137
Distribution lineage dependent: unbiased segregation between daughter cells	S102	Epidemiological data	S137
Discussion	S103	Experimental infections	S137
		Naturally-regulated hosts: St. Kilda parasite counts	S137

The model	S137	Infection levels	S166
Results and discussion	S139	Population dynamics	S167
Experimental infections	S139	Factors regulating infection levels	S168
Mean patterns of parasitism	S139	Experimental infections of <i>Rhabdias bufonis</i>	
Patterns of variability in worm counts	S140	in <i>Bufo</i>	S170
Egg count variability	S141	Pathogenic interactions	S170
Relationship between worm and egg counts	S142	Natural infection levels	S172
Field infections	S143	Dynamics of infection levels	S173
Model interpretation of field patterns	S144	Discussion	S174
Conclusion	S146	Characteristics of amphibians in host-parasite interactions	S174
Acknowledgements	S147	Factors influencing pathogenic interactions	S174
Appendix	S147	Evolutionary considerations	S175
Model definition	S147	Acknowledgements	S176
Model equations	S147	References	S176
Moments	S148		
Asymptotic approximations	S150	Factors affecting the evolution of virulence: nematode parasites of fig wasps as a case study	S179
References	S150	Summary	S179
Parasitic disease in amphibians: control by the regulation of worm burdens	S153	Introduction	S179
Summary	S153	Natural history	S180
Introduction	S153	Fossil history and phylogenetics: temporal patterns of the evolution of virulence	S183
Parasitic disease in <i>Xenopus</i>	S154	The relationship of virulence to population structure	S184
The parasites of <i>Xenopus</i>	S155	Selection among nematodes among fruit	S185
Pathogenic interactions	S156	Selection among individual nematodes within the same fruit	S185
Population dynamics	S157	Selection among individual nematodes within the same host	S185
Infection levels	S159	Discussion	S186
Factors regulating infection levels	S160	Acknowledgements	S188
Parasite longevity	S160	References	S188
Ecological factors	S161	Appendix	S190
Host immunity	S161		
Outcome of the host-parasite interactions	S162		
Parasitic disease in <i>Scaphiopus</i>	S162		
The parasites of <i>Scaphiopus</i>	S162		
Pathogenic interactions	S164		