normal individuals, children, and several classes of mammals. He finds that in passing from the Monotremata through the various orders up to the Primates, there is a progressive growth of the hallux, reaching its maximum in man. Thus a plane touching the tips of the hallux and second toe looks outwards (distal slope) in man, inwards (proximal slope) constantly in the other mammals, and frequently in some savage tribes, in criminals, in children, and in the focus. The author concludes that in criminals there is an incomplete development of the hallux—an atavistic condition. W. C. SULLIVAN.

The Anatomical Stigmata of Degeneracy [Les stigmates anatomiques de la dégénérescence]. (Gaz. des Hôp., Jan. 5th and 12th, 1901.) Mayet.

This paper gives an outline of the current ideas regarding the nature of degeneracy, and enumerates some of the chief anatomical conditions considered as characteristic of it.

The author defines degeneracy as "a hereditary state of lessened physical and moral perfection, tending to sterility and the rapid extinction of the degenerate individual and his stock."

The stigmata of degeneracy—isolated or found in syndromes—are divided into (1) anatomical; (2) physiological; (3) psychological; and (4) sociological.

Discussing the anatomical stigmata, the author emphasises their teratological nature; they are due to defective development of the embryo, dependent on one or more of the various causes capable of producing grave disorder in the fœtal organism. The number of such causes operative in city life explains the great frequency of these stigmata in the urban population—a frequency which has led some writers to throw doubt on the significance of the stigmata. The author has found from personal observation that they are far less common in country dwellers, particularly in those who are healthy.

The stigmata met with in the different regions of the body are summarily described, with illustrations of the more important. A list of references to the literature of the subject completes the paper.

W. C. Sullivan.

[Oct.,

Note on Prints of the Palm of the Hand and of the Sole of the Foot [Note sur les empreintes de la paume de la main et de la plante du pied]. (Comptes rendus de la Société de Biologie, June, 1900.) Féré.

This is a short note, illustrated by a figure in the text, on the arrangement of the papillary lines in the regions mentioned. In general the lines on the palm are parallel to the creases of opposition of the thumb, and to the creases of flexion of the fingers; but this arrangement is commonly modified in certain situations, e. g., by loops continuing the transverse ridges of the fingers or (more often) stating from the interdigital spaces, by loops also on the thenar eminence, and by loops or more complex figures on the hypothenar eminence.

These arrangements—and analogous arrangements on the sole of the foot—have been interpreted as representative of prehuman conditions.