

Author Index

ACHENBACH, J.D. and COHEN, M.L.

Probabilistic considerations for growth and detection of cracks from rivet holes in a lap joint, pp 727-740.

ADAMS, R., CHO, S.H. and BIL, C.

Design and optimisation of the external load bearing carry through structure of a columned multi bubble fuselage, pp 97-108.

AJAJ, R.M., FRISWELL, M.I., DETTMER, W.G., ISIKVEREN, A.T. and ALLEGRI, G.

Roll control of a MALE UAV using the adaptive torsion wing, pp 299-314.

AJAJ, R.M., FRISWELL, M.I., SMITH, D. and ISIKVEREN, A.T.

A conceptual wing-box weight estimation model for transport aircraft, pp 533-551.

AJAJ, R.M., FRISWELL, M.I. and SAAVEDRA FLORES, E.I.

On the effectiveness of active aeroelastic structures for morphing aircraft, pp 1167-1176.

ALLEGRI, AJAJ, R.M., FRISWELL, M.I., DETTMER, W.G. and ISIKVEREN, A.T.

Roll control of a MALE UAV using the adaptive torsion wing, pp 299-314.

ANKERSEN, J.K., IANNUCCI, L. and GUIAMATSIA,

A study of mixed-mode composite delamination using enriched interface elements, pp 959-967.

ANTON, N., BOTEZ, R.M and POPESCU, D.

Application of the weight function method on a high incidence research aircraft model, pp 897-912.

AROKKIASWAMY, A., VERMA, S.B. and VENKATESWARAN, S.

Experimental studies on rectangular jets with trapezoidal tabs, pp 505-517.

ASMELASH, H.A., MARTIS, R.R. and SINGH, A.

Numerical simulation of ramp induced shock wave/boundary-layer interaction in turbulent flow, pp 629-638.

ATLI-VELTIN, B. and GANDHI, B.

Energy absorption of sandwiched honeycombs with facesheets under in-plane crushing, pp 687-708.

AYBEK, F., ÇINAR, E., CAVCAR, A. and ÇETEK, C.

New directions for air traffic control simulators: A

discussion to guide the selection and renovation of simulators, pp 415-426.

BABAEI, A.R., MORTAZAVI, M. and MENHAJ, M.B.

Robust and computational efficient autopilot design: A hybrid approach based on classic control and genetic-fuzzy sliding mode control, pp 839-859.

BIL, C., ADAMS, R. and CHO, S.H.

Design and optimisation of the external load bearing carry through structure of a columned multi bubble fuselage, pp 97-108.

BOLDS-MOOREHEAD, P.J., CHANEY, V.G., LUTZ, T. and VAUX, S.

Stalling transport aircraft, pp 1183-1206.

BOTEZ, R.M. and GRIGORIE, T.L.

A new method to reduce the noise of the miniaturised inertial sensors disposed in redundant linear configurations, pp 111-132.

BOTEZ, R., LABOUR, D. and DANCILA, B.D.

Fuel burn prediction algorithm for cruise, constant speed and level flight segments, pp 491-504.

BOTEZ, R.M., LABOUR, D. and FÉLIX PATRÓN, R.S.

New altitude optimisation algorithm for the flight management system CMA-9000 improvement on the A310 and L-1011 aircraft, pp 787-805.

BOTEZ, R.M., POPESCU, D. and ANTON, N.

Application of the weight function method on a high incidence research aircraft model, pp 897-912.

BRAY, D., TIPNIS, T.J., FINNIS, M.V and KNOWLES, K.

Density measurements for rectangular free jets using background-oriented schlieren, pp 771-785.

BRUNET, V., ESQUIEU, S., MEUNIER, M., MOUTON, S. and RENEAUD, J.

Recent achievements in numerical simulation for aircraft power-plant configurations, pp 213-231.

BURRAGE, B. and ÇINAR E.

Enabling technologies for a centre-line tiltrotor, pp 389-414.

CAVCAR, A., ÇETEK, C., AYBEK, F. and ÇINAR, E.

New directions for air traffic control simulators: A discussion to guide the selection and renovation of

- simulators, pp 415-426.
- ÇETEK, C., AYBEK, F., ÇINAR, E. and CAVCAR, A.**
New directions for air traffic control simulators: A discussion to guide the selection and renovation of simulators, pp 415-426.
- CHANDRASEKHARA, M.S. and MCLAIN, B.K.**
Aerodynamic studies over a manoeuvring UCAV 1303 configuration, pp 445-465.
- CHANAY, V. G., LUTZ, T., VAUX, S. and BOLDS-MOOREHEAD, P. J.**
Stalling transport aircraft, pp 1183-1206.
- CHEN, S.-H., YANG, and IONG, P.-T.**
Vision guidance of a fixed wing UAV using a single camera configuration, pp 147-173.
- CHO, S.H., BIL, C. and ADAMS, R.**
Design and optimisation of the external load bearing carry through structure of a columned multi bubble fuselage, pp 97-108.
- CHUE, R.S.M., NGUYEN, T., YU, S. and JIAJAN, W.**
Optimisation of round bodies for aerodynamic performance and stability at supersonic speeds, pp 661-685.
- ÇINAR, E. and BURRAGE, B.**
Enabling technologies for a centre-line tiltrotor, pp 389-414.
- ÇINAR, E., CAVCAR, A., ÇETEK, C. and AYBEK, F.**
New directions for air traffic control simulators: A discussion to guide the selection and renovation of simulators, pp 415-426.
- COHEN, M.L. and ACHENBACH, J.D.**
Probabilistic considerations for growth and detection of cracks from rivet holes in a lap joint, pp 727-740.
- CONNERS, T., HOWE, D., COYNE, T.L., LOTH, B., KONCSEK, J. and DAVIS, D.**
Simulations of a low-boom, axisymmetric, external compression inlet, pp 709-726.
- COWLING, I., GREEN, J.A., QIN, N. and GARCÍA NARANJO, A.**
Aerodynamic performance benefits of utilising camber morphing wings for unmanned air vehicles, pp 315-327.
- COYNE, T.L., LOTH, B., KONCSEK, J., DAVIS, D., CONNERS, T. and HOWE, D.**
Simulations of a low-boom, axisymmetric, external compression inlet, pp 709-726.
- DANCILA, B.D., BOTEZ, R. and LABOUR, D.**
Fuel burn prediction algorithm for cruise, constant speed and level flight segments, pp 491-504.
- DAS, R. and KURIAN, J.**
Supersonic flow over three dimensional cavities, pp 175-192.
- DAVIS, D., CONNERS, T., HOWE, D., COYNE, T.L., LOTH, B. and KONCSEK, J.**
Simulations of a low-boom, axisymmetric, external compression inlet, pp 709-726.
- DEAN, D.**
Creating a space debris catalogue for an orbital band with suitable candidates for active removal, pp 617-628.
- DEEPAK, N.R., GAI, S.L. and NEELY, A.J.**
A computational investigation of laminar shock/wave boundary layer interactions, pp 27-56.
- DESIKAN, S.L.N. and KURIAN, J.**
Experimental investigation of the role of struts in high speed mixing, pp 193-211.
- DETTMER, W.G., ISIKVEREN, A.T., ALLEGRI, G., AJAJ, R.M. and FRISWELL, M.I.**
Roll control of a MALE UAV using the adaptive torsion wing, pp 299-314.
- DORRINGTON, G.E.**
Buoyancy estimation of a Montgolfière in the atmosphere of Titan, pp 943-957.
- DUAN, D., ZHANG, M. and WANG, X.**
Panel method predictions of added mass for flexible airship, pp 519-531.
- DUBOIS-MATRA, O., VOIRIN, T., PARKES, S.M., MARTIN, I., DUNSTAN, M.N. and ROWEL, N. L.**
A virtual test environment for validating spacecraft optical navigation, pp 1075-1101.
- DUNSTAN, M.N., ROWEL, N. L., DUBOIS-MATRA, O., VOIRIN, T., PARKES, S.M. and MARTIN, I.**
A virtual test environment for validating spacecraft optical navigation, pp 1075-1101.
- ELHAM, A., VAN TOOREN, M.J.L. and MARIENS, J.**
Influence of weight modelling on the outcome of wing design using multidisciplinary design optimisation techniques, pp 871-895.
- ESQUIEU, S., MEUNIER, M., MOUTON, S., RENEAUD, J. and BRUNET, V.**
Recent achievements in numerical simulation for aircraft power-plant configurations, pp 213-231.
- FÉLIX PATRÓN, R.S., BOTEZ, R.M. and LABOUR, D.**

- New altitude optimisation algorithm for the flight management system CMA-9000 improvement on the A310 and L-1011 aircraft, pp 787-805.
- FIELDING, J., JEMITOLA, P.O. and MONTERZINO, G.**
Wing mass estimation algorithm for medium range box wing aircraft, pp 329-340.
- FINNIS, M.V., KNOWLES, K., BRAY, D. and TIPNIS, T.J.**
Density measurements for rectangular free jets using background-oriented schlieren, pp 771-785.
- FORREST, J.S., OWEN, I. and KÄÄRIÄ, C.H.**
The virtual AirDyn: A simulation technique for evaluating the aerodynamic impact of ship superstructures on helicopter operations, pp 1233-1248.
- FRISWELL, M.I., DETTMER, W.G., ISIKVEREN, A.T., ALLEGRI, G. and AJAJ, R.M.**
Roll control of a MALE UAV using the adaptive torsion wing, pp 299-314.
- FRISWELL, M.I., SMITH, D., ISIKVEREN, A.T. and AJAJ, R.M.**
A conceptual wing-box weight estimation model for transport aircraft, pp 533-551.
- FRISWELL, M.I., SAAVEDRA FLORES, E.I. and AJAJ, R.M.**
On the effectiveness of active aeroelastic structures for morphing aircraft, pp 1167-1176.
- GAD-BRIGGS, A., HASLAM, A. and LASKARIDIS, P.**
Effect of change in role of an aircraft on engine life, pp 1053-1070.
- GAI, S.L., NEELY, A.J. and DEEPAK, N.R.**
A computational investigation of laminar shock/wave boundary layer interactions, pp 27-56.
- GANDHI, B. and ATLI-VELTIN, B.**
Energy absorption of sandwiched honeycombs with facesheets under in-plane crushing, pp 687-708.
- GARCÍA NARANJO, A., COWLING, I., GREEN, J.A. and QIN, N.**
Aerodynamic performance benefits of utilising camber morphing wings for unmanned air vehicles, pp 315-327.
- GIURGIUTIU, V. and GRESIL, M.**
Guided wave propagation in composite laminates using piezoelectric wafer active sensors, pp 971-995.
- GOMES-FERNANDES, R.**
Flow features around double cones at hypersonic speed, pp 741-748.
- GOUNKO, Y.P., MAZHUL, I.I. and KHARITONOV, A.M.**
Aerodynamic design and experimental modelling of an innovative supersonic three-dimensional air-intake, pp 559-584.
- GRATTON, G.B. and HOFF, R. I.**
Spin induced aerodynamic flow conditions on full-scale aeroplane wing and horizontal tail surfaces, pp 1207-1231.
- GREEN, J.A., QIN, N., GARCÍA NARANJO, A. and COWLING, I.**
Aerodynamic performance benefits of utilising camber morphing wings for unmanned air vehicles, pp 315-327.
- GRESIL, M. and GIURGIUTIU, V.**
Guided wave propagation in composite laminates using piezoelectric wafer active sensors, pp 971-995.
- GRIGORIE, T.L. and BOTEZ, R.M.**
A new method to reduce the noise of the miniaturised inertial sensors disposed in redundant linear configurations, pp 111-132.
- GUBBELS, A.W. and PERFECT, P.**
Rotorcraft simulation fidelity: new methods for quantification and assessment, pp 235-282.
- GUGLIERI, G.**
Effect of autopilot modes on flight performances of electric mini-UAVs, pp 57-69.
- GUIAMATSIA, I., ANKERSEN, J.K. and IANNUCCI, L.**
A study of mixed-mode composite delamination using enriched interface elements, pp 959-967.
- GUVEN, U. and YADAV, R.**
Aerothermodynamics of a hypersonic projectile with a double-disk aerospike, pp 913-928.
- GUZ, I.A., RUSHCHITSKY, J.J. and GUZ, A.N**
Effect of a special reinforcement on the elastic properties of micro- and nanocomposites with polymer matrix, pp 1019-1036.
- GUZ, A.N., GUZ, I.A. and RUSHCHITSKY, J.J.**
Effect of a special reinforcement on the elastic properties of micro- and nanocomposites with polymer matrix, pp 1019-1036.
- HAMERS, M., TAGHIZAD, A., PAVEL, M.D., WHITE, M., PADFIELD, G.D. and ROTH, G.**
Validation of mathematical models for helicopter flight simulators past, present and future challenges, pp 343-388.

HAMIDI, S. and KERMANI, M.J.

High resolution computation of compressible condensing/evaporating moist-air flow for external and internal flows, pp 427-444.

HASLAM, A., LASKARIDIS, P. and GAD-BRIGGS, A.

Effect of change in role of an aircraft on engine life, pp 1053-1070.

HOFF, R.I. and GRATTON, G. B.

Spin induced aerodynamic flow conditions on full-scale aeroplane wing and horizontal tail surfaces, pp 1207-1231.

HOWE, D., COYNE, T.L., LOTH, B., KONCSEK, J., DAVIS, D. and CONNERS, T.

Simulations of a low-boom, axisymmetric, external compression inlet, pp 709-726.

HÜHNE, C., QUERIN, O.M., TOROPOV, V.V., LIU, D. and NIEMANN, S., KOLESNIKOV, B. and LOHSE-BUSCH, H.

The use of topology optimisation in the conceptual design of next generation lattice composite aircraft fuselage structures, pp 1139-1154.

IANNUCCI, L., GUIAMATSIA, I. and ANKERSEN, J.K.

A study of mixed-mode composite delamination using enriched interface elements, pp 959-967.

IONG, P.-T., CHEN, S.-H. and YANG, Y.

Vision guidance of a fixed wing UAV using a single camera configuration, pp 147-173.

IRWIN, A.J. and RENDER, P.M.

The influence of simulated missile warhead fragment damage on the aerodynamic characteristics of two-dimensional wings, pp 823-837.

ISIKVEREN, A.T., ALLEGRI, G., AJAJ, R.M., FRISWELL, M.I. and DETTMER, W.G.

Roll control of a MALE UAV using the adaptive torsion wing, pp 299-314.

ISIKVEREN, A.T., AJAJ, R.M., FRISWELL, M.I. and SMITH, D.

A conceptual wing-box weight estimation model for transport aircraft, pp 533-551.

JEMITOLA, P.O., MONTERZINO, G. and FIELDING, J.

Wing mass estimation algorithm for medium range box wing aircraft, pp 329-340.

JI, W. and WAAS, A.M.

Progressive failure analysis for the interaction of interlaminar and intralaminar failure modes in composite structures with an initial delamination, pp 71-85.

JIAJAN, W., CHUE, R.S.M., NGUYEN, T. and YU, S.

Optimisation of round bodies for aerodynamic performance and stability at supersonic speeds, pp 661-685.

KÄÄRIÄ, C.H., FORREST, J.S. and OWEN, I.

The virtual AirDyn: A simulation technique for evaluating the aerodynamic impact of ship superstructures on helicopter operations, pp 1233-1248.

KALIMUTHU, R., MEHTA, R.C. and RATHAKRISHNAN, E.

Pressure measurements over a hemisphere-cylinder body attached with a forward facing spike, pp 639-646.

KARAKURT, A., SETHI, V., SINGH, R., QUAN, Z. and KHANDELWAL, B.

Preliminary design and performance analysis of a low emission aero-derived gas turbine combustor, pp 1249-1276.

KERMANI, M.J. and HAMIDI, S.

High resolution computation of compressible condensing/evaporating moist-air flow for external and internal flows, pp 427-444.

KHANDELWAL, B., KARAKURT, A., SETHI, V., SINGH, R. and QUAN, Z.

Preliminary design and performance analysis of a low emission aero-derived gas turbine combustor, pp 1249-1272.

KHARITONOV, A.M., GOUNKO, Y.P. and MAZHUL, I.I.

Aerodynamic design and experimental modelling of an innovative supersonic three-dimensional air-intake, pp 559-584.

KNOWLES, K. and PHILLIPS, N.

Formation of vortices and spanwise flow on an insect-like flapping wing throughout a flapping half cycle, pp 471-490.

KNOWLES, K., BRAY, D., TIPNIS, T.J. and FINNIS, M.V

Density measurements for rectangular free jets using background-oriented schlieren, pp 771-785.

KOLESNIKOV, B., LOHSE-BUSCH, H., HÜHNE, C., QUERIN, O.M., TOROPOV, V.V., LIU, D. and NIEMANN, S.

The use of topology optimisation in the conceptual design of next generation lattice composite aircraft fuselage structures, pp 1139-1154.

KONCSEK, J., DAVIS, D., CONNERS, T., HOWE, D., COYNE, T.L. and LOTH, B.

Simulations of a low-boom, axisymmetric, external compression inlet, pp 709-726.

KUK, T. and RO, K.

Design, test and evaluation of an actively stabilised drogue refuelling system, pp 1103-1118.

KURIAN, J. and DAS, R.

Supersonic flow over three dimensional cavities, pp 175-192.

KURIAN, J. and DESIKAN, S.L.N.

Experimental investigation of the role of struts in high speed mixing, pp 193-211.

LABOUR, D., DANCILA, B.D. and BOTEZ, R.

Fuel burn prediction algorithm for cruise, constant speed and level flight segments, pp 491-504.

LABOUR, D., FÉLIX PATRÓN, R.S. and BOTEZ, R.M.

New altitude optimisation algorithm for the flight management system CMA-9000 improvement on the A310 and L-1011 aircraft, pp 787-805.

LASKARIDIS, P., GAD-BRIGGS, A. and HASLAM, A.

Effect of change in role of an aircraft on engine life, pp 1053-1070.

LAWSON, C.P., SMITH, H.A. and LINARES, C.

Multidisciplinary optimisation framework for minimum rotorcraft fuel and air pollutants at mission level, pp 749-767.

LAWSON, N.J.

Comparison of flight test data with a computational fluid dynamics model of a Scottish Aviation bulldog aircraft, pp 1273-1291.

LINARES, C., LAWSON, C.P. and SMITH, H.A.

Multidisciplinary optimisation framework for minimum rotorcraft fuel and air pollutants at mission level, pp 749-767.

LIU, D., NIEMANN, S., KOLESNIKOV, B., LOHSE-BUSCH, H., HÜHNE, C., QUERIN, O.M. and TOROPOV, V.V.

The use of topology optimisation in the conceptual design of next generation lattice composite aircraft fuselage structures, pp 1139-1154.

LIU, Y.

Assessment of surface roughness for a 'silent' aircraft, pp 283-298.

LOHSE-BUSCH, H., HÜHNE, C., QUERIN, O.M., TOROPOV, V.V., LIU, D., NIEMANN, S. and KOLESNIKOV, B.

The use of topology optimisation in the conceptual design of next generation lattice composite aircraft fuselage structures, pp 1139-1154.

LOTH, B., KONCSEK, J., DAVIS, D., CONNERS,**T., HOWE, D. and COYNE, T.L.**

Simulations of a low-boom, axisymmetric, external compression inlet, pp 709-726.

LUTZ, T., VAUX, S., BOLDS-MOOREHEAD, P.J. and CHANEY, V. G.

Stalling transport aircraft, pp 1183-1206.

MARIENS, J., ELHAM, A. and VAN TOOREN,**M.J.L.**

Influence of weight modelling on the outcome of wing design using multidisciplinary design optimisation techniques, pp 871-895.

MARTIN, I., DUNSTAN, M.N., ROWEL, N. L.,**DUBOIS-MATRA, O., VOIRIN, T. and PARKES, S.M.** A virtual test environment for validating space-craft optical navigation, pp 1075-1101.**MARTIS, R.R., SINGH, A. and ASMELASH, H.A.**

Numerical simulation of ramp induced shock wave/boundary-layer interaction in turbulent flow, pp 629-638.

MAZHUL, I.I., KHARITONOV, A.M. and GOUNKO, Y.P.

Aerodynamic design and experimental modelling of an innovative supersonic three-dimensional air-intake, pp 559-584.

MCINTOSH, S.C. and QIN, N.

The influence of transition onset location on the performance of shock control bumps, pp 1037-1051.

MCLAINE, B.K. and CHANDRASEKHARA, M.S.

Aerodynamic studies over a manoeuvring UCAV 1303 configuration, pp 445-465.

MEHTA, R.C., RATHAKRISHNAN, E. and KALIMUTHU, R.

Pressure measurements over a hemisphere-cylinder body attached with a forward facing spike, pp 639-646.

MENGALI, G. and QUARTA, A.A.

Constrained large angle reorientation manoeuvres of a space telescope using potential functions and a variable control gain, pp 807-821.

MENHAJ, M.B., BABAEI, A.R. and MORTAZAVI,**M.**

Robust and computational efficient autopilot design: A hybrid approach based on classic control and genetic-fuzzy sliding mode control, pp 839-859.

MEUNIER, M., MOUTON, S., RENEAUD, J.,**BRUNET, V. and ESQUIEU, S.**

Recent achievements in numerical simulation for aircraft power-plant configurations, pp 213-231.

- MONTERZINO, G., FIELDING, J. and JEMITOLA, P.O.**
Wing mass estimation algorithm for medium range box wing aircraft, pp 329-340.
- MORTAZAVI, M., MENHAJ, M.B. and BABAEI, A.R.**
Robust and computational efficient autopilot design: A hybrid approach based on classic control and genetic-fuzzy sliding mode control, pp 839-859.
- MOUTON, S., RENEAUX, J., BRUNET, V., ESQUIEU, S. and MEUNIER, M.**
Recent achievements in numerical simulation for aircraft power-plant configurations, pp 213-231.
- NADA, T.R.**
One-dimensional model of a pulsed plasma thruster, pp 929-942.
- NEELY, A.J., DEEPAK, N.R. and GAI, S.L.**
A computational investigation of laminar shock/wave boundary layer interactions, pp 27-56.
- NGUYEN, T., YU, S., JIAJAN, W. and CHUE, R.S.M**
Optimisation of round bodies for aerodynamic performance and stability at supersonic speeds, pp 661-685.
- NIEMANN, S., KOLESNIKOV, B., LOHSE-BUSCH, H., HÜHNE, C., QUERIN, O.M., TOROPOV, V.V. and LIU, D.**
The use of topology optimisation in the conceptual design of next generation lattice composite aircraft fuselage structures, pp 1139-1154.
- OWEN, I., KÄÄRIÄ, C. H. and FORREST, J.S.**
The virtual AirDyn: A simulation technique for evaluating the aerodynamic impact of ship superstructures on helicopter operations, pp 1233-1248.
- PADFIELD, G.D., ROTH, G., HAMERS, M., TAGHIZAD, A., PAVEL, M.D. and WHITE, M.**
Validation of mathematical models for helicopter flight simulators past, present and future challenges, pp 343-388.
- PAGE, G.J.**
Rapid, parallel CFD grid generation using octrees, pp 133-146.
- PARKES, S.M., MARTIN, I., DUNSTAN, M.N., ROWEL, N.L., DUBOIS-MATRA, O. and VOIRIN, T.**
A virtual test environment for validating spacecraft optical navigation, pp 1075-1101.
- PAVEL, M.D., WHITE, M., PADFIELD, G.D., ROTH, G., HAMERS, M. and TAGHIZAD, A.**
Validation of mathematical models for helicopter flight simulators past, present and future challenges, pp 343-388.
- PERFECT, P. and GUBBELS, A.W.**
Rotorcraft simulation fidelity: new methods for quantification and assessment, pp 235-282.
- PHILLIPS, N. and KNOWLES, K.**
Formation of vortices and spanwise flow on an insect-like flapping wing throughout a flapping half cycle, pp 471-490.
- PIKE, J.**
Hypersonic minimum drag forebodies with blunt leading edges, pp 553-557.
- POPESCU, D., ANTON, N. and BOTEZ, R.M**
Application of the weight function method on a high incidence research aircraft model, pp 897-912.
- QIN, N., GARCÍA NARANJO, A., COWLING, I. and GREEN, J.A.**
Aerodynamic performance benefits of utilising camber morphing wings for unmanned air vehicles, pp 315-327.
- QIN, N. and MCINTOSH, S.C.**
The influence of transition onset location on the performance of shock control bumps, pp 1037-1051.
- QUAN, Z., KHANDELWAL, B., KARAKURT, A., SETHI, V. and SINGH, R.**
Preliminary design and performance analysis of a low emission aero-derived gas turbine combustor, pp 1249-1273.
- QUARTA, A.A. and MENGALI, G.**
Constrained large angle reorientation manoeuvres of a space telescope using potential functions and a variable control gain, pp 807-821.
- QUERIN, O.M., TOROPOV, V.V., LIU, D., NIEMANN, S., KOLESNIKOV, B., LOHSE-BUSCH, H. and HÜHNE, C.**
The use of topology optimisation in the conceptual design of next generation lattice composite aircraft fuselage structures, pp 1139-1154.
- RATHAKRISHNAN, E., KALIMUTHU, R. and MEHTA, R.C.**
Pressure measurements over a hemisphere-cylinder body attached with a forward facing spike, pp 639-646.
- RENDER, P.M. and IRWIN, A.J.**
The influence of simulated missile warhead fragment damage on the aerodynamic characteristics of two-dimensional wings, pp 823-837.
- RENEAUX, J., BRUNET, V., ESQUIEU, S., MEUNIER, M. and MOUTON, S.**
Recent achievements in numerical simulation for aircraft power-plant configurations, pp 213-231.

RIGHI, M.

A finite-volume gas-kinetic method for the solution of the Navier-Stokes equations, pp 605-616.

RO, K. and KUK, T.

Design, test and evaluation of an actively stabilised drogue refuelling system, pp 1103-1118.

ROTH, G., HAMERS, M., TAGHIZAD, A., PAVEL, M.D., WHITE, M. and PADFIELD, G.D.

Validation of mathematical models for helicopter flight simulators past, present and future challenges, pp 343-388.

ROWEL, N.L., DUBOIS-MATRA, O., VOIRIN, T., PARKES, S.M., MARTIN, I. and DUNSTAN, M.N.

A virtual test environment for validating spacecraft optical navigation, pp 1075-1101.

RUSHCHITSKY, J.J., GUZ, A.N and GUZ, I.A.

Effect of a special reinforcement on the elastic properties of micro- and nanocomposites with polymer matrix, pp 1019-1036.

SAAVEDRA FLORES, E.I., AJAJ, R.M. and FRISWELL, M.I.

On the effectiveness of active aeroelastic structures for morphing aircraft, pp 1167-1176.

SETHI, V., SINGH, R., QUAN, Z., KHANDELWAL, B. and KARAKURT, A.

Preliminary design and performance analysis of a low emission aero-derived gas turbine combustor, pp 1249-1275.

SINGH, A., ASMELASH, H.A. and MARTIS, R.R.

Numerical simulation of ramp induced shock wave/boundary-layer interaction in turbulent flow, pp 629-638.

SINGH, R., QUAN, Z., KHANDELWAL, B., KARAKURT, A. and SETHI, V.

Preliminary design and performance analysis of a low emission aero-derived gas turbine combustor, pp 1249-1274.

SINHA, N.K. and VINAYAGAM, A.K.

Optimal aircraft take-off with thrust vectoring, pp 1119-1138.

SMITH, D., ISIKVEREN, A.T., AJAJ, R.M. and FRISWELL, M.I.

A conceptual wing-box weight estimation model for transport aircraft, pp 533-551.

SMITH, H.A., LINARES, C. and LAWSON, C.P.

Multidisciplinary optimisation framework for minimum rotorcraft fuel and air pollutants at mission level, pp 749-767.

TAGHIZAD, A., PAVEL, M.D., WHITE, M., PADFIELD, G.D., ROTH, G. and HAMERS, M.

Validation of mathematical models for helicopter flight simulators past, present and future challenges, pp 343-388.

TIPNIS, T.J., FINNIS, M.V., KNOWLES, K. and BRAY, D.

Density measurements for rectangular free jets using background-oriented schlieren, pp 771-785.

TOET, W.

Aerodynamics and aerodynamic research in Formula 1, pp 1-26.

TOROPOV, V.V., LIU, D., NIEMANN, S., KOLESNIKOV, B. and LOHSE-BUSCH, H., HÜHNE, C. and QUERIN, O.M.

The use of topology optimisation in the conceptual design of next generation lattice composite aircraft fuselage structures, pp 1139-1154.

TRAUB, L.W.

Validation of endurance estimates for battery powered UAVs, pp 1155-1166.

VAN TOOREN, M.J.L., MARIENS, J. and ELHAM, A.

Influence of weight modelling on the outcome of wing design using multidisciplinary design optimisation techniques, pp 871-895.

VAUX, S., BOLDS-MOOREHEAD, P.J., CHANEY, V.G. and LUTZ, T.

Stalling transport aircraft, pp 1183-1206.

VECHTEL, V.

In-flight simulation of wake encounters using deformed vortices, pp 997-1018.

VENKATESWARAN, S., AROKKIASWAMY, A. and VERMA, S.B.

Experimental studies on rectangular jets with trapezoidal tabs, pp 505-517.

VERMA, S.B., VENKATESWARAN, S. and AROKKIASWAMY, A.

Experimental studies on rectangular jets with trapezoidal tabs, pp 505-517.

VINAYAGAM, A.K. and SINHA, N.K.

Optimal aircraft take-off with thrust vectoring, pp 1119-1138.

VOIRIN, T., PARKES, S.M., MARTIN, I., DUNSTAN, M.N., ROWEL, N.L. and DUBOIS-MATRA, O.

A virtual test environment for validating spacecraft optical navigation, pp 1075-1101.

WAAS, A.M. and JI, W.

Progressive failure analysis for the interaction of interlaminar and intralaminar failure modes in composite structures with an initial delamination, pp 71-85.

WANG, X., DUAN, D. and ZHANG, M.

Panel method predictions of added mass for flexible airship, pp 519-531.

WANG, Z. and WANG, J.

Guided bomb release planning based on Monte Carlo in a distributed virtual environment, pp 585-603.

WANG, J. and WANG, Z.

Guided bomb release planning based on Monte Carlo in a distributed virtual environment, pp 585-603.

WHITE, M., PADFIELD, G.D., ROTH, G., HAMERS, M., TAGHIZAD, A. and PAVEL, M.D.
Validation of mathematical models for helicopter flight simulators past, present and future challenges, pp 343-388.**YADAV, R. and GUVEN, U.**

Aerothermodynamics of a hypersonic projectile with a double-disk aerospike, pp 913-928.

YANG, Y., IONG, P.-T. and CHEN, S.-H.

Vision guidance of a fixed wing UAV using a single camera configuration, pp 147-173.

YU, S., JIAJAN, W., CHUE, R.S.M and NGUYEN, T.
Optimisation of round bodies for aerodynamic performance and stability at supersonic speeds, pp 661-685.**ZHANG, M., WANG, X. and DUAN, D.**

Panel method predictions of added mass for flexible airship, pp 519-531.