

THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CXV

January-December 2011

Subject Index

ACOUSTICS

Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria. R.M. Ajaj, G. Allegri and A.T. Isikveren, pp 15-27.

AERODYNAMICS

Aerodynamic shape optimisation of hovering rotors using compressible CFD. C.B. Allen and T.C.S. Rendall, pp 513-519.
 Aerofoil flow separation suppression using dimples. C.C. Beves, T.J. Barber and E. Leonardi, pp 335-344.
 Application of aerodynamic model structure determination to UAV data. S. Carnduff and A. Cooke, pp 481-492.
 Computational study of flowfield characteristics in cavities with stores. B. Khanal, K. Knowles and A.J. Saddington, pp 669-681.
 Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil. C. del Pino, J.M. López-Alonso, L. Parras and R. Fernandez-Feria, pp 229-239.
 Flow field and performance analysis of an integrated diverterless supersonic inlet. J. Masud, pp 471-480.
 Investigation of the three-dimensional flow over a 40° swept wing. S. Zhang, A.J. Jaworski, J.T. Turner and N.J. Wood, pp 441-449.
 Kinematic and aerodynamic characterisation of the RotaFlap – a novel flapping wing mechanism. A. Ania, D. Poirel and M.-J. Potvin, pp 1-13.
 Modelling of static aerodynamics of helicopter underslung loads. D.I. Greenwell, pp 201-219.
 Modification impact on aerodynamic performance of hypersonic waverider. C. Xiao-Qing, H. Zhong-Xi, L. Jian-Xia and G. Xian-Zhong, pp 325-334.
 Numerical investigation of aeroheating characteristics of spiked blunt bodies at Mach six flight conditions. M.Y.M. Ahmed and N. Qin, pp 377-386.
 On the generation of a helicopter aerodynamic database. M. Raffel, F. de Gregorio, W. Sheng, G. Gibertini, A. Seraudie, K. de Groot and O. Schneider, pp 103-112.
 Optimal wing twist distribution for roll control of MAVs. M.R. Ahmed, M.M. Abdelrahman, G.M. ElBayoumi and M.M. ElNomrossy, pp 641-649.
 Span-wise wind fluctuations in open terrain as applicable to small flying craft. M. Thompson, S. Watkins, C. White and J. Holmes, pp 693-701.
 Subsonic aerofoil design 2010. D.M. Somers, pp 137-146.
 Trailing-edge flap flow control for dynamic stall. R.B. Green, E.A. Gillies and Y. Wang, pp 493-503.

Wake vortex prediction and detection utilising advanced fusion filter technologies. S. Schönhals, M. Steen and P. Hecker, pp 221-228.

AEROELASTICITY

Aeroelastic wing design including geometric nonlinearities — Nonlinear aeroelastic design of morphing outboard wing sections. M.Y. Harmin and J.E. Cooper, pp 767-788.
 F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction. M. Guillaume, A. Gehri, P. Stephani, J.B. Vos and G. Mandanis, pp 285-294.
 Nonlinear aeroelastic design of morphing outboard wing sections. R. De Breuker, M.M. Abdalla and Z. Gurdal, pp 713-728.

AEROSPACE ENGINEERING

Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow. W.H. Ng, P.P. Friedmann, A.M. Waas and J.J. McNamara, pp 69-82.
 The space debris environment: future evolution. H.G. Lewis, G.G. Swinerd and R.J. Newland, pp 241-247.

AIRCRAFT DESIGN

A feasibility assessment of annular winged VTOL flight vehicles. B. Saeed, G. Gratton and C. Mares, pp 683-692.
 A first order method for the determination of the leading mass characteristics of civil transport aircraft. D.I.A. Poll, pp 257-272.
 A neuro-fuzzy approach to the weight estimation of aircraft structures. C. Hannon, V.V. Toropov and O.M. Querin, pp 739-748.
 Challenges to overcome for routine usage of automatic optimisation in the propulsion industry. S. Shahpar, pp 615-625.
 Design, analysis and experimental validation of a morphing UAV wing. M. Bolinches, A.J. Keane, A.I.J. Forrester, J.P. Scanlan and K. Takeda, pp 761-765.
 Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies. S. Mistry, M.R. Mofakhami and J. Pinsonnault, pp 749-759.
 Fuel effects on range versus payload for modern jet aircraft. S. Blakey, C.W. Wilson, M. Farmery and R. Midgley, pp 627-634.
 Gradient-based multifidelity optimisation for aircraft design using Bayesian model calibration. A. March, K. Willcox and Q. Wang, pp 729-738.
 Light gyroplane empennage design considerations. S.S. Houston, pp 505-511.
 On the effect of stage length on the efficiency of air transport. D.I.A. Poll, pp 273-283.

Aircraft Design Optimal wing twist distribution for roll control of MAVs. M.R. Ahmed, M.M. Abdelrahman, G.M. ElBayoumi and M.M. ElNomrossy, pp 641-649.

AIRWORTHINESS

An operability framework for unmanned aircraft systems. A. Maneschijn, T. Jones and T.W. von Backström, pp 361-376.

BOOK REVIEWS — BY AUTHOR

Aldinger, F. and Weberruss, V.A. *Advanced Ceramics and Future Materials: an Introduction to Structures, Properties, Technologies, Methods*, p 197.

Barbero, E.J. *Introduction to Composite Materials Design — Second edition*, p 284.

Bauchau, O.A. and Craig, J.I. *Structural Analysis: with Applications to Aerospace Structures*, p 197.

Benaroya, H., H. and Nagurka, L. *Mechanical Vibration: Analysis, Uncertainties and Control — Third edition*, p 650.

Biblarz, O. and Sutton, P. *Rocket Propulsion Elements — Eighth Edition*, p 65.

Callister, W.D. and Rethwisch, D.G. *Materials Sciences and Engineering — Eighth edition*, p 388.

Carichner, G.E. and Nicholia, L.M. *Fundamentals of Aircraft and Airship Design: Vol 1 – Aircraft Design*, p 64.

Chung, D.D.L. *Composite Materials: Science and Applications – Second edition*, p 323.

Conway, B.A. *Spacecraft Trajectory Optimisation*, p 323.

Cook *et al*, M. *Aerospace Engineering Desk Reference*, p 389.

Craig, J.I. and Bauchau, O.A. *Structural Analysis: with Applications to Aerospace Structures*, p 197.

Delery, J. *Handbook of Compressible Aerodynamics*, p 450.

Guerci, J.R. *Cognitive Radar: the Knowledge-Aided Fully Adaptive Approach*, p 390.

Gupta, M. and Sharon, N.M.L. *Magnesium, Magnesium Alloys and Magnesium Composites*, p 390.

Jaw, L.C. and Mattingly, J.D. *Aircraft Engine Controls: Design, System Analysis and Health Monitoring*, p 198.

Kassapoglou, C. *Design and Analysis of Composite Structures: with Applications to Aerospace Structures*, p 284.

Kitsche, W. *Operation of a Cryogenic Rocket Engine: an Outline with Down-to-Earth and Up-to-Space Remarks*, p 591.

Komzisk, L. *What Every Engineer Should Know About Computational Techniques of Finite Element Analysis — Second Edition*, p 65.

Kundu, A.K. *Aircraft Design*, p 66.

Lozano (Ed), R. *Unmanned Aerial Vehicles: Embedded Control*, p 388.

Macnamara, T.M. *Introduction to Antenna Placement and Installation*, p 650.

Martin, R. (Ed). *Ageing of Composites*, p 387.

Mattingly, J.D. and Jaw, L.C. *Aircraft Engine Controls: Design, System Analysis and Health Monitoring*, p 198.

Megson, T.H.G. *An Introduction to Aircraft Structural Analysis*, p 589.

Morris *et al*, P. J. *Advances in Aeroacoustics: in honor of Professor Geoffrey M. Lilley*, p 589.

Nagurka, L. and Benaroya, H. *Mechanical Vibration: Analysis, Uncertainties and Control — Third edition*, p 650.

Nicholia, L.M. and Carichner, G.E. *Fundamentals of Aircraft and Airship Design: Vol 1 — Aircraft Design*, p 64.

Pace, P.E. *Detecting and Classifying Low Probability of Intercept Radar — Second edition*, p 389.

Ramnath, R.V. *Multiple Scales Theory for Aerospace Applications*, p 590.

Rethwisch, D.G. and Callister, W.D. *Materials Sciences and Engineering — Eighth edition*, p 388.

Sharon, N.M.L. and Gupta, M. *Magnesium, Magnesium Alloys and Magnesium Composites*, p 390.

Shiroma, W.A. and Thakker, P. *Emergency of Pico- and Nanosatellites for Atmospheric Research and Technology Testing*, p 189.

Shyy *et al*, W. *Aerodynamics of Low Reynolds Number Flyers*, p 64.

Sutton, P. and Biblarz, O. *Rocket Propulsion Elements — Eighth Edition*, p 65.

Taylor, T.S. *Introduction to Rocket Science and Engineering*, p 65.

Taylor, G.K. (Ed) *et al*. *Animal Locomotion: The Physics of Flying; The Hydrodynamics of Swimming*, p 387.

Thakker, P. and Shiroma, W.A. *Emergency of Pico- and Nanosatellites for Atmospheric Research and Technology Testing*, p 189.

Tsourdou *et al*, A. *Co-operative Path Planning of Unmanned Aerial Vehicles*, p 450.

Turner, M.J.L. *Rocket and Spacecraft Propulsion: Principles, Practice and New Developments — Third Edition*, p 65.

Ward, T.A. *Aerospace Propulsion Systems*, p 387.

Weberruss, V.A. and Aldinger, F. *Advanced Ceramics and Future Materials: an Introduction to Structures, Properties, Technologies, Methods*, p 197.

BOOK REVIEWS — BY TITLE

Advanced Ceramics and Future Materials: an Introduction to Structures, Properties, Technologies, Methods. F. Aldinger and V.A. Weberruss, p 197.

Advances in Aeroacoustics: in honor of Professor Geoffrey M. Lilley. P. J. Morris *et al*, p 589.

Aerodynamics of Low Reynolds Number Flyers. W. Shyy *et al*, p 64.

Aerospace Engineering Desk Reference. M. Cook *et al*, p 389.

Aerospace Propulsion Systems. T.A. Ward, p 387.

Ageing of Composites. R. Martin (Ed), p 387.

Aircraft Design. A.K. Kundu, p 66.

Aircraft Engine Controls: Design, System Analysis and Health Monitoring. L.C. Jaw and J.D. Mattingly, p 198.

An Introduction to Aircraft Structural Analysis. T.H.G. Megson, p 589.

Animal Locomotion: The Physics of Flying; The Hydrodynamics of Swimming. G.K. Taylor (Ed) *et al*, p 387.

Cognitive Radar: the Knowledge-Aided Fully Adaptive Approach. J.R. Guerci, p 390.

Composite Materials: Science and Applications — Second edition. D.D.L. Chung, p 323.

Co-operative Path Planning of Unmanned Aerial Vehicles. A. Tsourdou *et al*, p 450.

Design and Analysis of Composite Structures: with Applications to Aerospace Structures. C. Kassapoglou, p 284.

Detecting and Classifying Low Probability of Intercept Radar — Second edition. P.E. Pace, p 389.

Emergency of Pico- and Nanosatellites for Atmospheric Research and Technology Testing. P. Thakker and W.A. Shiroma, p 189.

Fundamentals of Aircraft and Airship Design: Vol 1 — Aircraft Design. L.M. Nicholia and G.E. Carichner, p 64.

Handbook of Compressible Aerodynamics. J. Delery, p 450.

Introduction to Antenna Placement and Installation. T.M. Macnamara, p 650.

Introduction to Composite Materials Design — Second edition. E.J. Barbero, p 284.

Introduction to Rocket Science and Engineering. T.S. Taylor, p 65.

Magnesium, Magnesium Alloys and Magnesium Composites. M. Gupta and N.M.L. Sharon, p 390.

Materials Sciences and Engineering — Eighth edition. W.D. Callister and D.G. Rethwisch, p 388.

Mechanical Vibration: Analysis, Uncertainties and Control — Third edition. H. Benaroya, H. and L. Nagurka, p 650.

Multiple Scales Theory for Aerospace Applications. R.V. Ramnath, p 590.

Operation of a Cryogenic Rocket Engine: an Outline with Down-to-Earth and Up-to-Space Remarks. W. Kitsche, p 591.

Rocket and Spacecraft Propulsion: Principles, Practice and New Developments — Third Edition. M.J.L. Turner, p 65.

Rocket Propulsion Elements — Eighth Edition. P. Sutton and O. Biblarz, p 65.

Spacecraft Trajectory Optimisation. B.A. Conway, p 323.

Structural Analysis: with Applications to Aerospace Structures. O.A. Bauchau and J.I. Craig, p 197.

Unmanned Aerial Vehicles: Embedded Control. R. Lozano (Ed), p 388.

What Every Engineer Should Know About Computational Techniques of Finite Element Analysis — Second Edition. L. Komzsis, p 65.

COMPUTATIONAL FLUID DYNAMICS

Aerodynamic shape optimisation of hovering rotors using compressible CFD. C.B. Allen and T.C.S. Rendall, pp 513-519.

A framework for optimising aspects of rotor blades. C.S. Johnson and G.N. Barakos, pp 147-161.

Modification impact on aerodynamic performance of hypersonic waverider. C. Xiao-Qing, H. Zhong-Xi, L. Jian-Xia and G. Xian-Zhong, pp 325-334.

COMPUTATIONAL TECHNIQUES

Computational study of flowfield characteristics in cavities with stores. B. Khanal, K. Knowles and A.J. Saddington, pp 669-681.

ENVIRONMENTAL ENGINEERING

Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects. A. Seitz, D. Schmitt and S. Donnerhack, pp 351-360.

FATIGUE

Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria. R.M. Ajaj, G. Allegri and A.T. Isikveren, pp 15-27.

FLIGHT CONTROL SYSTEMS

A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles. C.-S. Lee, W.-L. Chan, S.-S. Jan and F.-B. Hsiao, pp 29-41.

Non-linear control algorithm for the four rotors UAV attitude tracking problem. L. Derafa, A. Ouldali, T. Madani and A. Benallegue, pp 175-185.

Robust scheduled control of longitudinal flight with handling quality satisfaction. D. Saussié, C. Bérard, O. Akhrif and L. Saydy, pp 163-174.

FLIGHT CONTROL

Reactive route selection from pre-calculated trajectories – application to micro-UAV path planning. J. Hall and D. Anderson, pp 635-640.

The tau of flight control. G.D. Padfield, pp 521-556.

FLIGHT DYNAMICS

Algebraic analysis of stability and bifurcation for nonlinear flight dynamics. D. Wang, pp 345-349.

FLUTTER

F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction. M. Guillaume, A. Gehri, P. Stephani, J.B. Vos and G. Mandanis, pp 285-294.

HUMAN FACTORS

Pilot task demand load during RNAV approaches with a Cessna Citation. M.M. Heiligers, K.T.P. van Bennekom, T.J. van Tuinen, Th. van Holten and M. Mulder, pp 421-439.

JETS

Study of jets from rectangular nozzles with square grooves. P. Arun Kumar, S.B. Verma and S. Elangovan, pp 187-196.

KINEMATICS

Flexible flapping systems: computational investigations into fluid-structure interactions. T. Fitzgerald, M. Valdez, M. Vanella, E. Balaras and B. Balachandran, pp 593-604.

Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism. A. Ania, D. Poirel and M.-J. Potvin, pp 1-13.

MATERIALS

Composite materials, composite structures, composite systems: how to get the best out of composites. M. van Tooren, C. Kasapoglou and H. Bersee, pp 789-797.

Damage arrest design approach using stitched composites. A. Velicki and P. Thrash, pp 799-805.

Damage tolerant cork based composites for aerospace applications. J.M. Silva, C.Z. Nunes, N. Franco and P.V. Gamboa, pp 567-575.

Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow. W.H. Ng, P.P. Friedmann, A.M. Waas and J.J. McNamara, pp 69-82.

PROPULSION

Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine. R. Camilleri, S. Ogaji and P. Pilidis, pp 393-402.

Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine. R. Camilleri, S. Ogaji and P. Pilidis, pp 403-410.

Challenges to overcome for routine usage of automatic optimisation in the propulsion industry. S. Shahpar, pp 615-625.

Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects. A. Seitz, D. Schmitt and S. Donnerhack, pp 351-360.

Flow field and performance analysis of an integrated diverterless supersonic inlet. J. Masud, pp 471-480.

Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet. W. Bao, J. Qin and W.X. Zhou, pp 83-90.

ROTORCRAFT

A comprehensive rotary-wing data base for code validation: the HART II international workshop. B.G. van der Wall, pp 91-102.

A comprehensive rotary-wing data base for code validation: the HART II international workshop — *Erratum*. B.G. van der Wall, p 220.

Aerodynamic shape optimisation of hovering rotors using compressible CFD. C.B. Allen and T.C.S. Rendall, pp 513-519.

A framework for optimising aspects of rotor blades. C.S. Johnson and G.N. Barakos, pp 147-161.

Fidelity enhancement of a rotorcraft simulation model through system identification. L. Lu, G.D. Padfield, M. White and P. Perfect, pp 453-470.

Helicopter brownout — Can it be modelled? C. Phillips, H.W. Kim and R.E. Brown, pp 123-133.

Light gyroplane empennage design considerations. S.S. Houston, pp 505-511.

Modelling of static aerodynamics of helicopter underslung loads. D.I. Greenwell, pp 201-219.

New helicopter model identification method based on flight test data. S. De Jesus Mota and R.M. Botez, pp 295-314.

Non-linear control algorithm for the four rotors UAV attitude tracking problem. L. Derafa, A. Ouldali, T. Madani and A. Benallegue, pp 175-185.

On the generation of a helicopter aerodynamic database. M. Raffel, F. de Gregorio, W. Sheng, G. Gibertini, A. Seraudie, K. de Groot and O. Schneider, pp 103-112.

Trailing-edge flap flow control for dynamic stall. R.B. Green, E.A. Gillies and Y. Wang, pp 493-503.

- Visualisation of the brownout phenomenon, integration and test on a helicopter flight simulator. T. Gerlach, pp 57-63.
- Wind-tunnel tests of a tilt-rotor aircraft. G. Gibertini, F. Auteri, G. Campanardi, C. Macchi, A. Zanotti and A. Stabellini, pp 315-322.

SAFETY

- Aircraft failure detection and identification over an extended flight envelope using an artificial immune system. H. Moncayo, M.G. Perhinschi and J. Davis, pp 43-55.
- Dimensional modelling of the fuel outgassing phenomenon: Improving flammability assessment of aircraft fuel tanks. A.P. Harris and N.M. Ratcliffe, pp 605-614.

SIMULATION

- Fidelity enhancement of a rotorcraft simulation model through system identification. L. Lu, G.D. Padfield, M. White and P. Perfect, pp 453-470.
- Helicopter brownout — Can it be modelled? C. Phillips, H.W. Kim and R.E. Brown, pp 123-133.
- Modelling of static aerodynamics of helicopter underslung loads. D.I. Greenwell, pp 201-219.
- New helicopter model identification method based on flight test data. S. De Jesus Mota and R.M. Botez, pp 295-314.
- Pilot task demand load during RNAV approaches with a Cessna Citation. M.M. Heiligers, K.T.P. van Bennekom, T.J. van Tuinen, Th. van Holten and M. Mulder, pp 421-439.
- Visualisation of the brownout phenomenon, integration and test on a helicopter flight simulator. T. Gerlach, pp 57-63.

STRUCTURAL DYNAMICS

- Survey of aircraft structural dynamics non-linear problems and some recent solutions. J.L. Pérez, L.H. Benitez, M. Oliver and H. Climent, pp 653-668.

STRUCTURES

- A neuro-fuzzy approach to the weight estimation of aircraft structures. C. Hannon, V.V. Toropov and O.M. Querin, pp 739-748.
- Composite materials, composite structures, composite systems: how to get the best out of composites. M. van Tooren, C. Kasapoglou and H. Bersee, pp 789-797.
- Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria. R.M. Ajaj, G. Allegri and A.T. Isikveren, pp 15-27.
- Damage arrest design approach using stitched composites. A. Velicki and P. Thrash, pp 799-805.
- Damage tolerant cork based composites for aerospace applications. J.M. Silva, C.Z. Nunes, N. Franco and P.V. Gamboa, pp 567-575.
- Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies. S. Mistry, M.R. Mofakhami and J. Pinsonnault, pp 749-759.
- F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction. M. Guillaume, A. Gehri, P. Stephani, J.B. Vos and G. Mandanis, pp 285-294.

SYSTEMS

- Aircraft failure detection and identification over an extended flight

- envelope using an artificial immune system. H. Moncayo, M.G. Perhinschi and J. Davis, pp 43-55.
- Multi sensor data fusion based approach for the calibration of airdata systems. M. Majeed and I.N. Kar, pp 113-122.
- Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction. A.R. Arvai, J.J. Kehoe and R. Lind, pp 411-420.

TESTING FACILITIES AND TECHNIQUES

- Multi sensor data fusion based approach for the calibration of airdata systems. M. Majeed and I.N. Kar, pp 113-122.
- Prediction of total pressure characteristics in the settling chamber of a supersonic blowdown wind tunnel. G.K. Suryanarayana and S.R. Bhoi, pp 557-566.
- The influence of Reynolds and Mach numbers on two-dimensional wind-tunnel testing: An experience. B. Sasuo, pp 249-254.
- Wind-tunnel tests of a tilt-rotor aircraft. G. Gibertini, F. Auteri, G. Campanardi, C. Macchi, A. Zanotti and A. Stabellini, pp 315-322.

UAVS

- A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles. C.-S. Lee, W.-L. Chan, S.-S. Jan and F.-B. Hsiao, pp 29-41.
- An operability framework for unmanned aircraft systems. A. Maneschijn, T. Jones and T.W. von Backström, pp 361-376.
- Application of aerodynamic model structure determination to UAV data. S. Carnduff and A. Cooke, pp 481-492.
- Design, analysis and experimental validation of a morphing UAV wing. M. Bolinches, A.J. Keane, A.I.J. Forrester, J.P. Scanlan and K. Takeda, pp 761-765.
- Non-linear control algorithm for the four rotors UAV attitude tracking problem. L. Derafa, A. Ouldali, T. Madani and A. Benallegue, pp 175-185.
- Optimal wing twist distribution for roll control of MAVs. M.R. Ahmed, M.M. Abdelrahman, G.M. ElBayoumi and M.M. ElNomrossy, pp 641-649.
- Reactive route selection from pre-calculated trajectories – application to micro-UAV path planning. J. Hall and D. Anderson, pp 635-640.
- Span-wise wind fluctuations in open terrain as applicable to small flying craft. M. Thompson, S. Watkins, C. White and J. Holmes, pp 693-701.
- Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction. A.R. Arvai, J.J. Kehoe and R. Lind, pp 411-420.

UNSTEADY AERODYNAMICS

- Parameter estimation using unsteady downwash model from real flight data of Hansa-3 aircraft. R. Kumar and A.K. Ghosh, pp 577-588.
- Parametric studies of aerofoil-vortex interaction; a numerical approach using LES. M. Ilie, F. Nitzsche and E. Matida, pp 703-711.

WAKES

- Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil. C. del Pino, J.M. López-Alonso, L. Parras and R. Fernandez-Feria, pp 229-239.
- Wake vortex prediction and detection utilising advanced fusion filter technologies. S. Schönhals, M. Steen and P. Hecker, pp 221-228.

Author Index

- ABDALLA, M.M., GURDAL, Z. and DE BREUKER, R.**
Nonlinear aeroelastic design of morphing outboard wing sections, pp 713-728.
- ABDELRAHMAN, M.M., ELBAYOUMI, G.M., ELNOMROSSY, M.M. and AHMED, M.R.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.
- AHMED, M.R., ABDELRAHMAN, M.M., ELBAYOUMI, G.M. and ELNOMROSSY, M.M.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.
- AHMED, M.Y.M. and QIN, N.**
Numerical investigation of aeroheating characteristics of spiked blunt bodies at Mach six flight conditions, pp 377-386.
- AJAJ, R.M., ALLEGRI, G. and ISIKVEREN, A.T.**
Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria, pp 15-27.
- AKHRIF, O., SAYDY, L., SAUSSIE, D. and BERARD, C.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.
- ALLEGRI, G., ISIKVEREN, A.T. and AJAJ, R.M.**
Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria, pp 15-27.
- ALLEN, C.B. and RENDALL, T.C.S.**
Aerodynamic shape optimisation of hovering rotors using compressible CFD, pp 513-519.
- ANDERSON, D. and HALL, J.**
Reactive route selection from pre-calculated trajectories — application to micro-UAV path planning, pp 635-640.
- ANIA, A., POIREL, D. and POTVIN, M.-J.**
Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism, p 1-13.
- ARUN KUMAR, P., VERMA, S.B. and ELANGO VAN, S.**
Study of jets from rectangular nozzles with square grooves, pp 187-196.
- ARVAI, A.R., KEHOE, J.J. and LIND, R.**
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction, pp 411-420.
- AUTERI, F., CAMPANARDI, G., MACCHI, C., ZANOTTI, A., STABELLINI, A. and GIBERTINI, G.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.
- BALACHANDRAN, B., FITZGERALD, T., VALDEZ, M., VANELLA, M. and BALARAS, E.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.
- BALARAS, E., BALACHANDRAN, B., FITZGERALD, T., VALDEZ, M. and VANELLA, M.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.
- BAO, W., QIN, J. and ZHOU, W.X.**
Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet, pp 83-90.
- BARAKOS, G.N. AND JOHNSON, C.S.**
A framework for optimising aspects of rotor blades, pp 147-161.
- BARBER, T.J., LEONARDI, E. and BEVES, C.C.**
Aerofoil flow separation suppression using dimples, pp 335-344.
- BENALLEGUE, A., DERAFA, L., OULDALI, A. and MADANI, T.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.
- BENITEZ, L.H., OLIVER, M., CLIMENT, H. and PEREZ, J.L.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.
- BERARD, C., AKHRIF, O., SAYDY, L. and SAUSSIE, D.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.
- BERSEE, H., VAN TOOREN, M. and KASAPOGLOU, C.**
Composite materials, composite structures, composite systems: how to get the best out of composites, pp 789.
- BEVES, C.C., BARBER, T.J. and LEONARDI, E.**
Aerofoil flow separation suppression using dimples, pp 335-344.
- BHOI, S.R. and SURYANARAYANA, G.K.**
Prediction of total pressure characteristics in the settling chamber of a supersonic blowdown wind tunnel, pp 557-566.
- BLAKEY, S., WILSON, C.W., FARMERY, M. and MIDGLEY, R.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.
- BOLINCHES, M., KEANE, A.J., FORRESTER, A.I.J., SCANLAN, J.P. and TAKEDA, K.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.
- BOTEZ, R.M. and DE JESUS MOTA, S.**
New helicopter model identification method based on flight test data, pp 295-314.
- BROWN, R.E. PHILLIPS, C. and KIM, H.W.**
Helicopter brownout — Can it be modelled?, pp 123-133.
- CAMILLERI, R., OGAJI, S. and PILIDIS, P.**
Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine, pp 393-402.
- CAMILLERI, R., OGAJI, S. and PILIDIS, P.**
Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine, pp 403-410.
- CAMPANARDI, G., MACCHI, C., ZANOTTI, A., STABELLINI, A., GIBERTINI, G. and AUTERI, F.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.
- CARNDUFF, S. AND COOKE, A.**
Application of aerodynamic model structure determination to UAV data, pp 481-492.
- CHAN, W.-L., JAN, S.-S., HSIAO, F.-B. and LEE, C.-S.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.
- CLIMENT, H., PEREZ, J.L., BENITEZ, L.H. and OLIVER, M.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.

- COOKE, A. and CARNDUFF, S.**
Application of aerodynamic model structure determination to UAV data, pp 481-492.
- COOPER, J.E. and HARMIN, M.Y.**
Aeroelastic wing design including geometric nonlinearities — Nonlinear aeroelastic design of morphing outboard wing sections, pp 767-788.
- DAVIS, J., MONCAYO, H. and PERHINSCHI, M.G.**
Aircraft failure detection and identification over an extended flight envelope using an artificial immune system, pp 43-55.
- DE BREUKER, R., ABDALLA, M.M. and GURDAL, Z.**
Nonlinear aeroelastic design of morphing outboard wing sections, pp 713-728.
- DE GREGORIO, F., SHENG, W., GIBERTINI, G., SERAUDIE, A., DE GROOT, K., SCHNEIDER, O. and RAFFEL, M.**
On the generation of a helicopter aerodynamic database, pp 103-112.
- DE GROOT, K., SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F., SHENG, W., GIBERTINI, G. and SERAUDIE, A.**
On the generation of a helicopter aerodynamic database, pp 103-112.
- DE JESUS MOTA, S. and BOTEZ, R.M.**
New helicopter model identification method based on flight test data, pp 295-314.
- DEL PINO, C., LOPEZ-ALONSO, J.M., PARRAS, L. and FERNANDEZ-FERIA, R.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.
- DERAFA, L., OULDALI, A., MADANI, T. and BENALLEGUE, A.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.
- DONNERHACK, S., SEITZ, A. and SCHMITT, D.**
Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects, pp 351-360.
- ELANGOVA, S., ARUN KUMAR, P. and VERMA, S.B.**
Study of jets from rectangular nozzles with square grooves, pp 187-196.
- ELBAYOUMI, G.M., ELNOMROSSY, M.M., AHMED, M.R. and ABDELRAHMAN, M.M.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.
- ELNOMROSSY, M.M., AHMED, M.R., ABDELRAHMAN, M.M. and ELBAYOUMI, G.M.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.
- FARMERY, M., MIDGLEY, R., BLAKEY, S. and WILSON, C.W.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.
- FERNANDEZ-FERIA, R., DEL PINO, C., LOPEZ-ALONSO, J.M. and PARRAS, L.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.
- FITZGERALD, T., VALDEZ, M., VANELLA, M., BALARAS, E. and BALACHANDRAN, B.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.
- FORRESTER, A.I.J., SCANLAN, J.P., TAKEDA, K., BOLINCHES, M. and KEANE, A.J.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.
- FRANCO, N., GAMBOA, P.V., SILVA, J.M. and NUNES, C.Z.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.
- FRIEDMANN, P.P., WAAS, A.M., MCNAMARA, J.J. and NG, W.H.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.
- GAMBOA, P.V., SILVA, J.M., NUNES, C.Z. and FRANCO, N.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.
- GEHRI, A., STEPHANI, P., VOS, J.B., MANDANIS, G. and GUILLAUME, M.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.
- GERLACH, T.**
Visualisation of the brownout phenomenon, integration and test on a helicopter flight simulator, pp 57-63.
- GHOSH, A.K. and KUMAR, R.**
Parameter estimation using unsteady downwash model from real flight data of Hansa-3 aircraft, pp 577-588.
- GIBERTINI, G., AUTERI, F., CAMPANARDI, G., MACCHI, C., ZANOTTI, A. and STABELLINI, A.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.
- GIBERTINI, G., SERAUDIE, A., DE GROOT, K., SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F. and SHENG, W.**
On the generation of a helicopter aerodynamic database, pp 103-112.
- GILLIES, E.A., WANG, Y. and GREEN, R.B.**
Trailing-edge flap flow control for dynamic stall, pp 493-503.
- GRATTON, G., MARES, C. and SAEED, B.**
A feasibility assessment of annular winged VTOL flight vehicles, pp 683-692.
- GREEN, R.B., GILLIES, E.A. and WANG, Y.**
Trailing-edge flap flow control for dynamic stall, pp 493-503.
- GREENWELL, D.I.**
Modelling of static aerodynamics of helicopter underslung loads, pp 201-219.
- GUILLAUME, M., GEHRI, A., STEPHANI, P., VOS, J.B. and MANDANIS, G.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.
- GURDAL, Z., DE BREUKER, R. and ABDALLA, M.M.**
Nonlinear aeroelastic design of morphing outboard wing sections, pp 713-728.
- HALL, J. and ANDERSON, D.**
Reactive route selection from pre-calculated trajectories – application to micro-UAV path planning, pp 635-640.
- HANNON, C., TOROPOV, V.V. and QUERIN, O.M.**
A neuro-fuzzy approach to the weight estimation of aircraft structures, pp 739-748.
- HARMIN, M.Y. and COOPER, J.E.**
Aeroelastic wing design including geometric nonlinearities — Nonlinear aeroelastic design of morphing outboard wing sections, pp 767-788.
- HARRIS, A.P. and RATCLIFFE, N.M.**
Dimensional modelling of the fuel outgassing phenomenon: Improving flammability assessment of aircraft fuel tanks, pp 605-614.

- HECKER, P., SCHONHALS, S. and STEEN, M.**
Wake vortex prediction and detection utilising advanced fusion filter technologies, pp 221-228.
- HEILIGERS, M.M., VAN BENNEKOM, K.T.P., VAN TUINEN, T.J., VAN HOLTEN, TH. and MULDER, M.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.
- HOLMES, J., THOMPSON, M., WATKINS, S. and WHITE, C.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.
- HOUSTON, S.S.**
Light gyroplane empennage design considerations, pp 505-511.
- HSIAO, F.-B., LEE, C.-S., CHAN, W.-L. and JAN, S.-S.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.
- ILIE, M., NITZSCHE, F. and MATIDA, E.**
Parametric studies of aerofoil-vortex interaction; a numerical approach using LES, pp 703-711.
- ISIKVEREN, A.T., AJAJ, R.M. and ALLEGRI, G.**
Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria, pp 15-27.
- JAN, S.-S., HSIAO, F.-B., LEE, C.-S. and CHAN, W.-L.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.
- JAWORSKI, A.J., TURNER, J.T., WOOD, N.J. and ZHANG, S.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.
- JIAN-XIA, L., XIAN-ZHONG, G., XIAO-QING, C. and ZHONG-XI, H.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.
- JOHNSON, C.S. and BARAKOS, G.N.**
A framework for optimising aspects of rotor blades, pp 147-161.
- JONES, T., VON BACKSTROM, T.W. and MANESCHIJN, A.**
An operability framework for unmanned aircraft systems, pp 361-376.
- KAR, I.N. and MAJEED, M.**
Multi sensor data fusion based approach for the calibration of airdata systems, pp 113-122.
- KASAPOGLOU, C., BERSEE, H. and VAN TOOREN, M.**
Composite materials, composite structures, composite systems: how to get the best out of composites, pp 789-797.
- KEANE, A.J., FORRESTER, A.I.J., SCANLAN, J.P., TAKEDA, K. and BOLINCHES, M.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.
- KEHOE, J.J., LIND, R. and ARVAI, A.R.**
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction, pp 411-420.
- KHANAL, B., KNOWLES, K. and SADDINGTON, A.J.**
Computational study of flowfield characteristics in cavities with stores, pp 669-681.
- KIM, H.W., BROWN, R.E. and PHILLIPS, C.**
Helicopter brownout — Can it be modelled?, pp 123-133.
- KNOWLES, K., SADDINGTON, A.J. and KHANAL, B.**
Computational study of flowfield characteristics in cavities with stores, pp 669-681.
- KUMAR, R. and GHOSH, A.K.**
Parameter estimation using unsteady downwash model from real flight data of Hansa-3 aircraft, pp 577-588.
- LEE, C.-S., CHAN, W.-L., JAN, S.-S. and HSIAO, F.-B.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.
- LEONARDI, E., BEVES, C.C. and BARBER, T.J.**
Aerofoil flow separation suppression using dimples, pp 335-344.
- LEWIS, H.G., SWINERD, G.G. and NEWLAND, R.J.**
The space debris environment: future evolution, pp 241-247.
- LIND, R., ARVAI, A.R. and KEHOE, J.J.**
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction, pp 411-420.
- LOPEZ-ALONSO, J.M., PARRAS, L., FERNANDEZ-FERIA, R. and DEL PINO, C.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.
- LU, L., PADFIELD, G.D., WHITE, M. and PERFECT, P.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.
- MACCHI, C., ZANOTTI, A., STABELLINI, A., GIBERTINI, G., AUTERI, F. and CAMPANARDI, G.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.
- MADANI, T., BENALLEGUE, A., DERAFA, L. and OULDALI, A.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.
- MAJEED, M. and KAR, I.N.**
Multi sensor data fusion based approach for the calibration of airdata systems, pp 113-122.
- MANDANIS, G., GUILLAUME, M., GEHRI, A., STEPHANI, P. and VOS, J.B.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.
- MANESCHIJN, A., JONES, T. and VON BACKSTROM, T.W.**
An operability framework for unmanned aircraft systems, pp 361-376.
- MARCH, A., WILLCOX, K. and WANG, Q.**
Gradient-based multifidelity optimisation for aircraft design using bayesian model calibration, pp 729.
- MARES, C., SAEED, B. and GRATTON, G.**
A feasibility assessment of annular winged VTOL flight vehicles, pp 683-692.
- MASUD, J.**
Flow field and performance analysis of an integrated diverterless supersonic inlet, pp 471-480.
- MATIDA, E., ILIE, M. and NITZSCHE, F.**
Parametric studies of aerofoil-vortex interaction; a numerical approach using LES, pp 703-711.
- MCNAMARA, J.J., NG, W.H., FRIEDMANN, P.P. and WAAS, A.M.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.
- MIDGLEY, R., BLAKEY, S., WILSON, C.W. and FARMERY, M.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.

- MISTRY, S., MOFAKHAMI, M.R. and PINSONNAULT, J.**
Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies, pp 749-759.
- MOFAKHAMI, M.R., PINSONNAULT, J. and MISTRY, S.**
Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies, pp 749-759.
- MONCAYO, H., PERHINSCHI, M.G. and DAVIS, J.**
Aircraft failure detection and identification over an extended flight envelope using an artificial immune system, pp 43-55.
- MULDER, M., HEILIGERS, M.M., VAN BENNEKOM, K.T.P., VAN TUINEN, T.J. and VAN HOLTEN, TH.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.
- NEWLAND, R.J., LEWIS, H.G., and SWINERD, G.G.**
The space debris environment: future evolution, pp 241-247.
- NG, W.H., FRIEDMANN, P.P., WAAS, A.M. and MCNAMARA, J.J.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.
- NITZSCHE, F., MATIDA, E. and ILIE, M.**
Parametric studies of aerofoil-vortex interaction; a numerical approach using LES, pp 703-711.
- NUNES, C.Z., FRANCO, N., GAMBOA, P.V. and SILVA, J.M.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.
- OGAJI, S., PILIDIS, P. and CAMILLERI, R.**
Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine, pp 393-402.
- OGAJI, S., PILIDIS, P. and CAMILLERI, R.**
Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine, pp 403-410.
- OLIVER, M., CLIMENT, H., PEREZ, J.L. and BENITEZ, L.H.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.
- OULDALI, A., MADANI, T., BENALLEGUE, A. and DERAFA, L.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.
- PADFIELD, G.D.**
The tau of flight control, pp 521-556.
- PADFIELD, G.D., WHITE, M. and PERFECT, P. and LU, L.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.
- PARRAS, L., FERNANDEZ-FERIA, R., DEL PINO, C. and LOPEZ-ALONSO, J.M.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.
- PEREZ, J.L., BENITEZ, L.H., OLIVER, M. and CLIMENT, H.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.
- PERFECT, P., LU, L., PADFIELD, G.D. and WHITE, M.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.
- PERHINSCHI, M.G., DAVIS, J. and MONCAYO, H.**
Aircraft failure detection and identification over an extended flight envelope using an artificial immune system, pp 43-55.
- PHILLIPS, C., KIM, H.W. and BROWN, R.E.**
Helicopter brownout — Can it be modelled?, pp 123-133.
- PILIDIS, P., CAMILLERI, R. and OGAJI, S.**
Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine, pp 393-402.
- PILIDIS, P., CAMILLERI, R. and OGAJI, S.**
Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine, pp 403-410.
- PINSONNAULT, J., MISTRY, S. and MOFAKHAMI, M.R.**
Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies, pp 749-759.
- POIREL, D., POTVIN, M.-J. and ANIA, A.**
Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism, pp 1-13.
- POLL, D.I.A.**
A first order method for the determination of the leading mass characteristics of civil transport aircraft, pp 257-272.
- POLL, D.I.A.**
On the effect of stage length on the efficiency of air transport, pp 273-283.
- POTVIN, M.-J., ANIA, A. and POIREL, D.**
Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism, pp 1-13.
- QIN, J., ZHOU, W.X. and BAO, W.**
Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet, pp 83-90.
- QIN, N. and AHMED, M.Y.M.**
Numerical investigation of aeroheating characteristics of spiked blunt bodies at Mach six flight conditions, pp 377-386.
- QUERIN, O.M., HANNON, C. and TOROPOV, V.V.**
A neuro-fuzzy approach to the weight estimation of aircraft structures, pp 739-748.
- RAFFEL, M., DE GREGORIO, F., SHENG, W., GIBERTINI, G., SERAUDIE, A., DE GROOT, K. and SCHNEIDER, O.**
On the generation of a helicopter aerodynamic database, pp 103-112.
- RASUO, B.**
The influence of Reynolds and Mach numbers on two-dimensional wind-tunnel testing: An experience, pp 249-254.
- RATCLIFFE, N.M. and HARRIS, A.P.**
Dimensional modelling of the fuel outgassing phenomenon: Improving flammability assessment of aircraft fuel tanks, pp 605-614.
- RENDALL, T.C.S., and ALLEN, C.B.**
Aerodynamic shape optimisation of hovering rotors using compressible CFD, pp 513-519.
- SADDINGTON, A.J., KHANAL, B. and KNOWLES, K.**
Computational study of flowfield characteristics in cavities with stores, pp 669-681.
- SAEED, B., GRATTON, G. and MARES, C.**
A feasibility assessment of annular winged VTOL flight vehicles, pp 683-692.
- SAUSSIE, D., BERARD, C., AKHRIF, O. and SAYDY, L.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.
- SAYDY, L., SAUSSIE, D., BERARD, C., and AKHRIF, O.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.

- SCANLAN, J.P., TAKEDA, K., BOLINCHES, M., KEANE, A.J. and FORRESTER, A.I.J.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.
- SCHMITT, D., DONNERHACK, S. and SEITZ, A.**
Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects, pp 351-360.
- SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F., SHENG, W., GIBERTINI, G., SERAUDIE, A. and DE GROOT, K.**
On the generation of a helicopter aerodynamic database, pp 103-112.
- SCHONHALS, S., STEEN, M. and HECKER, P.**
Wake vortex prediction and detection utilising advanced fusion filter technologies, pp 221-228.
- SEITZ, A., SCHMITT, D. and DONNERHACK, S.**
Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects, pp 351-360.
- SERAUDIE, A., DE GROOT, K., SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F., SHENG, W. and GIBERTINI, G.**
On the generation of a helicopter aerodynamic database, pp 103-112.
- SHAHPAR, S.**
Challenges to overcome for routine usage of automatic optimisation in the propulsion industry, pp 615-625.
- SHENG, W., GIBERTINI, G., SERAUDIE, A., DE GROOT, K., SCHNEIDER, O., RAFFEL, M. and DE GREGORIO, F.**
On the generation of a helicopter aerodynamic database, pp 103-112.
- SILVA, J.M., NUNES, C.Z., FRANCO, N. and GAMBOA, P.V.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.
- SOMERS, D.M.**
Subsonic aerofoil design 2010, pp 137-146.
- STABELLINI, A., GIBERTINI, G., AUTERI, F., CAMPANARDI, G., MACCHI, C. and ZANOTTI, A.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.
- STEEN, M., HECKER, P. and SCHONHALS, S.**
Wake vortex prediction and detection utilising advanced fusion filter technologies, pp 221-228.
- STEPHANI, P., VOS, J.B., MANDANIS, G., GUILLAUME, M. and GEHRI, A.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.
- SURYANARAYANA, G.K. and BHOLI, S.R.**
Prediction of total pressure characteristics in the settling chamber of a supersonic blowdown wind tunnel, pp 557-566.
- SWINERD, G.G., NEWLAND, R.J. and LEWIS, H.G.**
The space debris environment: future evolution, pp 241-247.
- TAKEDA, K., BOLINCHES, M., KEANE, A.J., FORRESTER, A.I.J. and SCANLAN, J.P.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.
- THOMPSON, M., WATKINS, S., WHITE, C. and HOLMES, J.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.
- THRASH, P. and VELICKI, A.**
Damage arrest design approach using stitched composites, pp 799-805.
- TOROPOV, V.V., QUERIN, O.M. and HANNON, C.**
A neuro-fuzzy approach to the weight estimation of aircraft structures, pp 739.
- TURNER, J.T., WOOD, N.J., ZHANG, S. and JAWORSKI, A.J.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.
- VALDEZ, M., VANELLA, M., BALARAS, E., BALACHANDRAN, B. and FITZGERALD, T.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.
- VAN BENNEKOM, K.T.P., VAN TUINEN, T.J., VAN HOLTEN, TH., MULDER, M. and HEILIGERS, M.M.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.
- VAN DER WALL, B.G.**
A comprehensive rotary-wing data base for code validation: the HART II international workshop, pp 91-102.
- VAN DER WALL, B.G.**
A comprehensive rotary-wing data base for code validation: the HART II international workshop — *Erratum*, pp 220.
- VAN HOLTEN, TH., MULDER, M., HEILIGERS, M.M., VAN BENNEKOM, K.T.P. and VAN TUINEN, T.J.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.
- VAN TOOREN, M., KASAPOGLOU, C. and BERSEE, H.**
Composite materials, composite structures, composite systems: how to get the best out of composites, pp 779-787.
- VAN TUINEN, T.J., VAN HOLTEN, TH., MULDER, M., HEILIGERS, M.M. and VAN BENNEKOM, K.T.P.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.
- VANELLA, M., BALARAS, E., BALACHANDRAN, B., FITZGERALD, T. and VALDEZ, M.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.
- VELICKI, A. and THRASH, P.**
Damage arrest design approach using stitched composites, pp 789-795.
- VERMA, S.B., ELANGO VAN, S. and ARUN KUMAR, P.**
Study of jets from rectangular nozzles with square grooves, pp 187-196.
- VON BACKSTROM, T.W., MANESCHIJJN, A. and JONES, T.**
An operability framework for unmanned aircraft systems, pp 361-376.
- VOS, J.B., MANDANIS, G., GUILLAUME, M., GEHRI, A. and STEPHANI, P.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.
- WAAS, A.M., MCNAMARA, J.J. NG, W.H. and FRIEDMANN, P.P.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.
- WANG, D.**
Algebraic analysis of stability and bifurcation for nonlinear flight dynamics, pp 345-349.
- WANG, Q., MARCH, A. and WILLCOX, K.**
Gradient-based multifidelity optimisation for aircraft design using bayesian model calibration, pp 729-738.

- WANG, Y., GREEN, R.B. and GILLIES, E.A.**
Trailing-edge flap flow control for dynamic stall, pp 493-503.
- WATKINS, S., WHITE, C., HOLMES, J. and THOMPSON, M.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.
- WHITE, C., HOLMES, J., THOMPSON, M. and WATKINS, S.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.
- WHITE, M., PERFECT, P., LU, L. and PADFIELD, G.D.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.
- WILLCOX, K., WANG, Q. and MARCH, A.**
Gradient-based multifidelity optimisation for aircraft design using bayesian model calibration, pp 729-738.
- WILSON, C.W., FARMERY, M., MIDGLEY, R. and BLAKEY, S.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.
- WOOD, N.J., ZHANG, S., JAWORSKI, A.J. and TURNER, J.T.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.
- XIAN-ZHONG, G., XIAO-QING, C., ZHONG-XI, H. and JIAN-XIA, L.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.
- XIAO-QING, C., ZHONG-XI, H., JIAN-XIA, L. and XIAN-ZHONG, G.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.
- ZANOTTI, A., STABELLINI, A., GIBERTINI, G., AUTERI, F., CAMPANARDI, G. and MACCHI, C.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.
- ZHANG, S., JAWORSKI, A.J., TURNER, J.T. and WOOD, N.J.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.
- ZHONG-XI, H., JIAN-XIA, L., XIAN-ZHONG, G. and XIAO-QING, C.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.
- ZHOU, W.X., BAO, W. and QIN, J.**
Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet, pp 83-90.

Volume CXV

Number 1163	January	pp 1-66
Number 1164	February	pp 69-133
Number 1165	March	pp 137-198
Number 1166	April	pp 201-254
Number 1167	May	pp 257-322
Number 1168	June	pp 325-390
Number 1169	July	pp 393-450
Number 1170	August	pp 453-518
Number 1171	September	pp 521-591
Number 1172	October	pp 593-650
Number 1173	November	pp 653-711
Number 1174	December	pp 713-805

Referees: January – December 2011

The editorial staff would like to thank all the referees who provided valuable comments throughout 2011. Those who assisted on papers which reached a conclusion during 2011 are listed below:

C J Baker	A Morris
D E H Balmford	J B Moss
G Barakos	D J Murray-Smith
R H Beazley	M Nash
R M Botez	S J Newman
M H Bourne	W Y Ochieng
P Bunniss	M Ol
R S Cant	M Pavel
A Clark	J Peiro
M V Cook	M F Platzer
P Costello	A Ponton
F N Coton	S A Prince
C Doolan	S Prior
G Dorrington	J M V Rayner
J Etches	P Randall
M Fairweather	D Raper
K Feigh	K Rinoie
N S Ferguson	G T Roberts
A Filippone	A Rosen
M. G. Goman	F Ruffier
R B Green	V Savov
D Greenwell	M Schlabach
S Guo	N Sinha
I Gursul	M Smart
J K Harvey	H Smith
G Herrmann	P R Spalart
H P Hodson	R J Stalker
K-H Horstmann	D Stinton
S S Houston	D Sweeting
D Howe	J Swithenbank
V Infante	G Tai
I-S Jeung	N V Taylor
M Jump	D G Thomson
P T W Juggins	H. Tokutake
N Komerath	G R Tomlinson
P Lawrence	C Toomer
C Lawson	B Van der Wall
N Lieven	C. Venkatesan
R Lind	D Vorley
D A Linkens	M Voskuil
A Le Pape	D Wachspress
M Lowenberg	D J Walker
J J McGuirk	G Whitehouse
D McManus	T.M. Young
S Menon	Y Zhang
R C Mehta	S Zhikun

The editorial staff also thank the Associate Editors for their guidance throughout 2011.